LINGTONG

LINGTONG EXHIBITION SYSTEM CO., LTD.
Address: NO.333, Changhong East Road, Yaoguan, Wujin, Changzhou, Jiangsu, China
Post code: 213102
Tel:0086-519-88702888 88702558 88702568
Fax: 0519-88701653
Email: lintong@ling-tong.cn
http://www.ling-tong.com

201702-01

LT SYSTEMS 2017

LINGTONG

LINGTONG

LT SYSTEMS CATALOGUE

LINGTONG EXHIBITION SYSTEM CO., LTD.

PREFACE

To adapt to the company's new brand strategy, the product numbering system will be changed significantly for both domestic and overseas markets. The basic method is: adding prefix "LT" to every previous product code and at the same time add the suffix "xx" to indicate the characteristics of the product (e.g. surface treatment, materials, etc). The basic format is LT-xxx（xx）. For example, "LT-S100（01）″ represents anodized S100. The specific characteristics of the suffix (xx) are defined as follows.

Article codes
（00）：Raw/Unfinished

（01）：Anodized, silver
（03）：Matt anodized, black

（11）：Polished, anodized, silver

（20）：White powder-coated (RAL9010)
（21）：Grey powder-coated (RAL9006)
（22）：White powder-coated (RAL9016)
（23）：Glossy silver gray powder-coated
（24）：Light silver gray powder-coated
（25）：Blue powder-coated
（26）：Black powder-coated
（27）：Red powder-coated

As per manufacture
（40）：white
（41）：silver-grey
（43）：black
（45）：light-grey
（46）：grey
（47）：zinc-plated
（48）：nickel-plated
（49）：matt chrome-plated
（51）：polished chrome-plated
（61）：transparent
（70）：wood finish

CONTENTS

1.STANDARD SYSTEM……1-01——1-53

2.DESIGN SYSTEM……2-01——2-19

3.DOUBLE DECK……3-01——3-11

4.TRUSS……4-01——4-09

5.WALL SYSTEM……5-01——5-21

6.FABRIC SYSTEM……6-01——6-18

7.FLOOR SYSTEM……7-01——7-07

8.SHOWCASES……8-01——8-34

9.EXPO FURNITURE……9-01——9-13

10.EXPO ELECTRICAL EQUIPMENT……10-01——10-19

11.PACKING……11-01——11-07.

12.ASSISTANT MATERIAL……12-01——12-33

INDEX CODE……Index Code-01——Index Code-24

INDEX NAME……Index Name-01——Index Name-24

STANDARD SYSTEM

LINGTONG®





Upright Extrusion LT-S100

Weight:1.345kg/m
Length:5m
Aluminium,8 system grooves

LT-S100(01)
LT-S100(11)
LT-S100(20)





Upright Extrusion LT-S108

Weight:1.137kg/m
Length:5m
Aluminium,8 system grooves

LT-S108(01)
LT-S108(11)
LT-S108(20)





Upright Extrusion LT-S201

Weight:0.917kg/m
Length:5m
Aluminium,5 system grooves

LT-S201(01)
LT-S201(11)





Upright Extrusion LT-S202

Weight:1.463kg/m
Length:5m
Aluminium,8 system grooves

LT-S202(01)

LT-S203 Upright Extrusion 135°

LT-S203(01)

Weight:0.943kg/m
Length:6m
Aluminium,4 system grooves





LT-S204 Upright Extrusion

LT-S204(01)
LT-S204(11)

Weight:1.130kg/m
Length:6m
Aluminium,5 system grooves





LT-S300 Upright Extrusion

LT-S300(01)
LT-S300(11)

Weight:0.933kg/m
Length:5m
Aluminium,3 system grooves





LT-S302 Upright Extrusion 45°

LT-S302(01)

Weight:0.762kg/m
Length:6m
Aluminium,2 system grooves





Upright Extrusion 60° LT-S303

LT-S303(01)

Weight:0.790kg/m
Length:6m
Aluminium,2 system grooves





Upright Extrusion LT-S500

LT-S500(01)

Weight:1.472kg/m
Length:6m
Aluminium,6 system grooves





Beam Extrusion/32mm LT-Z313

LT-Z313(01)
LT-Z313(11)

Weight:0.540kg/m
Length:6m
Aluminium,1 system groove





Beam Extrusion/32mm LT-Z312

LT-Z312(01)

Weight:0.485kg/m
Length:6m
Aluminium,1 system groove





LT-Z310 Beam Extrusion/37mm

LT-Z310(01)
LT-Z310(11)

Weight:0.590kg/m
Length:6m
Aluminium,1 system groove





LT-Z311 Beam Extrusion/37mm

LT-Z311(01)

Weight:0.736kg/m
Length:6m
Aluminium,1 system groove





LT-Z4400 Beam Extrusion/40mm

LT-Z4400(01)
LT-Z4400(11)

Weight:0.662kg/m
Length:6m
Aluminium,2 system grooves





LT-Z4300 Beam Extrusion/40mm

LT-Z4300(01)

Weight:0.707kg/m
Length:6m
Aluminium,2 system grooves





Beam Extrusion/40mm LT-Z4200

Weight:0.753kg/m
Length:6m
Aluminium,2 system grooves

LT-Z4200(01)





Beam Extrusion/40mm LT-Z4401

Weight:0.570kg/m
Length:6m
Aluminium

LT-Z4401(01)





Beam Extrusion/50mm LT-Z400A

Weight:0.770kg/m
Length:6m
Aluminium,2 system grooves

LT-Z400A(01)
LT-Z400A(11)
LT-Z400A(20)





Beam Extrusion/50mm LT-Z400B

Weight:0.832kg/m
Length:6m
For curved beam
Aluminium,2 system grooves

LT-Z400B(01)
LT-Z400B(11)





LT-Z402 Beam Extrusion/50mm

LT-Z402(01)
LT-Z402(11)

Weight:0.872kg/m
Length:6m
Aluminium,2 system grooves





LT-Z403 Beam Extrusion/50mm

LT-Z403(01)

Weight:0.828kg/m
Length:6m
Aluminium,2 system grooves





LT-Z460 Beam Extrusion/50mm

LT-Z460(01)
LT-Z460(11)
LT-Z460(20)

Weight:0.842kg/m
Length:6m
Aluminium,4 system grooves





LT-ZL402 Beam Extrusion/50mm

LT-ZL402(01)

Weight:0.773kg/m
Length:6m
Aluminium,The minimum beam extrusion with double locks





Beam Extrusion/50mm LT-Z4500

Weight:0.820kg/m
Length:6m
Aluminium,3 system grooves

LT-Z4500(01)



Beam Extrusion/50mm LT-Z4501

Weight:0.752kg/m
Length:6m
Aluminium,2 system grooves

LT-Z4501(01)



Beam Extrusion/70mm LT-Z108

Weight:1.085kg/m
Length:6m
Aluminium,2 system grooves

LT-Z108(01)
LT-Z108(11)
LT-Z108(20)



Beam Extrusion/70mm LT-Z109

Weight:1.118kg/m
Length:6m
Aluminium,2 system grooves
For curved beam

LT-Z109(01)
LT-Z109(11)
LT-Z109(20)



LT-Z110 Beam Extrusion/70mm

LT-Z110(01)
LT-Z110(11)
LT-Z110(20)

Weight:1.075kg/m
Length:6m
Aluminium,2 system grooves





LT-Z164 Beam Extrusion/70mm

LT-Z164(01)
LT-Z164(11)
LT-Z164(20)

Weight:1.115kg/m
Length:6m
Aluminium,4 system grooves





LT-Z166 Beam Extrusion/70mm

LT-Z166(01)
LT-Z166(11)

Weight:1.147kg/m
Length:6m
Aluminium,4 system grooves





LT-Z160 Beam Extrusion/70mm

LT-Z160(01)
LT-Z160(11)
LT-Z160(20)

Weight:1.180kg/m
Length:6m
Aluminium,6 system grooves









Beam Extrusion/100mm LT-Z522

Weight:1.654kg/m
Length:6m
Aluminium,8 system grooves

LT-Z522(01)
LT-Z522(11)





Beam Extrusion/120mm LT-Z511

Weight:1.392kg/m
Length:6m
Aluminium,2 system grooves

LT-Z511(01)
LT-Z511(11)





Beam Extrusion/120mm LT-Z510

Weight:1.649kg/m
Length:6m
Aluminium,6 system grooves

LT-Z510(01)
LT-Z510(11)





Beam Extrusion/150mm LT-Z509A

Weight:1.822kg/m
Length:6m
Aluminium,1 system groove

LT-Z509A(01)

LT-Z508 Beam Extrusion/175mm

LT-Z508(01)
LT-Z508(11)
LT-Z508(20)

Weight:2.175kg/m
Length:6m
Aluminium,2 system grooves





LT-Z509 Beam Extrusion/175mm

LT-Z509(01)

Weight:2.130kg/m
Length:6m
Aluminium,1 system groove



LT-Z601 Beam Extrusion/175mm

LT-Z601(01)
LT-Z601(11)

Weight:2.600kg/m
Length:6m
Aluminium,2 system grooves



LT-W2001 Fix Extrusion

LT-W2001(01)

Weight:0.484kg/m
Length:6m
Aluminium,coupled with
LT-W2002 together,
for fixing 8-10mm glass







Press Extrusion LT-W2002

Weight:0.347kg/m
Length:6m
Aluminium,coupled with
LT-W2001 together,
for fixing 8-10mm glass

LT-W2002(01)





Cothes Rod Extrusion LT-K511

Weight:0.432kg/m
Length:6m
Aluminium

LT-K511(01)





Plastic Clip LT-K512

Weight:0.039kg/m
Length:5m
For fixing LT-K511
Plastic

LT-K512(46)



Upright Extrusion, Curved Quarter Circle LT-S108-4Y990

Dia 990mm
Weight:0.974kg/pc
Aluminium

LT-S108-4Y990(01)
LT-S108-4Y990(11)
LT-S108-4Y990(20)

LT-S108-4Y1400 Upright Extrusion, Curved Quarter Circle

LT-S108-4Y1400(01)
LT-S108-4Y1400(11)
LT-S108-4Y1400(20)

Dia 1400mm
Weight:1.340kg/pc
Aluminium



LT-S108-4Y1980 Upright Extrusion, Curved Quarter Circle

LT-S108-4Y1980(01)
LT-S108-4Y1980(11)
LT-S108-4Y1980(20)

Dia 1980mm
Weight:1.859kg/pc
Aluminium



LT-S108-4Y2800 Upright Extrusion, Curved Quarter Circle

LT-S108-4Y2800(01)
LT-S108-4Y2800(11)
LT-S108-4Y2800(20)

Dia 2800mm
Weight:2.591kg/pc
Aluminium



LT-S108-2Y990 Upright Extrusion, Curved Half Circle

LT-S108-2Y990(01)
LT-S108-2Y990(11)
LT-S108-2Y990(20)

Dia 990mm
Weight:1.894kg/pc
Aluminium

Upright Extrusion, Curved Half Circle LT-S108-2Y1400



Dia 1400mm
Weight:2.626kg/pc
Aluminium

LT-S108-2Y1400(01)
LT-S108-2Y1400(11)
LT-S108-2Y1400(20)

Upright Extrusion, Curved Half Circle LT-S108-2Y1980



Dia 1980mm
Weight:3.662kg/pc
Aluminium

LT-S108-2Y1980(01)
LT-S108-2Y1980(11)
LT-S108-2Y1980(20)

Upright Extrusion, Curved Half Circle LT-S108-2Y2800



Dia 2800mm
Weight:5.127kg/pc
Aluminium

LT-S108-2Y2800(01)
LT-S108-2Y2800(11)
LT-S108-2Y2800(20)

Upright Extrusion, Curved Quarter Circle LT-S201-4Y990

Dia 990mm
Weight:0.783kg/pc
Aluminium

LT-S201-4Y990(01)
LT-S201-4Y990(11)
LT-S201-4Y990(20)

LT-S201-4Y1400 Upright Extrusion, Curved Quarter Circle

LT-S201-4Y1400(01)
LT-S201-4Y1400(11)
LT-S201-4Y1400(20)

Dia 1400mm
Weight:1.076kg/pc
Aluminium

LT-S201-4Y1980 Upright Extrusion, Curved Quarter Circle

LT-S201-4Y1980(01)
LT-S201-4Y1980(11)
LT-S201-4Y1980(20)

Dia 1980mm
Weight:1.490kg/pc
Aluminium



LT-S201-4Y2800 Upright Extrusion, Curved Quarter Circle

LT-S201-4Y2800(01)
LT-S201-4Y2800(11)
LT-S201-4Y2800(20)

Dia 2800mm
Weight:2.077kg/pc
Aluminium



LT-S201-2Y990 Upright Extrusion, Curved Half Circle

LT-S201-2Y990(01)
LT-S201-2Y990(11)
LT-S201-2Y990(20)

Dia 990mm
Weight:1.501kg/pc
Aluminium



Upright Extrusion, Curved Half Circle LT-S201-2Y1400



Dia 1400mm
Weight:2.087kg/pc
Aluminium

LT-S201-2Y1400(01)
LT-S201-2Y1400(11)
LT-S201-2Y1400(20)

Upright Extrusion, Curved Half Circle LT-S201-2Y1980



Dia 1980mm
Weight:2.916kg/pc
Aluminium

LT-S201-2Y1980(01)
LT-S201-2Y1980(11)
LT-S201-2Y1980(20)

Upright Extrusion, Curved Half Circle LT-S201-2Y2800



Dia 2800mm
Weight:4.089kg/pc
Aluminium

LT-S201-2Y2800(01)
LT-S201-2Y2800(11)
LT-S201-2Y2800(20)

Curved Beams/37mm, Curved Quarter Circle LT-Z310-4Y495

Dia 495mm
Weight:0.314kg/pc
Aluminium

LT-Z310-4Y495(01)
LT-Z310-4Y495(11)
LT-Z310-4Y495(20)

LT-Z310-4Y700 Curved Beams/37mm, Curved Quarter Circle

LT-Z310-4Y700(01)
LT-Z310-4Y700(11)
LT-Z310-4Y700(20)

Dia 700mm
Weight:0.408kg/pc
Aluminium

LT-Z310-4Y990 Curved Beams/37mm, Curved Quarter Circle

LT-Z310-4Y990(01)
LT-Z310-4Y990(11)
LT-Z310-4Y990(20)

Dia 990mm
Weight:0.543kg/pc
Aluminium

LT-Z310-4Y1400 Curved Beams/37mm, Curved Quarter Circle

LT-Z310-4Y1400(01)
LT-Z310-4Y1400(11)
LT-Z310-4Y1400(20)

Dia 1400mm
Weight:0.732kg/pc
Aluminium



LT-Z310-4Y1980 Curved Beams/37mm, Curved Quarter Circle

LT-Z310-4Y1980(01)
LT-Z310-4Y1980(11)
LT-Z310-4Y1980(20)

Dia 1980mm
Weight:1.002kg/pc
Aluminium



Curved Beams/37mm, Curved Quarter Circle LT-Z310-4Y2800



Dia 2800mm
Weight:1.381kg/pc
Aluminium

LT-Z310-4Y2800(01)
LT-Z310-4Y2800(11)
LT-Z310-4Y2800(20)

Curved Beams/37mm, Curved Half Circle LT-Z310-2Y495

Dia 495mm
Weight:0.550kg/pc
Aluminium

LT-Z310-2Y495(01)
LT-Z310-2Y495(11)
LT-Z310-2Y495(20)

Curved Beams/37mm, Curved Half Circle LT-Z310-2Y700

Dia 700mm
Weight:0.740kg/pc
Aluminium

LT-Z310-2Y700(01)
LT-Z310-2Y700(11)
LT-Z310-2Y700(20)

Curved Beams/37mm, Curved Half Circle LT-Z310-2Y990



Dia 990mm
Weight:1.009kg/pc
Aluminium

LT-Z310-2Y990(01)
LT-Z310-2Y990(11)
LT-Z310-2Y990(20)

LT-Z310-2Y1400 Curved Beams/37mm, Curved Half Circle

LT-Z310-2Y1400(01)
LT-Z310-2Y1400(11)
LT-Z310-2Y1400(20)

Dia 1400mm
Weight:1.389kg/pc
Aluminium



LT-Z310-2Y1980 Curved Beams/37mm, Curved Half Circle

LT-Z310-2Y1980(01)
LT-Z310-2Y1980(11)
LT-Z310-2Y1980(20)

Dia 1980mm
Weight:1.926kg/pc
Aluminium



LT-Z310-2Y2800 Curved Beams/37mm, Curved Half Circle

LT-Z310-2Y2800(01)
LT-Z310-2Y2800(11)
LT-Z310-2Y2800(20)

Dia 2800mm
Weight:2.686kg/pc
Aluminium



LT-Z4300-4Y495 Curved Beams/40mm, Curved Quarter Circle

LT-Z4300-4Y495(01)
LT-Z4300-4Y495(20)

Dia 495mm
Weight:0.356kg/pc
Aluminium

Curved Beams/40mm, Curved Quarter Circle LT-Z4300-4Y700

Dia 700mm
Weight:0.469kg/pc
Aluminium

LT-Z4300-4Y700(01)
LT-Z4300-4Y700(20)

Curved Beams/40mm, Curved Quarter Circle LT-Z4300-4Y990

Dia 990mm
Weight:0.630kg/pc
Aluminium

LT-Z4300-4Y990(01)
LT-Z4300-4Y990(20)

Curved Beams/40mm, Curved Quarter Circle LT-Z4300-4Y1400



Dia 1400mm
Weight:0.858kg/pc
Aluminium

LT-Z4300-4Y1400(01)
LT-Z4300-4Y1400(20)

Curved Beams/40mm, Curved Quarter Circle LT-Z4300-4Y1980



Dia 1980mm
Weight:1.180kg/pc
Aluminium

LT-Z4300-4Y1980(01)
LT-Z4300-4Y1980(20)

LT-Z4300-4Y2800 Curved Beams/40mm, Curved Quarter Circle

LT-Z4300-4Y2800(01)
LT-Z4300-4Y2800(20)

Dia 2800mm
Weight:1.636kg/pc
Aluminium



LT-Z4300-2Y495 Curved Beams/40mm, Curved Half Circle

LT-Z4300-2Y495(01)
LT-Z4300-2Y495(20)

Dia 495mm
Weight:0.639kg/pc
Aluminium



LT-Z4300-2Y700 Curved Beams/40mm, Curved Half Circle

LT-Z4300-2Y700(01)
LT-Z4300-2Y700(20)

Dia 700mm
Weight:0.867kg/pc
Aluminium



LT-Z4300-2Y990 Curved Beams/40mm, Curved Half Circle

LT-Z4300-2Y990(01)
LT-Z4300-2Y990(20)

Dia 990mm
Weight:1.189kg/pc
Aluminium

Curved Beams/40mm, Curved Half Circle LT-Z4300-2Y1400



Dia 1400mm
Weight:1.644kg/pc
Aluminium

LT-Z4300-2Y1400(01)
LT-Z4300-2Y1400(20)

Curved Beams/40mm, Curved Half Circle LT-Z4300-2Y1980



Dia 1980mm
Weight:2.288kg/pc
Aluminium

LT-Z4300-2Y1980(01)
LT-Z4300-2Y1980(20)

Curved Beams/40mm, Curved Half Circle LT-Z4300-2Y2800



Dia 2800mm
Weight:3.199kg/pc
Aluminium

LT-Z4300-2Y2800(01)
LT-Z4300-2Y2800(20)

Curved Beams/50mm, Curved Quarter Circle LT-Z400B-4Y495



Dia 495mm
Weight:0.390kg/pc
Aluminium

LT-Z400B-4Y495(01)
LT-Z400B-4Y495(11)
LT-Z400B-4Y495(20)

LT-Z400B-4Y700 Curved Beams/50mm, Curved Quarter Circle

LT-Z400B-4Y700(01)
LT-Z400B-4Y700(11)
LT-Z400B-4Y700(20)

Dia 700mm
Weight:0.524kg/pc
Aluminium

LT-Z400B-4Y990 Curved Beams/50mm, Curved Quarter Circle

LT-Z400B-4Y990(01)
LT-Z400B-4Y990(11)
LT-Z400B-4Y990(20)

Dia 990mm
Weight:0.713kg/pc
Aluminium



LT-Z400B-4Y1400 Curved Beams/50mm, Curved Quarter Circle

LT-Z400B-4Y1400(01)
LT-Z400B-4Y1400(11)
LT-Z400B-4Y1400(20)

Dia 1400mm
Weight:0.980kg/pc
Aluminium



LT-Z400B-4Y1980 Curved Beams/50mm, Curved Quarter Circle

LT-Z400B-4Y1980(01)
LT-Z400B-4Y1980(11)
LT-Z400B-4Y1980(20)

Dia 1980mm
Weight:1.360kg/pc
Aluminium



Curved Beams/50mm, Curved Quarter Circle LT-Z400B-4Y2800



Dia 2800mm
Weight:1.900kg/pc
Aluminium

LT-Z400B-4Y2800(01)
LT-Z400B-4Y2800(11)
LT-Z400B-4Y2800(20)

Curved Beams/50mm, Curved Half Circle LT-Z400B-2Y495

Dia 495mm
Weight:0.713kg/pc
Aluminium

LT-Z400B-2Y495(01)
LT-Z400B-2Y495(11)
LT-Z400B-2Y495(20)

Curved Beams/50mm, Curved Half Circle LT-Z400B-2Y700



Dia 700mm
Weight:0.980kg/pc
Aluminium

LT-Z400B-2Y700(01)
LT-Z400B-2Y700(11)
LT-Z400B-2Y700(20)

Curved Beams/50mm, Curved Half Circle LT-Z400B-2Y990



Dia 990mm
Weight:1.360kg/pc
Aluminium

LT-Z400B-2Y990(01)
LT-Z400B-2Y990(11)
LT-Z400B-2Y990(20)

LT-Z400B-2Y1400 Curved Beams/50mm, Curved Half Circle

LT-Z400B-2Y1400(01)
LT-Z400B-2Y1400(11)
LT-Z400B-2Y1400(20)

Dia 1400mm
Weight:1.900kg/pc
Aluminium



LT-Z400B-2Y1980 Curved Beams/50mm, Curved Half Circle

LT-Z400B-2Y1980(01)
LT-Z400B-2Y1980(11)
LT-Z400B-2Y1980(20)

Dia 1980mm
Weight:2.650kg/pc
Aluminium



LT-Z400B-2Y2800 Curved Beams/50mm, Curved Half Circle

LT-Z400B-2Y2800(01)
LT-Z400B-2Y2800(11)
LT-Z400B-2Y2800(20)

Dia 2800mm
Weight:3.720kg/pc
Aluminium



LT-Z402-4Y495 Curved Beams/50mm, Curved Quarter Circle

LT-Z402-4Y495(01)
LT-Z402-4Y495(11)
LT-Z402-4Y495(20)

Dia 495mm
Weight:0.404kg/pc
Aluminium

Curved Beams/50mm, Curved Quarter Circle LT-Z402-4Y700

Dia 700mm
Weight:0.544kg/pc
Aluminium

LT-Z402-4Y700(01)
LT-Z402-4Y700(11)
LT-Z402-4Y700(20)

Curved Beams/50mm, Curved Quarter Circle LT-Z402-4Y990

Dia 990mm
Weight:0.743kg/pc
Aluminium

LT-Z402-4Y990(01)
LT-Z402-4Y990(11)
LT-Z402-4Y990(20)

Curved Beams/50mm, Curved Quarter Circle LT-Z402-4Y1400



Dia 1400mm
Weight:1.023kg/pc
Aluminium

LT-Z402-4Y1400(01)
LT-Z402-4Y1400(11)
LT-Z402-4Y1400(20)

Curved Beams/50mm, Curved Quarter Circle LT-Z402-4Y1980



Dia 1980mm
Weight:1.420kg/pc
Aluminium

LT-Z402-4Y1980(01)
LT-Z402-4Y1980(11)
LT-Z402-4Y1980(20)

LT-Z402-4Y2800 Curved Beams/50mm, Curved Quarter Circle

LT-Z402-4Y2800(01)
LT-Z402-4Y2800(11)
LT-Z402-4Y2800(20)

Dia 2800mm
Weight:1.980kg/pc
Aluminium





LT-Z402-2Y495 Curved Beams/50mm, Curved Half Circle

LT-Z402-2Y495(01)
LT-Z402-2Y495(11)
LT-Z402-2Y495(20)

Dia 495mm
Weight:0.743kg/pc
Aluminium





LT-Z402-2Y700 Curved Beams/50mm, Curved Half Circle

LT-Z402-2Y700(01)
LT-Z402-2Y700(11)
LT-Z402-2Y700(20)

Dia 700mm
Weight:1.023kg/pc
Aluminium



LT-Z402-2Y990 Curved Beams/50mm, Curved Half Circle

LT-Z402-2Y990(01)
LT-Z402-2Y990(11)
LT-Z402-2Y990(20)

Dia 990mm
Weight:1.420kg/pc
Aluminium





Curved Beams/50mm, Curved Half Circle LT-Z402-2Y1400





Dia 1400mm
Weight:1.980kg/pc
Aluminium

LT-Z402-2Y1400(01)
LT-Z402-2Y1400(11)
LT-Z402-2Y1400(20)

Curved Beams/50mm, Curved Half Circle LT-Z402-2Y1980





Dia 1980mm
Weight:2.776kg/pc
Aluminium

LT-Z402-2Y1980(01)
LT-Z402-2Y1980(11)
LT-Z402-2Y1980(20)

Curved Beams/50mm, Curved Half Circle LT-Z402-2Y2800





Dia 2800mm
Weight:3.898kg/pc
Aluminium

LT-Z402-2Y2800(01)
LT-Z402-2Y2800(11)
LT-Z402-2Y2800(20)

Curved Beams/50mm, Curved Quarter Circle LT-Z460-4Y495



Dia 495mm
Weight:0.405kg/pc
Aluminium

LT-Z460-4Y495(01)
LT-Z460-4Y495(11)
LT-Z460-4Y495(20)

LT-Z460-4Y700 Curved Beams/50mm, Curved Quarter Circle

LT-Z460-4Y700(01)
LT-Z460-4Y700(11)
LT-Z460-4Y700(20)

Dia 700mm
Weight:0.540kg/pc
Aluminium

LT-Z460-4Y990 Curved Beams/50mm, Curved Quarter Circle

LT-Z460-4Y990(01)
LT-Z460-4Y990(11)
LT-Z460-4Y990(20)

Dia 990mm
Weight:0.730kg/pc
Aluminium



LT-Z460-4Y1400 Curved Beams/50mm, Curved Quarter Circle

LT-Z460-4Y1400(01)
LT-Z460-4Y1400(11)
LT-Z460-4Y1400(20)

Dia 1400mm
Weight:1.003kg/pc
Aluminium

LT-Z460-4Y1980 Curved Beams/50mm, Curved Quarter Circle

LT-Z460-4Y1980(01)
LT-Z460-4Y1980(11)
LT-Z460-4Y1980(20)

Dia 1980mm
Weight:1.387kg/pc
Aluminium



Curved Beams/50mm, Curved Quarter Circle LT-Z460-4Y2800



Dia 2800mm
Weight:1.929kg/pc
Aluminium

LT-Z460-4Y2800(01)
LT-Z460-4Y2800(11)
LT-Z460-4Y2800(20)

Curved Beams/50mm, Curved Half Circle LT-Z460-2Y495



Dia 495mm
Weight:0.742kg/pc
Aluminium

LT-Z460-2Y495(01)
LT-Z460-2Y495(11)
LT-Z460-2Y495(20)

Curved Beams/50mm, Curved Half Circle LT-Z460-2Y700

Dia 700mm
Weight:1.014kg/pc
Aluminium

LT-Z460-2Y700(01)
LT-Z460-2Y700(11)
LT-Z460-2Y700(20)

Curved Beams/50mm, Curved Half Circle LT-Z460-2Y990



Dia 990mm
Weight:1.397kg/pc
Aluminium

LT-Z460-2Y990(01)
LT-Z460-2Y990(11)
LT-Z460-2Y990(20)

LT-Z460-2Y1400 Curved Beams/50mm, Curved Half Circle

LT-Z460-2Y1400(01)
LT-Z460-2Y1400(11)
LT-Z460-2Y1400(20)

Dia 1400mm
Weight:1.939kg/pc
Aluminium



LT-Z460-2Y1980 Curved Beams/50mm, Curved Half Circle

LT-Z460-2Y1980(01)
LT-Z460-2Y1980(11)
LT-Z460-2Y1980(20)

Dia 1980mm
Weight:2.706kg/pc
Aluminium



LT-Z460-2Y2800 Curved Beams/50mm, Curved Half Circle

LT-Z460-2Y2800(01)
LT-Z460-2Y2800(11)
LT-Z460-2Y2800(20)

Dia 2800mm
Weight:3.790kg/pc
Aluminium



LT-Z166-4Y495 Curved Beams/70mm, Curved Quarter Circle

LT-Z166-4Y495(01)
LT-Z166-4Y495(11)
LT-Z166-4Y495(20)

Dia 495mm
Weight:0.500kg/pc
Aluminium



Curved Beams/70mm, Curved Quarter Circle LT-Z166-4Y700



Dia 700mm
Weight:0.684kg/pc
Aluminium

LT-Z166-4Y700(01)
LT-Z166-4Y700(11)
LT-Z166-4Y700(20)

Curved Beams/70mm, Curved Quarter Circle LT-Z166-4Y990



Dia 990mm
Weight:0.946kg/pc
Aluminium

LT-Z166-4Y990(01)
LT-Z166-4Y990(11)
LT-Z166-4Y990(20)

Curved Beams/70mm, Curved Quarter Circle LT-Z166-4Y1400



Dia 1400mm
Weight:1.315kg/pc
Aluminium

LT-Z166-4Y1400(01)
LT-Z166-4Y1400(11)
LT-Z166-4Y1400(20)

Curved Beams/70mm, Curved Quarter Circle LT-Z166-4Y1980



Dia 1980mm
Weight:1.837kg/pc
Aluminium

LT-Z166-4Y1980(01)
LT-Z166-4Y1980(11)
LT-Z166-4Y1980(20)

LT-Z166-4Y2800 Curved Beams/70mm, Curved Quarter Circle

LT-Z166-4Y2800(01)
LT-Z166-4Y2800(11)
LT-Z166-4Y2800(20)

Dia 2800mm
Weight:2.575kg/pc
Aluminium



LT-Z166-2Y495 Curved Beams/70mm, Curved Half Circle

LT-Z166-2Y495(01)
LT-Z166-2Y495(11)
LT-Z166-2Y495(20)

Dia 495mm
Weight:0.946kg/pc
Aluminium



LT-Z166-2Y700 Curved Beams/70mm, Curved Half Circle

LT-Z166-2Y700(01)
LT-Z166-2Y700(11)
LT-Z166-2Y700(20)

Dia 700mm
Weight:1.315kg/pc
Aluminium



LT-Z166-2Y990 Curved Beams/70mm, Curved Half Circle

LT-Z166-2Y990(01)
LT-Z166-2Y990(11)
LT-Z166-2Y990(20)

Dia 990mm
Weight:1.837kg/pc
Aluminium



Curved Beams/70mm, Curved Half Circle LT-Z166-2Y1400



Dia 1400mm
Weight:2.575kg/pc
Aluminium

LT-Z166-2Y1400(01)
LT-Z166-2Y1400(11)
LT-Z166-2Y1400(20)

Curved Beams/70mm, Curved Half Circle LT-Z166-2Y1980



Dia 1980mm
Weight:3.620kg/pc
Aluminium

LT-Z166-2Y1980(01)
LT-Z166-2Y1980(11)
LT-Z166-2Y1980(20)

Curved Beams/70mm, Curved Half Circle LT-Z166-2Y2800



Dia 2800mm
Weight:5.096kg/pc
Aluminium

LT-Z166-2Y2800(01)
LT-Z166-2Y2800(11)
LT-Z166-2Y2800(20)

Curved Beams/70mm, Curved Quarter Circle LT-Z109-4Y495



Dia 495mm
Weight:0.505kg/pc
Aluminium

LT-Z109-4Y495(01)
LT-Z109-4Y495(11)
LT-Z109-4Y495(20)

LT-Z109-4Y700 Curved Beams/70mm, Curved Quarter Circle

LT-Z109-4Y700(01)
LT-Z109-4Y700(11)
LT-Z109-4Y700(20)

Dia 700mm
Weight:0.684kg/pc
Aluminium



LT-Z109-4Y990 Curved Beams/70mm, Curved Quarter Circle

LT-Z109-4Y990(01)
LT-Z109-4Y990(11)
LT-Z109-4Y990(20)

Dia 990mm
Weight:0.939kg/pc
Aluminium



LT-Z109-4Y1400 Curved Beams/70mm, Curved Quarter Circle

LT-Z109-4Y1400(01)
LT-Z109-4Y1400(11)
LT-Z109-4Y1400(20)

Dia 1400mm
Weight:1.298kg/pc
Aluminium



LT-Z109-4Y1980 Curved Beams/70mm, Curved Quarter Circle

LT-Z109-4Y1980(01)
LT-Z109-4Y1980(11)
LT-Z109-4Y1980(20)

Dia 1980mm
Weight:1.808kg/pc
Aluminium



Curved Beams/70mm, Curved Quarter Circle LT-Z109-4Y2800



Dia 2800mm
Weight:2.528kg/pc
Aluminium

LT-Z109-4Y2800(01)
LT-Z109-4Y2800(11)
LT-Z109-4Y2800(20)

Curved Beams/70mm, Curved Half Circle LT-Z109-2Y495



Dia 495mm
Weight:0.953kg/pc
Aluminium

LT-Z109-2Y495(01)
LT-Z109-2Y495(11)
LT-Z109-2Y495(20)

Curved Beams/70mm, Curved Half Circle LT-Z109-2Y700



Dia 700mm
Weight:1.313kg/pc
Aluminium

LT-Z109-2Y700(01)
LT-Z109-2Y700(11)
LT-Z109-2Y700(20)

Curved Beams/70mm, Curved Half Circle LT-Z109-2Y990



Dia 990mm
Weight:1.822kg/pc
Aluminium

LT-Z109-2Y990(01)
LT-Z109-2Y990(11)
LT-Z109-2Y990(20)

LT-Z109-2Y1400 Curved Beams/70mm, Curved Half Circle

LT-Z109-2Y1400(01)
LT-Z109-2Y1400(11)
LT-Z109-2Y1400(20)

Dia 1400mm
Weight:2.542kg/pc
Aluminium



LT-Z109-2Y1980 Curved Beams/70mm, Curved Half Circle

LT-Z109-2Y1980(01)
LT-Z109-2Y1980(11)
LT-Z109-2Y1980(20)

Dia 1980mm
Weight:3.560kg/pc
Aluminium



LT-Z109-2Y2800 Curved Beams/70mm, Curved Half Circle

LT-Z109-2Y2800(01)
LT-Z109-2Y2800(11)
LT-Z109-2Y2800(20)

Dia 2800mm
Weight:5.200kg/pc
Aluminium



LT-Z981 Tension Lock

LT-Z981(00)

Weight:0.050kg
For all beam extrusion with lock chamber 21X12mm
Zinc



Tension Lock LT-Z991F

Weight:0.050kg
For all beam extrusion with lock chamber 21×12mm
Steel

LT-Z991F(47)



Tension Lock LT-Z981/8

Weight:0.050kg
For LT-S108,LT-S201,
LT-S208,LT-S408,LT-M311
Zinc

LT-Z981/8(00)



Tension Lock LT-Z991F/8

Weight:0.050kg
For LT-S108,LT-S201,LT-S208,
LT-S408,LT-M311
Steel

LT-Z991F/8(00)



Tension Lock LT-Z982

Weight:0.050kg
For all curved beams
Zinc

LT-Z982(00)



LT-Z982/8

Tension Lock

LT-Z982/8(00)

Weight:0.050kg
For curved LT-S108、LT-S201、LT-S208、LT-S408、LT-M311
Zinc



LT-Z993L

Tension Lock

LT-Z993L(47)

Weight:0.050kg
For all beam extrusion with lock chamber 21×12mm, cut to 45°
Steel



LT-Z993R

Tension Lock

LT-Z993R(47)

Weight:0.050kg
For all beam extrusion with lock chamber 21×12mm, cut to 45°
Steel



LT-Z954

Tension Lock

LT-Z954(00)

Weight:0.064kg
For all beam extrusion with lock chamber 39X12mm
Zinc



LT-Z981H

Tension Lock

LT-Z981H(00)

Weight: 0.050kg
For all beam extrusions with lock chamber 21x12mm and key hole aperture
Zinc



LT-Z961F

Tension Lock

LT-Z961F(00)
1-41

Weight:0.048kg
For all beam extrusion with lock chamber 21X12mm
Zinc



LT-Z911

Tension Lock

LT-Z911(00)

Weight:0.020kg
For all beam extrusion with lock chamber 21X12mm
Aluminium



LT-Z912

Tension Lock

LT-Z912(00)

Weight:0.020kg
For LT-S108,LT-S201, LT-S208,LT-S408, LT-M311
Aluminium



LT-EZ901 Simple Lock

LT-EZ901(47)

Weight:0.017kg
For LT-M1602,LT-M1603,
LT-M1604,LT-Z1320
Steel



LT-Z917 Simple Lock

LT-Z917(48)

For light showcase series
Steel



LT-EG502 End Cap

LT-EG502(45)

Weight:0.0005kg
For tension lock hole
Plastic



LT-SL132 End Cover

LT-SL132(45)

Weight: 0.005kg
For LT-S100, LT-S108
Plastic



End Cover LT-S230

Weight:0.004kg
For LT-S201
Plastic

LT-S230(45)



End Cover LT-ES501

Weight:0.020kg
For LT-S203
Plastic

LT-ES501(45)



End Cover LT-SL330

Weight:0.003kg
For LT-S300
Plasticc

LT-SL330(40)



End Cover LT-ES502

Weight:0.016kg
For LT-S302
Plastic

LT-ES502(45)



LT-S330 End Cover

LT-S330(45)

Weight:0.003kg
For LT-S303
Plastic





LT-S530 End Cover

LT-S530(45)

Weight:0.005kg
For LT-S500
Plastic





LT-EZ504 End Cover

LT-EZ504(45)

Weight: 0.002kg
For LT-Z313
Plastic





LT-Z177 End Cover

LT-Z177(45)

Weight:0.002kg
For LT-Z310
Plastic









End Cover LT-EZ501

Weight:0.002kg
For LT-Z310
Plastic

LT-EZ501(45)





End Cover LT-EZ502

Weight:0.006kg
For LT-Z311
Plastic

LT-EZ502(45)





End Cover LT-Z174

Weight:0.002kg
For LT-Z4200,LT-Z4300,
LT-Z4400
Plastic

LT-Z174(45)





End Cover LT-Z176

Weight:0.002kg
For LT-Z4401
Plastic

LT-Z176(45)

LT-Z175 End Cover

LT-Z175(45)

Weight:0.002kg
For LT-Z400A,LT-Z400B,
LT-Z402,LT-Z403,LT-Z460
Plastic





LT-EZ505 End Cover

LT-EZ505(41)

Weight:0.003kg
For 60mm beam LT-Z201
Plastic





LT-EZ506 End Cover

LT-EZ506(41)

Weight:0.003kg
For 70mm beam extrusion
Plastic





LT-EZ507 End Cover

LT-EZ507(40)
LT-EZ507(45)

Weight:0.003kg
For 80mm beam extrusion
Plastic





End Cover LT-S1141

LT-S1141(40)





Weight:0.013kg
For LT-S100, LT-S108
Plastic

Connector LT-S137

LT-S137(47)





Weight:0.052kg
To connect LT-S100 and LT-S108
Steel,aluminium

Connector LT-S138

LT-S138(47)





Weight:0.126kg
To connect LT-S108 and LT-S108
Steel

Extrusion Bolt LT-S905

LT-S905(47)



Weight:0.036kg
To connect LT-S100 and LT-S100
Steel

LT-S906 Pin Connector

LT-S906(47)

Weight:0.035kg
Insertable for connecting
LT-S100 and LT-S100
Steel





LT-Z167 Straight Connector

LT-Z167(01)

Weight:0.122kg
With 2 torx head screws LT-E111,
and 2 washers LT-Z185
Aluminium





LT-Z167A Straight Connector

LT-Z167A(01)

Weight:0.117kg
To connect beam extrusions,
supplied with three spring pins
Aluminium





LT-Z186 Connector

LT-Z186(01)

Weight:0.086kg
To connect two sectional
materials, like LT-M704,
LT-S2106,LT-S108
Aluminium





Suspension Connector LT-Z187

LT-Z187(47)

Weight:0.055kg
For the double-sided
standard booth
Steel





Universal Suspension Connector LT-Z169

LT-Z169(47)

Weight:0.032kg
For 50mm beams
Steel





Universal Suspension Connector LT-Z170

LT-Z170(47)

Weight:0.042kg
For 70mm beams
Steel





Universal Suspension Connector LT-Z171

LT-Z171(47)

Weight:0.104kg
For 175mm beams
Steel





LT-EK402 Accessory

LT-EK402(01)

Weight:0.044kg
For corner shelf bracket
Aluminium,with two LT-E210





LT-Z185 Washer

LT-Z185(01)

Weight:0.003kg
Aluminum
For LT-Z167





LT-S140 Adjustable Foot

LT-S140(20)
LT-S140(47)

Weight:0.111kg
For LT-S100,LT-S108
Steel, zinc alloy





LT-S241 Ajustable Foot

LT-S241(47)

Weight: 0.102kg
Used for LT-S201
Steel, zinc alloy









Ajustable Foot LT-S341

Weight:0.091kg
Used for LT-S300
Steel, zinc alloy

LT-S341(47)





Plastic Protection Cover LT-ES503

Weight:0.005kg
Plastic

LT-ES503(61)





Base Plate LT-S150

Weight: 1.310kg
Φ335, for LT-S100
Steel

LT-S150(41)





Adjustable Foot LT-EZ301

Weight:0.171kg
for curved beam
Steel

LT-EZ301(47)

LT-S1150 Internal Corner Connector

LT-S1150(01)

Weight:0.044kg
To connect 2 beams 90 degree.
Supplied with 2 screw LT-E111
Aluminium





LT-S1151 Internal Corner Connector

LT-S1151(00)

Weight:0.080kg
For connecting short beams
90 degree
Aluminium





LT-S1151A Internal Corner Connector

LT-S1151A(00)

Weight:0.080kg
For connecting long beams
90 degree
Aluminium





LT-S1140 Internal Corner Connector

LT-S1140(12)

Weight:0.120kg
For connecting chamber 25×16mm
Aluminium,with 4 LT-EG409





Connector LT-Z189

LT-Z189(47)

Weight:0.016kg
Used in corner
Steel





Upright Extrusion LT-U1000

LT-U1000(01)

Weight:1.175kg/m
Length:6m
8.5mm groove
Aluminium





Beam Extrusion LT-B1000

LT-U1000(01)

Weight:0.728kg/m
Length:6m
8.5mm groove
Aluminium





Beam Extrusion/70mm LT-B1001

LT-B1001(01)

Weight:1.040kg/m
Length:6m
8.5mm groove
Aluminium





LT-U2046 Square Extrusion/40mm

LT-U2046(06)

Weight:1.617kg/m
Length:6m
Aluminium





LT-B1002 Fabric Frame Extrusion

LT-B1002(06)

Weight:1.012kg/m
Length:6m
Aluminium



LT-Z959 Tension Lock

LT-Z959(46)

Weight:0.060kg
For 8.5mm groove beam extrusion with lock chamber 28×15mm
Zinc





LT-Z983A Tension Lock

LT-Z983A(47)

Weight:0.050kg
For 8.5mm groove beam extrusion
Aluminium,Steel









Straight Connector LT-E1035

Weight:0.120kg
With 2 torx head screws LT-E111,and 2 washers LT-Z185
Aluminium

LT-E1035(01)



End Cover LT-E1031

Weight:0.005kg
For LT-U1000
Plastic

LT-E1031(46)



End Cover LT-E1036

Weight:0.005kg
For LT-B1000 while cut 45°
Plastic

LT-E1036(46)





End Cover LT-E1032

Weight:0.003kg
For LT-B1000
Plastic

LT-E1032(46)

DESIGN SYSTEM

LINGTONG

Square Extrusion/120mm LT-M603





Weight:3.503kg/m
Length:6m
Aluminium

LT-M603(01)

Square Extrusion/120mm LT-M301B





Weight: 4.074kg/m
Length: 6m
Aluminium, 8 system grooves

LT-M301B(01)

Flange Extrusion for LT-M605 LT-M604





Weight:1.082kg/m
Length:6m
Aluminium

LT-M604(01)

Open Square Extrusion/120mm LT-M605





Weight:2.940kg/m
Length:6m
Aluminium

LT-M605(01)

LT-M607 Square Extrusion/100mm

LT-M607(01)

Weight:2.980kg/m
Length:6m
Aluminium





LT-M616 Square Extrusion/100mm

LT-M616(01)

Weight:3.349kg/m
Length:6m
8 system grooves
Aluminium





LT-M621 Square Extrusion/100mm

LT-M621(01)

Weight: 4.200kg/m
Length: 6m
For 100mm curved profile
Aluminium





LT-M608 Open Square Extrusion/100mm

LT-M608(01)

Weight:2.517kg/m
Length:6m
Aluminium





Flange Extrusion for LT-M608 LT-M609



Weight:0.952kg/m
Length:6m
Aluminium

LT-M609(01)

Square Extrusion/80mm LT-M302A



Weight: 2.318kg/m
Length: 6m
Aluminium, 4 system grooves

LT-M302A(01)

Square Extrusion/80mm LT-M313



Weight: 2.350kg/m
Length: 6m
Aluminium

LT-M313(01)

Square Extrusion/84mm LT-M530



Weight: 2.750kg/m
Length: 6m
Aluminium, 8 system grooves

LT-M530(01)

LT-M341 Open Square Extrusion/80mm

LT-M341(01)

Weight: 2.079kg/m
Length: 6m
Aluminium





LT-M342 Flange Extrusion for LT-M341

LT-M342(01)

Weight: 0.803kg/m
Length: 6m
Aluminium





LT-M602 Square Extrusion/60mm

LT-M602(01)

Weight:1.718kg/m
Length:6m
Aluminium





LT-M311 Square Extrusion/40mm

LT-M311(01)

Weight:1.510kg/m
Length:6m
Aluminium,4 system grooves





Square Extrusion/40mm LT-S208

LT-S208(01)

Weight:1.509kg/m
Length:6m
Aluminium





Beam Extrusion LT-M315

LT-M315(01)

Weight:2.145kg/m
Length:6m
40x80mm
4 system grooves
Aluminium





Beam Extrusion LT-M325

LT-M325(01)

Weight:2.340kg/m
Length:6m
40x80mm
8 system grooves
Aluminium





Connecting Extrusion 45°/120mm LT-M312

LT-M312(01)

Weight:2.503kg/m
Length:6m
For 120mm square extrusion
Aluminium





LT-M619 Connecting Extrusion 45° /100mm

LT-M619(01)

Weight: 2.300kg/m
Length: 6 m
For 100mm square extrusion
Aluminium





LT-M317 Connecting Extrusion 45°/80mm

LT-M317(01)

Weight:1.847kg/m
Length:6m
For 80mm square extrusion
Aluminium





LT-M618 Connecting Extrusion 45°/60mm

LT-M618(01)

Weight: 1.440kg/m
Length: 6 m
For 60mm square extrusion
Aluminium





LT-M603-4Y1980 Curved Square Extrusion/120mm, Curved Quarter Circle

LT-M603-4Y1980(01)

Weight: 5.600kg/pc
Dia 1980mm
With 2 LT-Z957 as
vertical adaptor
Aluminium





Curved Square Extrusion/80mm, Curved Quarter Circle LT-M302A-4Y1980E

LT-M302A-4Y1980E(01)





Weight: 4.180kg/pc
Dia 1980mm
With 2 LT-Z955 as
vertical adaptor
Aluminium

Extension Adaptor/120mm LT-EM437

LT-EM437(01)





Weight:0.420kg
For 120mm square/round
extrusion
Aluminium

Extension Adaptor/100mm LT-EM436

LT-EM436(01)





Weight:0.560kg
For 100mm square extrusion
Aluminium

Extension Adaptor/80mm LT-EM435

LT-EM435(01)





Weight:0.420kg
For 80mm square/round
extrusion
Aluminium

LT-EM927 Extension Adaptor/80mm

LT-EM927(01)

Weight:0.110kg
To connect two pcs
of curved 80mm square
extrusion
Aluminium





LT-EM438 Extension Adaptor/60mm

LT-EM438(01)

Weight:0.300kg
For 60mm square extrusion
Aluminium



LT-Z188 Extension Adaptor/40mm

LT-Z188(01)

Weight:0.120kg
For the connection between
profiles with high eccenter
holes
Aluminium





LT-Z957 Tension Lock/120mm

LT-Z957(47)

Weight:0.416kg
For installation of tension
locks and hinges of all kinds
of 120mm square extrusion
Zinc alloy





Tension Lock/100mm LT-Z956





Weight:0.300kg
For installation of tension
locks and hinges of all kinds
of 100mm square extrusion
Zinc alloy

LT-Z956(47)

Tension Lock/80mm LT-Z955





Weight: 0.165kg
For installation of tension
locks and hinges of all kinds
of 80mm square and round
extrusion
Zinc alloy

LT-Z955(47)

Tension Lock/60mm LT-Z952





Weight: 0.140kg
For installation of tension
locks of all kinds of 60mm
square and round extrusion
Zinc alloy

LT-Z952(47)

Adjustable Foot LT-EM303





Weight:0.876kg
For 120mm square extrusion
Steel

LT-EM303(47)

LT-EM310 Adjustable Foot

LT-EM310(47)

Weight:0.739kg
For 100mm square extrusion
Steel



LT-EM301 Adjustable Foot

LT-EM301(47)

Weight:0.265kg
For 80mm square extrusion
Steel



LT-ML1038 Adjustable Foot

LT-ML1038(47)

Weight:0.400kg
For 80mm square extrusion
Steel



LT-EM313 Adjustable Foot

LT-EM313(47)

Weight:0.263kg
For 60mm square extrusion
Steel



Adjustable Foot LT-EM307

LT-EM307(47)

Weight:0.116kg
For 40mm square extrusion
Steel



Adjustable Foot LT-ML1016

LT-ML1016(47)

Weight: 0.111kg
For 40mm square extrusion
Steel



Adjustable Foot LT-EM319

LT-EM319(47)

Weight:0.180kg
For LT-M315
Steel



Adjustable Foot 45°/120mm LT-EM309

LT-EM309(47)

Weight: 0.430kg
For LT-M312
Steel



LT-EM316 Adjustable Foot 45°/100mm

LT-EM316(47)

Weight: 0.400kg
For LT-M619
Steel



LT-EM315 Adjustable Foot 45°/80mm

LT-EM315(47)

Weight: 0.380kg
For LT-M317
Steel



LT-EM507 End Cover

LT-EM507(45)

Weight:0.021kg
For LT-M312
Plastic



LT-EM514 End Cover

LT-EM514(41)

Weight:0.100kg
For LT-M317
Steel,with 2 fixing screws
M4x8



End Cover LT-EM531

LT-EM531(45)

Weight:0.037kg
For 120mm square extrusion
Plastic,with 2 fixing screws
M4x8



End Cover LT-EM532

LT-EM532(45)

Weight:0.028kg
For 100mm square extrusion
Plastic,with 2 fixing screws
M4x8



End Cover LT-ML1035

LT-ML1035(45)

Weight: 0.015kg
For 80mm square extrusion
Plastic,with 2 fixing screws
M4x8



End Cover LT-ML1035A

LT-ML1035A(41)

Weight: 0.163kg
For 80mm square extrusion
Steel,with 2 fixing screws
M4x8



LT-EM513 End Cover

LT-EM513(45)

Weight:0.090kg
For LT-M602
Plastic



LT-EM533 End cover

LT-EM533(45)

Weight: 0.052kg
For 46mm square extrusion
LT-M534
Plastic



LT-EM534 End Cover

LT-EM534(41)

Weight:0.005kg
For 40mm square extrusion
Plastic



LT-ML1015 End Cover

LT-ML1015(41)

Weight: 0.033kg
For 40mm square extrusion
Zinc alloy



End Cover LT-EM535

LT-EM535(41)

Weight:0.010kg
For LT-M315、LT-M325
Plastic



Round Extrusion/120mm LT-ML205

LT-ML205(01)

Weight: 3.570kg/m
Length: 6m
Aluminium,8 system grooves



Round Extrusion/100mm LT-M100

LT-M100(01)

Weight: 2.382kg/m
Length: 6m
Aluminium



Round Extrusion/80mm LT-ML1222

LT-ML1222(01)

Weight:2.100kg/m
Length: 6m
Aluminium,8 system grooves



LT-EM312 Adjustable Foot

LT-EM312(47)

Weight: 0.650kg
For 120mm round extrusion
Steel





LT-EM311 Adjustable Foot

LT-EM311(47)

Weight: 0.500kg
For 100mm round extrusion
Steel





LT-EM302 Adjustable Foot

LT-EM302(47)

Weight: 0.240kg
For 80mm round extrusion
Steel





LT-EM511 End Cover

LT-EM511(45)

Weight:0.034kg
For 120mm round extrusion
Plastic





End Cover LT-M110





Weight: 0.028kg
For 100mm round extrusion
LT-M100
Plastic

LT-M110(45)

End Cover LT-EM510





Weight:0.013kg
For 80mm round extrusion
LT-M402
Plastic

LT-EM510(45)

End Cover LT-EM501





Weight: 0.009kg
For 60mm round extrusion
LT-M601
Plastic

LT-EM501(45)

Universal Extrusion LT-S2300





230×48mm
Weight:2.560kg/m
Length:6m
Aluminium

LT-S2300(01)

LT-S2305 Universal Extrusion

LT-S2305(01) 230×40mm
Weight:2.550kg/m
Length:6m
Aluminium



LT-S2306 Elliptical Extrusion

LT-S2306(01) 80×32mm
Weight:1.290kg/m
Length:6m
Aluminium





LT-S2310 Elliptical Extrusion

LT-S2310(01) 120×40mm
Weight:2.167kg/m
Length:6m
Aluminium





LT-S2313 Seal Profile for LT-S2310

LT-S2313(45) Weight:0.033kg/m
Length:5m
Plastic







End Cover LT-S2312

Weight:0.019kg
For LT-S2310
Plastic

LT-S2312(45)

IMPORTANT NOTIFICATION:
The square/round extrusions of DESIGN SYSTEM are only to be used with the corresponding new LT-M95X locks. If use of these extrusions with another company's locks, we will not bear any controversy and responsibilities hereby.

DOUBLE DECK

LINGTONG





Supporting Beam

LT-DFT350

Weight:16.421kg/m
Length:6m
Aluminium
Relieved at both ends to fit
to the LT-DFS upright extrusion

LT-DFT350(01)





Coupling Beam

LT-DFT250

Weight:10.318kg/m
Length:6m
Aluminium
Relieved at both ends to fit
to the LT-DFS upright extrusion

LT-DFT250(01)





Upright Extrusion

LT-DFS

Weight:9.112kg/m
Length:6m
Aluminium

LT-DFS(01)





Floor Extrusion

LT-DFZ/BP

Weight:3.660kg/m
Length:6m
Aluminium
With 2 built-in adjustable
feet,relieved at both ends
to fit to the LT-DFS upright
extrusion

LT-DFZ/BP(01)

LT-DFZ45 Banister Extrusion

LT-DFZ45(01)

Weight:1.110kg/m
Length:6m
Aluminium





LT-DFZ22 Ceiling Gird Profile

LT-DFZ22(01)

Weight:0.365kg/m
Length:6m
Aluminium





LT-S408 Upright Extrusion

LT-S408(01)

Weight:2.450kg/m
Length:6m
Aluminium





LT-DFZ/V9-1 Angle Reinforcement

LT-DFZ/V9-1(24)

Weight:6.300kg
Aluminium





Connector for Upright Extrusion LT-DFS/IV-01

Weight:0.776kg
Aluminium

LT-DFS/IV-01(01)





Connecting Bracket Base LT-DFZ91A-3J

Weight:0.472kg
Aluminium

LT-DFZ91A-3J(01)



Handrail Upright Extrusion LT-DFZ90-1

Weight:3.000kg
Length:1078mm
Aluminium

LT-DFZ90-1(01)



Handrail Upright Extrusion LT-DFZ115

Weight:3.692kg
Length:1328mm
Aluminium

LT-DFZ115(01)



LT-DFZ/V9 Stable Profile

LT-DFZ/V9(01) Weight:0.593kg
Length:462mm
Aluminium



LT-DFT1000 Beam Connector /90°

LT-DFT1000(47) Weight:1.700kg
Steel



LT-DFT1045 Beam Connector /45°

LT-DFT1045(47) Weight:2.500kg
Steel



LT-DFZ20 Cantilever Clamping Device

LT-DFZ20(47) Weight:0.950kg
Steel



Horizontal Clamping Device LT-DFZ/H



Weight:0.148kg
Steel

LT-DFZ/H(47)

Cantilever Clamping Devices LT-DFZ25



Weight:1.600kg
Steel

LT-DFZ25(47)

Step Fixing Set LT-DFZ36



Weight:14.000kg
For 36° staircases
Steel

LT-DFZ36(47)

Flush Bolt LT-DFZ/K1



Weight:0.170kg
Steel

LT-DFZ/K1(47)

LT-DFZ/BE Corner Floor Panel

LT-DFZ/BE(70) 990mm×990mm×40mm
Weight:30.000kg
MDF





LT-DFZ/BR Edge Floor Panel

LT-DFZ/BR(70) 990mm×990mm×40mm
Weight:30.000kg
MDF





LT-DFZ/BM Middle Floor Panel

LT-DFZ/BM(70) 990mm×990mm×40mm
Weight:29.000kg
MDF





LT-DFZ70 Handrail Connector

LT-DFZ70(01) 90 degree
Weight:0.195kg
Aluminium





Handrail Connector LT-DFZ71

180 degree
Weight:0.307kg
Aluminium

LT-DFZ71(01)





Handrail Connector LT-DFZ72

126 degree
Weight:0.206kg
Aluminium

LT-DFZ72(01)





Handrail Connector LT-DFZ73

135 degree
Weight:0.176kg
Aluminium

LT-DFZ73(01)





Handrail Connector LT-DFZ74

144 degree
Weight:0.179kg
Aluminium

LT-DFZ74(01)





LT-DFZ91 Connecting Bracket

LT-DFZ91(47)

Weight:0.311kg
Steel





LT-DFZ/HF1 Adjustable Foot

LT-DFZ/HF1(46)

Weight:0.530kg
Alloy





LT-HF1 Adjustable Foot

LT-HF1(00)

Weight: 0.814kg
Zinc alloy





LT-HF1B Adjustable Foot

LT-HF1B(41)

Weight: 0.639kg
Steel









Base Plate LT-DFS10

Weight:5.800kg
Steel

LT-DFS10(47)





Connecting Base LT-DFZ56/N

Weight:0.096kg
Steel

LT-DFZ56/N(47)



Connector LT-DFZ61

Weight:0.137kg
Steel

LT-DFZ61(47)





Connector LT-DFZ57

Weight:0.083kg
Steel

LT-DFZ57(47)

LT-DFZ35 Foot Plate for Staircase

LT-DFZ35(70)

300mm×1000mm×40mm
Weight:9.615kg
MDF





LT-DFZ90 Clamp for Glass

LT-DFZ90(51)

Weight:0.231kg
Steel
To fix 8mm glass





LT-DFZ58/HZ Extrusion for Glass Clamp

LT-DFZ58/HZ(01)

Weight: 0.730kg/m
Length: 6 m
Extrusion for LT-DFZ58
Aluminium



LT-DFZ58 Clamp for Glass Panel

LT-DFZ58(49)

Weight: 0.200kg
For panel with the thickness of 8mm.
It can be mounted to handrail posts
Zinc alloy









Hammerhead Screw LT-DFS13

Weight: 0.011kg
Steel

LT-DFS13(47)

LINGTONG





Quarto Truss

LT-LJ290

105.5mm Weight: 2.500kg
211mm Weight:3.500kg
1 000mm Weight: 6.900kg
2000mm Weight:11.500kg
3000mm Weight:15.900kg
Size: 290mmX290mm
Aluminium,with 4 LT-LJ2915

LT-LJ290(00)





Coupler Set

LT-LJ2915

Weight: 0.270kg
Aluminium

LT-LJ2915(00)





2 Way Corner 90º

LT-LJ2920

Weight: 5.800kg
To connect two trusses in
the direction of 90°
Size:290mmX290mm
Aluminium,with 4 LT-LJ2915

LT-LJ2920(00)





3 Way Corner 90º

LT-LJ2930

Weight:7.300kg
To connect three trusses in
the direction of 90°
Size:290mmX290mm
Aluminium,with 4 LT-LJ2915

LT-LJ2930(00)

LT-LJ2931 3 Way Connector

LT-LJ2931(00) Weight: 8.500kg
To connect three trusses in the direction of 90°
Size:290mmX290mm
Aluminium,with 4 LT-LJ2915



LT-LJ2910 Base Plate

LT-LJ2910(00) Weight:3.200kg
For conical coupling truss LT-290
Aluminium



LT-LJ2911 Connector Set

LT-LJ2911(47) Weight:0.190kg
Accesssory for box connector LT-LJ2960
Steel



LT-LJ2960 Box Connector

LT-LJ2960(00) Weight:5.300kg
With LT-LJ2911 to connect LT-290
Aluminium





Wrench LT-E135

Weight:2.700kg
For installing LT-LJ290 truss
Steel

LT-E135(41)



Quarto Truss LT-LJ293

389×389mm
1m:8.100kg
2m:15.000kg
3m:22.000kg
Aluminium,with 4 LT-LJ2915

LT-LJ293(00)



Connector LT-LJ2936

389mm×389mm
Weight:8.000kg
Aluminium,to connect 4 LT-LJ293

LT-LJ2936(00)



Connector LT-LJ06

Weight:0.481kg
For Φ50mm tube of square trusss
Aluminium

LT-LJ06(00)

LT-LJ2971 Batter Brace

LT-LJ2971(00)

Weight:2.800kg
The truss is used to support diagonals and stable the whole structure
Aluminium



LT-LJ2972 Truss Hook

LT-LJ2972(21)

Weight: 0.280kg
Inner diameter:50mm,
Load capacity:250kg
Steel





LT-LJ2973 Truss Hook

LT-LJ2973(00)

Weight: 0.090kg
Inner diameter:50mm,
Load capacity:80kg
Aluminum,steel





LT-LJ401B Square Welded Truss

LT-LJ401B(00)

250×250mm
Weight:3.100kg/1m
Weight:5.100kg/2m
Weight:6.600kg/3m
Aluminium







Square Welded Truss LT-LJ402

305×305mm
Weight:4.550kg/m
Aluminium

LT-LJ402(00)





Square Welded Truss LT-LJ503

520×760mm
Weight:18.000kg/1m
Weight:29.500kg/2m
Weight:42.000kg/3m
Aluminium

LT-LJ503(00)





Connector LT-LJQ401B

250×250×250mm
Weight:1.300kg
For LT-LJ401B
Aluminium

LT-LJQ401B(00)





Connector LT-LJQ403

305×305×305mm
Weight:2.445kg
For LT-LJ402
4 horn aluminium

LT-LJQ403(00)

LT-LJQ503 Connector

LT-LJQ503(00)

305×305×305mm
Weight:2.445kg
For LT-LJ402
4 horn aluminium





LT-EL702 Connector

LT-EL702(01)

Weight:0.310kg
For LT-LJ404
Aluminium





LT-GZ441 Square Truss

LT-GZ441(47)

200×200mm
Weight:4.500kg/1m
Weight:7.300kg/2m
Weight:10.500kg/3m
Steel





LT-QG5-1 Aluminium Node/Φ50mm

LT-QG5-1(01)

Weight:0.111kg
With 18 tapped holes





Ball Shaft Extrusion/Φ22mm LT-QG5-6





Weight:0.421kg/m
Length:6m
Aluminium

LT-QG5-6(01)

Connector /Φ22mm LT-QG5-00-1





Weight:0.125kg
Steel

LT-QG5-00-1(51)

Horizontal/Diagonal Tube /Φ22mm LT-QG5



With LT-QG5-00-1
495mm Weight:0.333kg
700mm Weight:0.416kg
990mm Weight:0.535kg
1400mm Weight:0.839kg
Aluminium

LT-QG5(01)

Aluminium Tube/Φ31mm LT-QG6-6





Weight:0.744kg/m
Length:6m

LT-QG6-6(01)

LT-QG6-6A Aluminium Tube/Φ31mm

LT-QG6-6A(01)

Weight:0.730kg/m
Length:6m
No grooves





LT-QG6-00-1 Connector/Φ31mm

LT-QG6-00-1(51)

Weight:0.143kg
Steel





LT-QG6 Horizontal/Diagonal Tube/Φ31mm

LT-QG6(01)

With LT-QG6-00-1
495mm Weight:0.511kg
700mm Weight:0.830kg
990mm Weight:1.022kg
1400mm Weight:1.328kg
Aluminium





LT-K0603 Connecting Profile

LT-K0603(01)

Weight:0.342kg/m
Length:6m
For LT-QG6-6
Aluminium







End Cap LT-EL501

Weight:0.004kg
For LT-QG6-6,LT-QG6-6A
Plastic

LT-EL501(45)

LINGTONG

Tempered Glass LT-E160400-05



984×984×8mm(common)
984×984×8mm(obscured)
Weight:19.000kg

Glass/Panel Retainer LT-E160401



Weight:0.239kg
One leg
Loading capacity: 40kg
Steel

LT-E160401(49)
LT-E160401(51)

Glass/Panel Retainer LT-E160402



Weight:0.330kg
Two legs
Loading capacity: 40kg
Steel

LT-E160402(49)
LT-E160402(51)

Glass/Panel Retainer LT-E160403



Weight:0.423kg
Three legs
Loading capacity: 40kg
Steel

LT-E160403(49)
LT-E160403(51)

LT-E160404 Glass/Panel Retainer

LT-E160404(49)
LT-E160404(51)

Weight:0.524kg
Four legs
Loading capacity: 40kg
Steel



LT-BW-01 Glass/Panel Retainer

LT-BW-01(51)

Weight:0.514kg
Loading capacity: 20kg
Steel



LT-BW-02 Tempered Glass

980×980×8mm(common)
980×980×8mm(obscured)
Weight:18.880kg



LT-EG807 Glass/Panel Retainer

LT-EG807(49)

Weight:0.074kg
For fixing 5mm~6mm panel or glass on the groove
Loading capacity: 20kg
Steel



Glass/Panel Retainer LT-ML1392



Weight:0.076kg
For fixing 6mm~10mm panel or glass on the groove
Loading capacity: 20kg
Steel

LT-ML1392(49)

Glass/Panel Retainer LT-M1447



Weight: 0.180kg
With hammerhead screw for mounting to system groove
for 10mm glass
Zinc alloy

LT-M1447(49)

Glass/Panel Retainer LT-ML1446



Weight: 0.395kg
With adjustable foot for 8mm glass
Zinc alloy, steel

LT-ML1446(49)

Glass/Panel Retainer LT-ML1445



Weight: 0.170kg
With hammerhead screw for mounting to system groove
4.3mm for 8mm glass
Zinc alloy

LT-ML1445(49)

LT-W101 Beam Extrusion/50mm

LT-W101(01)

Weight:1.070kg/m
Length:6m
Aluminium
With supporting flange on one side





LT-W102 Beam Extrusion/50mm

LT-W102(01)

Weight:1.270kg/m
Length:6m
Aluminium
With supporting flanges on two sides





LT-W108 Top Panel Retainer

LT-W108(01)

Weight:0.011kg
25mm long
Aluminium,with clip mechanism
for hook the grooved panel





LT-W109 Panel Retainer for Horizontal Grooves

LT-W109(01)

Weight:0.007kg
Aluminium
To fix 4 panels together





Panel Retainer for Horizontal Grooves LT-W109A

LT-W109A(01)





Weight:0.007kg
Aluminium
To fix 2 panels together

Panel Retainer for Horizontal Grooves LT-W109B

LT-W109B(01)





Weight:0.004kg
Aluminium
To fix the edge of 2 panels
together

Panel Retainer for Horizontal Grooves LT-W109C

LT-W109C(01)





Weight:0.004kg
Aluminium
To fix the middle of a panel
at edge of the system

Separate LT-W110

LT-W110(01)





20×10mm
Weight:0.200kg/m
Length:6m
Aluminium,fixing panels
between two panels

LT-WB101 All-Sealed Panel

LT-WB101(70)

Max. size:1200×2400mm
Four sides grooved for putting LT-W110
Plywood





LT-WB270 Light-passing Panel

Size:1200×600mm
Aluminium, 3mm white acrylic panel



LT-WQ105 Out Seal Round Corner Extrusion

LT-WQ105(01)

Weight:0.387kg/m
Length:6m
Aluminium





LT-WQ108 Out Seal Round Corner Extrusion

LT-WQ108(01)

Weight:0.651kg/m
Length:6m
Aluminium





Bolt LT-AW-09





Weight:0.010kg
For fixing LT-WQ105,LT-WQ108
Steel

LT-AW-09(47)

Bottom Panel-clamping Extrusion LT-W1581





Weight:0.436kg/m
Length:6m
For the wall system of 80mm square extrusion
Aluminium

LT-W1581(01)

Mid Panel-clamping Extrusion LT-W1582



Weight:0.500kg/m
Length:6m
For the wall system of 80mm square extrusion
Aluminium

LT-W1582(01)

Top Panel-clamping Extrusion LT-W1583



Weight:0.377kg/m
Length:6m
For the wall system of 80mm square extrusion
Aluminium

LT-W1583(01)

LT-W2565 Side Cap

LT-W2565(01)

Weight:1.133kg/m
Length:6m
Aluminium



LT-W2566 Corner Cap

LT-W2566(01)

Weight:0.630kg/m
Length:6m
Aluminium



LT-WB261-01 Connecting Post

LT-WB261-01(01)

Weight:0.638kg/m
Length:6m
Aluminium



LT-WB261-02 Connecting Post

LT-WB261-02(01)

Weight:0.453kg/m
Length:6m
Aluminium



Connecting Post /45° LT-WB261-16

LT-WB261-16(01)

Weight:0.714kg/m
Length:6m
For connecting two panels for 45°
Aluminium



Connecting Post /60° LT-WB261-17

LT-WB261-17(01)

Weight:0.862kg/m
Length:6m
Aluminium



Connecting Post With Hinge LT-WB261-19

LT-WB261-19(01)

Weight: 2.460kg/m
Length: 6m
It can be adjusted from 0 to 90 degree.
Aluminium



Edge Cover LT-WB261-03

LT-WB261-03(01)

Weight:0.218kg/m
Length:6m
For 40mm panel system
Aluminium



LT-WB261-04 Complete-set Wall

LT-WB261-04(70)

Weight:25.000kg
997(W)×2400(H)×40mm(T)
With 2 horizontal locks and
2 vertical locks





LT-WB281 Light Complete-set Wall

LT-WB281(40)

Weight:16.000kg
997(W)×2400(H)×40mm(T)
With 2 horizontal locks and
2 vertical locks



LT-WB261-04/GC Slat Complete-set Wall

LT-WB261-04/GC(40)

Weight:23.000kg
997(W)×2400(H)×40mm(T)
With 2 horizontal locks and
2 vertical locks, each side
has 3 slats





LT-WB261-04/WK Pegboard Complete-set Wall

LT-WB261-04/WK(40)

Weight:23.000kg
997(W)×2400(H)×40mm(T)
With 2 horizontal locks and
2 vertical locks, and some
small holes Φ5,holes center
distance: 30 mm





AA Post Complete-set Wall LT-WB261-40



Weight:25.000kg
997(W)×2400(H)×40mm(T)
With 2 horizontal locks and
2 vertical locks, Only one
side has 2 AA posts

LT-WB261-40(40)

Welded Complete-set Wall LT-WB261-48



Weight:17.000kg
997(W)×2400(H)×40mm(T)
With 2 horizontal locks and
2 vertical locks, Frame is
welded by aluminium

LT-WB261-48(40)

Cover for Spanner LT-WB261-13





Weight: 0.008kg
For the decoration of the
spanner hole
Soft plastic

LT-WB261-13(40)
LT-WB261-13(45)

Adjustable Foot LT-WB261-05





Weight:0.126kg
For complete-set wall
Steel

LT-WB261-05(47)

LT-WB261-18 Hanger Bracket

LT-WB261-18(47)

Weight:0.100kg
Steel



LT-WB261-06 Standard Profile Connecting Post

LT-WB261-06(01)

Weight:0.346kg/m
Length:6m
Aluminium



LT-WB261-07 Corner Cover

LT-WB261-07(01)

Weight:0.372kg/m
Cover on LT-WB261-01
Aluminium



LT-WB261-08 Hanger Bracket

LT-WB261-08(47)

Weight:0.100kg
Steel



Side Cover LT-WB261-09

Weight:0.281kg/m
Length:6m
Aluminium

LT-WB261-09(01)



Screw for Standard Panel LT-WB261-12

Weight:0.008kg
Steel

LT-WB261-12(47)



Connecting Post LT-WB261-14

Weight:0.348kg/m
Length:6m
Aluminium

LT-WB261-14(01)



Connecting Post LT-W2412

Weight:0.520kg/m
Aluminium

LT-W2412(01)



LT-WB261-15 Connector

LT-WB261-15(01)

Weight:0.176kg
Aluminium





LT-WB261-15A Connector

LT-WB261-15A(47)

Weight:0.365kg
Steel





LT-WB261-11 Hanger Bracket

LT-WB261-11(47)

Weight:0.095kg
Hang on the LT-WB261-04
for fixing spot lights
Steel





LT-WB261-10 Hook

LT-WB261-10(47)

Weight:0.026kg
Steel





Hook LT-WB261-10A





Weight:0.038kg
Steel

LT-WB261-10A(47)

Hook LT-WB261-23-1





Weight:0.020kg
Hang LT-E520 to
complete-set wall
Steel

LT-WB261-23-1(40)

Hook LT-WB261-23-2





Weight:0.060kg
Hang LT-E520 to
complete-set wall
Steel

LT-WB261-23-2(40)

Hook LT-WB261-24-1





Weight:0.040kg
Hang LT-WB211 to
complete-set wall
Steel

LT-WB261-24-1(40)

LT-WB261-24-2 Hook

LT-WB261-24-2(40)

Weight:0.030kg
Hang LT-WB211 to complete-set wall
Steel





LT-WB261-25 Shelf Bracket

LT-WB261-25(40)

Weight:0.350kg
For LT-WB261-04/GC
Steel





LT-WB261-26 Shelf Bracket

LT-WB261-26(40)

Weight:0.500kg
For complete-set Wall
Steel





LT-WB261-41 Shelf Bracket

LT-WB261-41(47)

Weight:0.290kg
For AA post complete-set walll
Steel







Plate LT-WB261-21

Weight:5.500kg
For complete-set Wall
Steel

LT-WB261-21(23)



Cupboard LT-WB261-35B

Weight:7.500kg
For AA post complete-set Wall
Wood

LT-WB261-35B(40)

Upright Extrusion/80mm LT-W2110



Weight:1.310kg/m
Length:6m
Aluminium

LT-W2110(01)

Horizontal Beam Extrusion/80mm LT-W2111



Weight:0.753kg/m
Length:6m
Aluminium

LT-W2111(01)

LT-W2112 Supporting Extrusion

LT-W2112(01)

Weight:0.161kg/m
Length:6m
Aluminium,insert in 4.3mm groove for fixing 4mm panel





LT-W2113 Cover Extrusion

LT-W2113(01)

Weight:0.767kg/m
Length:6m
Aluminium





LT-W2114 Cover Connecting Extrusion

LT-W2114(01)

Weight:0.017kg
Aluminium,40mm long





LT-W2115 Rotating Axis Extrusion (A)

LT-W2115(01)

Weight:0.196kg/m
Length:6m
Aluminium





Rotating Axis Extrusion(B) LT-W2116

LT-W2116(01)

Weight:0.206kg/m
Length:6m
LT-W2115 and LT-W2116, turn to angle of 0-15 degree
Aluminium





Hanging Accessory LT-WB263-01

LT-WB263-01(47)

Weight:0.052kg
Steel,to connect
LT-W2110 and LT-W2111



Base Plate LT-WB263-02

LT-WB263-02(23)

Weight:7.490kg
For side post
Steel





Base Plate LT-WB263-02A

LT-WB263-02A(23)

Weight:4.990kg
For side post and middle post
Steel



LT-WB263-02B Base Plate

LT-WB263-02B(23)

Weight:1.250kg
This base could be fixed to square extrusion to fix lighting wall to square extrusion
Steel





LT-WB263-03 Base Plate

LT-WB263-03(23)

Weight:10.300kg
For middle post
Steel





LT-DG103-1 Lamp for Lighting Wall

LT-DG103-1A:8W,340mm long,0.095kg
LT-DG103-1B:12W,440mm long,0.114kg
LT-DG103-1C:16W,488 mm long,0.121kg
LT-DG103-1D:20W,540mm long,0.140kg
LT-DG103-1E:22W,740mm long,0.155kg
LT-DG103-1F:24W,880mm long,0.185kg
LT-DG103-1G:26W,1020mm long,0.210kg
LT-DG103-1H:28W,1170mm long,0.245kg



LT-DG103-2 Wire for Lighting Wall

LT-DG103-2(40)

With two plugs
length :1m

Folding Arc Extrusion LT-S260





Weight:0.865kg/m
Length:5m
Aluminium

LT-S260(01)

Top Connector LT-WB103-01





Weight:0.036kg
Steel

LT-WB103-01(47)

Foot Connector LT-WB103-02





Weight:0.069kg
Steel

LT-WB103-02(47)

Magnetism Wall LT-WB272





Weight:16.000kg
Size:2400x1000x40mm
Wood

Spring Connecting Assembly — LT-WB265-2





Weight:0.005kg
Can be fixed in system groove
Plastic

LT-WB265-2(45)

Aluminum Shaft for Fabric — LT-W301





Weight:0.416kg/m
Could insert in system
groove to fix fabric
Aluminum

LT-W301(01)

Shaft for Fabric — LT-WB260-1



Could insert in system
groove to fix fabric,
with two stops
Aluminium

LT-WB260-1(01)

Straight Tube — LT-WB260-3



Weight:0.096kg/m
Insert in LT-WB260-1
Fiber glass

LT-WB260-3(43)

LT-W2556 Fabric Frame Extrusion/40mm

LT-W2556(01)

Weight: 0.430kg/m
Length: 6m
Aluminum



LT-W2557 Fabric Frame Extrusion/60mm

LT-W2557(01)

Weight: 0.568kg/m
Length: 6m
Aluminum



LT-W2558 Fabric Frame Extrusion/80mm

LT-W2558(01)

Weight: 0.706kg/m
Length: 6m
Aluminum



LT-W2559 Fabric Frame Extrusion/100mm

LT-W2559(01)

Weight: 0.963kg/m
Length: 6m
Aluminum



Fabric Frame Extrusion/120mm LT-W2560



Weight: 1.175kg/m
Length: 6m
Aluminum

LT-W2560(01)

Plastic Track for Fabric LT-ML1319





Weight:0.250kg/m
Length:5m
Plastic

LT-ML1319(41)

Connection Extrusion LT-W2564





Weight:0.301kg/m
Length: 6m
To connect beam and the fabric
Aluminum

LT-W2564(01)

Connection Extrusion LT-W2564P





Weight:0.116kg/m
Length:5m
PVC

LT-W2564P(41)

LT-W2586 Ceiling Extrusion

LT-W2586(01)

Weight:0.024kg/m
Length:6m
Aluminium





LT-EZ508 End Cap

LT-EZ508(45)

Weight:0.003kg
For Ceiling Extrusion LT-W2586
Steel





LT-ML1354 Beam Extrusion

LT-ML1354(01)

Weight:0.630kg/m
Length:6m
Insert the fabric in the Φ8mm hole
Aluminum





LT-E481 Fabric Tube

LT-E481(40)

Weight:0.017kg/m
Used with LT-W2586 fabric
suspending profile
PVC







Fabric Extrusion LT-W2598

Weight:0.277kg/m
Length:6m
Aluminium

LT-W2598(01)





Fabric Extrusion LT-W2599

Weight:0.663kg/m
Length:6m
Aluminium

LT-W2599(01)





Fabric Extrusion LT-W2601

Weight:0.620kg/m
Length:6m
Aluminium

LT-W2601(01)





Fabric Extrusion LT-W2600

Weight:0.630kg/m
Length:6m
Aluminium

LT-W2600(01)

LT-W2587 Fabric Extrusion

LT-W2587(01)

Weight:0.892kg/m
Length:6m
Aluminium





LT-W2588 Fabric Extrusion

LT-W2588(01)

Weight:0.856kg/m
Length:6m
Aluminium





LT-W2589 Fabric Extrusion

LT-W2589(01)

Weight:0.456kg/m
Length:6m
Aluminium



LT-W2593 Fabric Extrusion

LT-W2593(01)

Weight:0.883kg/m
Length:6m
Aluminium









Fabric Extrusion LT-W2594

eight:1.784kg/m
ength:6m
uminium

LT-W2594(01)

45° Single Side Fabric Extrusion LT-ML1316



Weight:0.415kg/m
Length:6m
Aluminium

LT-ML1316(01)

Fabric Extrusion LT-W2591





Weight:0.590kg/m
Length:6m
Aluminium

LT-W2591(01)

Fabric Extrusion LT-W2592



Weight:0.630kg/m
Length:6m
Aluminium

LT-W2592(01)

LT-W3011 Fabric Extrusion

LT-W3011(01)

Weight:1.600kg/m
Length:6m
Aluminium





LT-W3010 Fabric Extrusion

LT-W3010(01)

Weight:2.000kg/m
Length:6m
Aluminium





LT-W3009 Fabric Extrusion

LT-W3009(01)

Weight:2.100kg/m
Length:6m
Aluminium





LT-W2596 Fabric Extrusion

LT-W2596(01)

Weight:2.360kg/m
Length:6m
Aluminium







Fabric Extrusion LT-W2597

Weight:2.310kg/m
Length:6m
Aluminium

LT-W2597(01)



Fabric Extrusion LT-W2624

Weight:3.300kg/m
Length:6m
Aluminium

LT-W2624(01)



Fabric Extrusion LT-W3013

Weight:0.700kg/m
Length:6m
Aluminium

LT-W3013(01)

Double-side fabric/panel Extrusion LT-W2635



Weight:1.640kg/m
Length:6m
Aluminium

LT-W2635(01)

LT-AC407 Fabric Extrusion

LT-AC407(01)

Weight:0.219kg/m
Length:6m
Aluminium



LT-WB757 A couplet hanging

Weight:0.550kg/m
Width:1000mm
Not supply faric
Aluminium

LT-EW714 Connector

LT-EW714(00)

Weight:0.570kg
For LT-W2586
Plastic





LT-EW716 Knuckle Joint

LT-EW716(00)

Weight:0.130kg
To connect LT-W2594 and LT-W2593 to form a cube and insert fabric 4 sizes
Nylon







Knuckle Joint LT-EW717

Weight:0.180kg
To connect LT-W2594 to form a cube and insert fabric 6 sizes
Nylon

LT-EW717(00)



Knuckle Joint LT-S1586

Weight:0.190kg
Joint for fabric frame
Zinc alloy

LT-S1586(47)



Knuckle Joint LT-S1587

Weight:0.320kg
Joint for circle fabric frame
Aluminium



Base Plate LT-EM367

Weight:1.100kg
For fabric frame
Aluminium

LT-EM367(23)

LT-E469A Fabric Retainer Extrusion

LT-E469A(40)

Weight:0.030kg/m
For elastic fabric with
4.3mm groove extrusion,
it can be curved
Plastic





LT-M1448 Fabric Clip

LT-M1448(45)

Weight: 0.011kg
With tension spring for
4.3mm system groove
Plastic, spring steel





LT-ML1449 Fabric Clip

LT-ML1449(45)

Weight: 0.010kg
Without tension spring for
4.3mm system groove
Plastic





LT-M1452 Fabric Clip

LT-ML1452(45)

Weight: 0.011kg
With tension spring for
4.3mm system groove
Plastic, spring steel









Fabric Clip LT-ML1453

Weight:0.010kg
Without tension spring for
4.3mm system groove
Plastic

LT-ML1453(45)





Tension Lock LT-Z984

Weight:0.050kg
For fabric frame connecting
Aluminium

LT-Z984(00)





Retainer LT-EG820

Weight:0.634kg
Plastic

LT-EG820(45)

Light Box LT-WB341

Size:582*800mm
Not supply faric

FABRIC SYSTEM

LT-WB323 Light Box

Weight:23.000kg
Size:1000×2000×140mm
Not supply faric



LT-WB330 Single Side Fabric Frame

Weight:5.000kg
Size:1000×1000×23mm
Aluminium



LT-WB331 Single Side Fabric Frame

Weight:5.000kg
Size:1000×1000×32mm
Aluminium



LT-WB332 Double side fabric frame

Weight:2.000kg
Size:1000×1000×40mm
Aluminium



Single Side Fabric Frame LT-WB333

Weight:2.500kg
Size:1000×1000×40mm
Aluminium



Single Side Fabric Frame LT-WB334

Weight:3.000kg
Size:1000×1000×16mm
Aluminium



Single Side Fabric Frame LT-WB337

Weight:1.400kg
Size:1000×1000×30mm
Aluminium



Double Side Fabric Frame LT-WB338

Weight:2.700kg
Size:1000×1000×40mm
Aluminium



LT-WB339 Double Side Fabric Frame

Weight:2.800kg
Size:1000×1000×40mm
Aluminium



LT-FA503 Circle Sign

LT-FA503(01)

Φ3000×1000mm(H)
Weight:14.800kg
Φ2500×750mm(H)
Weight:10.800kg
Aluminium,fabric,
tube size:Φ32×1.2mm



LT-FA504 Tapered circle Sign

LT-FA504(01)

Φ3000(T)×Φ2400(B)×1000mm(H)
Weight:12.850kg
Φ2500(T)×Φ2000(B)×750mm(H)
Weight:9.750kg
Aluminium,fabric.
Tube size:Φ32×1.2mm



LT-FA505 Tapered Square Sign

LT-FA505(01)

3000(T)×2400(B)×1000mm(H)
Weight:14.650kg
2500(T)×2000(B)×750mm(H)
Weight:11.900kg
Aluminium,fabric,
Tube size:Φ32×1.2mm



Square Sign LT-FA506

LT-FA506(01)

3000(L)×1000mm(H)
Weight:16.050kg
2500(L)×750mm(H)
Weight:12.800kg
Aluminium,fabric,
Tube size:Φ32×1.2mm



Football Sign LT-FA507

LT-FA507(01)

3000×900×1000mm
Weight:8.700kg
Aluminium,fabric,
Tube size:Φ32×1.2mm



Triangular Sign LT-FA509

LT-FA509(01)

3000×1000mm
Weight:11.800kg
Aluminium,fabric,
Tube size:Φ32×1.2mm



Wave Sign LT-FA510

LT-FA510(01)

3530×1000mm
Weight:8.700kg
Aluminium,fabric,
Tube size:Φ32×1.2mm



FABRIC SYSTEM

LT-FA511 Curved Rectangular Sign

LT-FA511(01)

R3000×870mm
Weight:7.800kg
Aluminium,fabric,
Tube size:Φ32×1.2mm





LT-WB315 Photo Frame/Single Side

LT-WB315(01)

Weight: 1.900kg
Standard size:500mm×700mm
Aluminum, fabric



FLOOR SYSTEM

LINGTONG

Edge Extrusion for Floor LT-W2301





Weight:0.452kg/m
Length:6m
Aluminium

LT-W2301(01)

Floor Covering Extrusion LT-DH101-60





Weight: 0.525kg/m
Length: 6m
Used for 40mm floor or
lighting floor
Aluminum

LT-DH101-60(01)
LT-DH101-60(11)

Floor Covering Extrusion LT-DH101-100





Weight: 0.742kg/m
Length: 6m
Used for covering 40mm floor
Aluminum

LT-DH101-100(01)
LT-DH101-100(11)

Floor LT-WB401-2





Weight:22.000kg
Size:990×990×40mm
Loading capacity:1000kg/m²
Wood

LT-WB401-2(70)

LT-MPL3 Floor

Weight: 22.000kg
Size:998×998×40mm
Loading capacity:1000kg/m²
Wood



LT-SPL3 Floor

Weight: 18.000kg
Size:998×998×40mm
Loading capacity:2000kg/m²



LT-EM536A Gasket

LT-EM536A(11)

Weight:0.060kg
Used in the floor surface
Aluminium



LT-MPL7 Floor

Weight: 12.000kg
Size:800x800x25mm
Loading capacity:300kg/m²
Wood



Adjustable Foot LT-DFZ/HF1

Weight:0.530kg
Alloy

LT-DFZ/HF1(46)



Adjustable Foot LT-HF1

Weight: 0.814kg
Zinc alloy

LT-HF1(00)



Adjustable Foot LT-HF1B

Weight: 0.639kg
Steel

LT-HF1B(41)



Flush Bolt LT-KL1

Weight: 0.168kg
Zinc alloy

LT-KL1(47)



LT-DFZ/K1 Flush Bolt

LT-DFZ/K1(47)

Weight:0.170kg
Steel





LT-DT262 Cover for Floor/Side Corner

LT-DT262(00)

Weight:0.006kg
Plastic





LT-DT200 Beam for the Floor

LT-DT200(01)

Weight:1.400kg/m
Length: 6m
Aluminum





LT-DT210 Adjustable Foot

LT-DT210(47)

Weight:0.236kg
For the frame floor
Steel





Fixing for the Edge Sealing Materials LT-DT212



Weight:0.018kg
Steel

LT-DT212(47)

Connector LT-DT213

LT-DT213(00)





Floor Covering LT-DT231

Weight:0.106kg
Connection for beam and post
Plastic

LT-DT231(00)



Floor Covering LT-DT232

Weight:1.100kg
For corner
Wood

LT-DT232(00)



LT-DT233 Floor Covering

LT-DT233(00)

Weight:1.100kg
For straight side
Wood





LT-DT240 Floor Covering

LT-DT240(00)

Weight:1.300kg/m
Aluminium





LT-DT261 Cover for the Floor

LT-DT261(00)

Weight:0.008kg
Used as a corner cover
among the floor.
Plastic





LT-E133 Cupula

LT-E133(00)

Weight:0.270kg
Dia:118mm
Load more than 30kg.
Plastic



Slope Platform LT-DT214



Weight:95.000kg
Size:3000x3000x33mm
Aluminium,wood

Slope Platform Extrusion LT-W2634

Weight:1.350kg/m
For slope platform
Aluminium

LT-W2634(01)





Movable Stage LT-DT300

Weight:55kg
Adjustable height:600-1000mm
Panel size:1220×1220mm
Loading capacity: 400kg/m2
Aluminium

LT-DT300(00)



Stair LT-DT301

Weight:32.500kg
Use with LT-DT300, the stage
and stair are connected with pins

LT-DT301(00)



LINGTONG

Quarter Round Extrusion LT-S1105B





Weight:0.671kg/m
Length:6m
Aluminium

LT-S1105B(01)

Connector LT-SL1155





Weight: 0.045kg
To connect LT-S1100,
LT-S1105A,LT-S1105B
Aluminium

LT-SL1155(01)

Round Extrusion 135° LT-S1108



Weight:1.050kg/m
Length:6m
Aluminium

LT-S1108(01)

Round Extrusion 120° LT-S1109





Weight:0.986kg/m
Length:6m
Aluminium

LT-S1109(01)

LT-S1125 Square Extrusion

LT-S1125(01)

Weight:0.850kg/m
Length:6m
Aluminium,3 system grooves





LT-S1128 Interior Corner Extrusion 135°

LT-S1128(01)

Weight:1.080kg/m
Length:6m
Aluminium





LT-S1129 Interior Corner Extrusion 135°

LT-S1129(01)

Weight:0.945kg/m
Length:6m
Aluminium





LT-S1303 Triangular Extrusion

LT-S1303(01)

Weight:0.667kg/m
Length:6m
Aluminium





Triangular Extrusion LT-S1500





Weight:0.771kg/m
Length:6m
Aluminium

LT-S1500(01)

Triangular Extrusion LT-S1501





Weight:0.725kg/m
Length:6m
Aluminium

LT-S1501(01)

Quarter Round Extrusion LT-S1505





Weight:0.780kg/m
Length:6m
Aluminium

LT-S1505(01)

Quarter Round Extrusion LT-M1601





Weight:0.499kg/m
Length:6m
Aluminium

LT-M1601(01)

LT-M1605 Quarter Round Extrusion

LT-M1605(01)

Weight:0.360kg/m
Length:6m
Aluminium
For picture frame





LT-V2000 Corner Extrusion 90°/25mm

LT-V2000(01)

Weight:0.594kg/m
Length:6m
Aluminium





LT-V2020 Exterior Corner Extrusion 135°

LT-V2020(01)

Weight:0.493kg/m
Length:6m
Aluminium





LT-V2100 Beam Extrusion/26mm

LT-V2100(01)

Weight:0.390kg/m
Length:6m
Aluminium









Beam Extrusion/25mm LT-V2120

Weight:0.390kg/m
Length:6m
For vertical bracing
25x16mm
Aluminium

LT-V2120(01)
LT-V2120(11)





Upright Extrusion 90° LT-S2101

Weight:0.740kg/m
Length:6m
Aluminium,dia 35mm

LT-S2101(01)





Upright Extrusion 90° LT-S2101A

Weight:0.750kg/m
Length:6m
Aluminium,dia 35mm

LT-S2101A(01)





Upright Extrusion 135° LT-S2102

Weight:0.704kg/m
Length:6m
Aluminium,dia 35mm

LT-S2102(01)

LT-S2103 Upright Extrusion 90°

LT-S2103(01)

Weight:0.743kg/m
Length:6m
Aluminium,dia 35mm





LT-S2104 Upright Extrusion 135°

LT-S2104(01)

Weight:0.743kg/m
Length:6m
Aluminium,dia 35mm





LT-S2105 Upright Extrusion

LT-S2105(01)

Weight:0.751kg/m
Length:6m
Aluminium,dia 35mm





LT-Z314 Beam Extrusion/25mm

LT-Z314(01)

Weight:0.427kg/m
Length:6m
Aluminium





Beam Extrusion/40mm LT-Z4011





Weight:0.632kg/m
Length:6m
Aluminium,with one edge

LT-Z4011(01)

Beam Extrusion/40mm LT-Z4012





Weight:0.675kg/m
Length:6m
Aluminium,with Two edges

LT-Z4012(01)

Upright Extrusion/22mm LT-W2107





Weight:0.499kg/m
Length:6m
Aluminium

LT-W2107(01)

Upright Extrusion LT-K803





Weight:0.420kg/m
Length:6m
Aluminium

LT-K803(01)

LT-K796 Beam Extrusion

LT-K796(01)

Weight:0.379kg/m
Length:6m
Aluminium





LT-K797 Beam Extrusion

LT-K797(01)

Weight:0.408kg/m
Length:6m
Aluminium





LT-K800 Beam Extrusion

LT-K800(01)

Weight:0.341kg/m
Length:6m
Aluminium





LT-K805 Side Seal Extrusion

LT-K805(01)

Weight:0.258kg/m
Length:6m
Aluminium





Upright Extrusion LT-K804





Weight:0.415kg/m
Length:5m
Plastic

LT-K804(45)

Beam Extrusion LT-K798





Weight:0.436kg/m
Length:5m
Plastic

LT-K798(45)

Upper Track Extrusion LT-E405





Length:5m
Plastic

LT-E405(45)

Bottom Track Extrusion LT-E406





Length:5m
Plastic

LT-E406(45)

LT-ZX14-1-2-3 Folding Extrusion

LT-ZX14-1-2-3(01)

Aluminium



LT-EG425 Hammerhead Screw

LT-EG425(47)

Weight:0.008kg
For folding extrusion
Steel



LT-E450A Connection Extrusion

LT-E450A(01)

Weight:0.144kg/m
Length:6m
Aluminium, for connect
two 4.3mm grooves



LT-E472 Runner Extrusion

LT-E472(01)

Weight:0.197kg/m
Length:6m
Aluminium,for sliding door



Side Seal LT-E500



Weight:0.200kg/m
Length:6m
Aluminium

LT-E500(01)

Extrusion for Bracket LT-K0601



Weight:0.238kg/m
Length:6m
Aluminium,for corner

LT-K0601(01)

Supporting Extrusion LT-E223



Weight:0.129kg/m
Length:6m
Aluminium

LT-E223(01)

Supporting Extrusion LT-E228



Weight:0.158kg/m
Length:6m
Aluminium

LT-E228(01)

LT-E400 Upper Track for Sliding Door

LT-E400(45)

Weight:0.120kg/m
Length:5m
For 4mm panels
Plastic,





LT-E401 Bottom Track for Sliding Door

LT-E401(45)

Weight:0.090kg/m
Length:5m
For 4mm panels
Plastic





LT-E420 Glass Panel Retainer

LT-E420(45)

Weight:0.166kg/m
Length:5m
For 5-7mm panels
Plastic





LT-E420A Glass Panel Retainer

LT-E420A(45)

Weight:0.158kg/m
Length:5m
For 6-8mm panels
Plastic





Upper Track for Sliding Door LT-E421





Weight:0.120kg/m
Length:5m
For 5-7mm panels
Plastic

LT-E421(45)

Bottom Track for Sliding Door LT-E422





Weight:0.120kg/m
Length:5m
For holding LT-E472
Plastic

LT-E422(45)

Glass Panel Retainer LT-E423





Weight:0.130kg/m
Length:5m
Plastic

LT-E423(45)

Door Stopping Profile LT-E430





Weight:0.074kg/m
Length:5m
for wooden or glass hinged doors.
Plastic with soft rubber

LT-E430(45)

LT-E442 Door Stopping Profile

LT-E442(45)

Weight:0.080kg/m
Length:5m





LT-E455 Groove Filler

LT-E455(45)

Weight:0.024kg/m
Length:5m
For covering 4.3mm groove
Plastic





LT-E460 Wire Way Extrusion

LT-E460(45)

Weight:0.146kg/m
Length:5m
Plastic





LT-E469 Plastic Clip

LT-E469(45)

Weight:0.024kg/m
Length:5m
For fixing LT-E470 and LT-E471
Plastic





Sliding Door Extrusion LT-E470





Weight:0.348kg/m
Length:5m
Plastic

LT-E470(45)

Sliding Door Extrusion LT-E471





Weight:0.322kg/m
Length:5m
Plastic

LT-E471(45)

Anti-rattle Extrusion LT-E475





Weight:0.072kg/m
Length:5m
Rubber with flocking hard-soft black/self-adhesive

LT-E475(45)

Clamping Extrusion LT-E476





Weight:0.032kg/m
Length:5m
Soft transparent plastic, buffering 5mm glass panels in LT-E472

LT-E476(45)

LT-EL444 Fixture

LT-EL444(46)

Weight:0.040kg/m
Length:5m
Plastic





LT-V2200A Knuckle Joint

LT-V2200A(49)
LT-V2200A(51)

Weight:0.200kg
zinc





LT-V2201 Knuckle Joint

LT-V2201(49)

Weight:0.135kg
Zinc





LT-V2213 Adjustable Foot

LT-V2213(47)

Weight:0.040kg
Steel









Adjustable Foot LT-V2214

Weight:0.079kg
Galvanized steel,
for detached showcase
Steel

LT-V2214(47)





Shelf Support LT-V2220

Weight:0.008kg
Grey plastic

LT-V2220(45)





Knuckle Joint LT-S1170

Weight:0.230kg
To connect three pcs
of LT-S1105A
Zinc

LT-S1170(49)
LT-S1170(51)





Knuckle Joint LT-S1171

Weight:0.227kg
To connect three pcs of
LT-S1105B,but with one
thread M10 for LT-S745,
LT-S746
Zinc

LT-S1171(49)
LT-S1171(51)

LT-S1173 Knuckle Joint

LT-S1173(51)

Weight:0.210kg
To connect three pcs of
LT-S1105A
Zinc





LT-S1175 Knuckle Joint

LT-S1175(49)
LT-S1175(51)

Weight:0.235kg
To connect 2 pcs of
LT-S1105B and 1 pc of
LT-S1125
Zinc





LT-S1177 Knuckle Joint

LT-S1177(49)
LT-S1177(51)

Weight:0.249kg
To connect 2 pcs of
LT-S1105B and 1 pc of
LT-S1109
Zinc





LT-S1179 Knuckle Joint

LT-S1179(49)
LT-S1179(51)

Weight:0.262kg
To connect 2 pcs of
LT-S1105B and 1 pc of
LT-S1129
Zinc





Knuckle Joint LT-S1179/I

Weight:0.250kg
To connect 2 pcs of
LT-S1105B and 1 pc of
LT-S1128
Zinc

LT-S1179/I(49)
LT-S1179/I(51)





Knuckle Joint LT-S1180

Weight:0.239kg
To connect 2 pcs of
LT-S1125 and 1 pc of
LT-S1105B
Zinc

LT-S1180(49)
LT-S1180(51)





Knuckle Joint LT-S1333

Weight:0.184kg
To connect 3 pcs of
LT-S1303
Zinc

LT-S1333(49)
LT-S1333(51)





Knuckle Joint LT-S1339

Weight:0.255kg
To connect 2 pcs of
LT-S1303 and 1 pc of
LT-S1129
Zinc

LT-S1339(49)
LT-S1339(51)





LT-S1339(I) Knuckle Joint

LT-S1339(I)(49)
LT-S1339(I)(51)

Weight:0.248kg
To connect 2 pcs of
LT-S1303 and 1 pc of
LT-S1128
Zinc



LT-S1340 Knuckle Joint

LT-S1340(49)
LT-S1340(51)

Weight:0.193kg
To connect 2 pcs of
LT-S1303 and 1 pc of
LT-S1125
Zinc



LT-S1341 Knuckle Joint

LT-S1341(49)
LT-S1341(51)

Weight:0.215kg
To connect 2 pcs of
LT-S1125 and 1 pc of
LT-S1303
Zinc



LT-S1570 Knuckle Joint

LT-S1570(49)
LT-S1570(51)

Weight:0.123kg
To connect 3 pcs of
LT-S1500
Zinc



Knuckle Joint LT-S1571

Weight:0.180kg
To connect 3 pcs of
LT-S1501
Zinc

LT-S1571(49)
LT-S1571(51)



Knuckle Joint LT-S1580

Weight:0.040kg
To connect 3 pcs of
LT-S1508
Zinc

LT-S1580(49)
LT-S1580(51)



Knuckle Joint LT-M1633

Weight:0.037kg
To connect 3 pcs of
LT-M1605
Zinc

LT-M1633(49)
LT-M1633(51)



Knuckle Joint LT-M1673

Weight:0.079kg
To connect 3 pcs of
LT-M1601
Zinc

LT-M1673(49)
LT-M1673(51)



LT-Z4573 Knuckle Joint

LT-Z4573(49)
LT-Z4573(51)

Weight:0.291kg
To connect 2 pcs of
LT-Z4500 and 1 pc of
LT-S1100
Zinc





LT-Z4574 Knuckle Joint

LT-Z4574(49)
LT-Z4574(51)

Weight:0.390kg
To connect 2 pcs of
LT-S1100 and 2 pcs of
LT-Z4500
Zinc





LT-S1588 Knuckle Joint

LT-S1588(51)

Weight:0.119kg
For light showcase
Zinc





LT-ZG13-1-1 Knuckle Joint

LT-ZG13-1-1(51)

Weight:0.080kg
For light showcase
Zinc





Light Showcase Panel LT-ZX14A-01





Panel size:441×941×9mm
Aluminium,wooden

Axes LT-S925





Weight:0.004kg
Steel

LT-S925(47)

Roller Wheel for Sliding Door LT-E473





Weight:0.009kg
Steel

LT-E473(51)

Hinge Plate LT-E290





Weight:0.060kg
With mounting parts for glass
or wooden doors
Aluminium

LT-E290(01)

LT-E298 Disassemble Hinge

LT-E298(01)

Weight:0.050kg
For the door of a exhibition stand or angle connection
Aluminium





LT-E299A Hinge for Glass Door

LT-E299A(48)

Weight:0.055kg
used in glass door to grasp glass with the thickness of 5mm-8mm
Zinc





LT-E291 Rotating Axis Hinge

LT-E291(51)

Weight:0.034kg
For side-open glass door
Steel



LT-E293A Lever Bolt Lock

LT-E293A(51)

Weight:0.060kg
For sliding glass door,
5-8mm thick
Steel



Glass Door Lock LT-E294

Weight:0.046kg
For sliding glass door,
open a hole
Steel

LT-E294(51)



Sliding Door Lock LT-E295

Weight:0.056kg
For 4-7mm panel,key can be removed at any time
Steel

LT-E295(51)



Glass Door Lock LT-E296

Weight:0.064kg
For side-open glass door
Steel

LT-E296(51)



Bottom Corner for Showcase/90° LT-M1335

Weight:0.076kg
Zinc

LT-M1335(46)





LT-M1345 Bottom Corner for Showcase/135°

LT-M1345(46) Weight:0.120kg
Zinc





LT-S745 Castor

Weight:0.046kg
M8 thread
Plastic





LT-S745A Castor

Weight:0.075kg
M10 thread
Plastic



LT-S746 Castor Lockable

Weight:0.048kg
M8 thread
Plastic





Castor Lockable LT-S746A



Weight:0.080kg
Lockable, M10 thread
Plastic

Castor Lockable LT-EG901





Weight:0.210kg
For showcase
M10 thread
Steel

Castor LT-EG901A10S





Weight: 0.210kg
M10 thread,lockable
Polyurethane

Castor LT-EG901A8S





Weight: 0.210kg
M8 thread,lockable
Polyurethane

LT-EG901A10 Castor

Weight: 0.210kg
M10 thread,unlockable
Polyurethane





LT-EG901A8 Castor

Weight: 0.210kg
M8 thread,unlockable
Polyurethane





LT-EG901B10S Castor

Weight: 0.210kg
M10 thread,lockable
Nylon





LT-EG901B8S Castor

Weight: 0.210kg
M8 thread,lockable
Nylon





Castor LT-EG901B10

Weight: 0.210kg
M10 thread,unlockable
Nylon





Castor LT-EG901B8

Weight: 0.210kg
M8 thread,unlockable
Nylon





Latch Plate for Shelf LT-EG801A





Weight:0.0003kg
Plastic

LT-EG801A(45)

Screw for Showcase LT-EG420



Weight:0.012kg
For supporting shelf of showcases
M5×11
Steel

LT-EG420(47)

LT-S1130 End Cover

LT-S1130(45)

Weight:0.004kg
For LT-S1105A,LT-S1105B
Plastic





LT-EG902 End Cover

LT-EG902(41)

Weight:0.056kg
For LT-S1105A,LT-S1105B
A screw hole for M8 on
the bottom
Zinc





LT-S1135 Bottom Cover

LT-S1135(43)

Weight:0.009kg
For LT-S1105A,LT-S1105B
Plastic





LT-S1138 End Cover

LT-S1138(45)

Weight:0.004kg
For LT-S1108
Plastic





End Cover LT-S1139

Weight:0.003kg
For LT-S1109
Plastic

LT-S1139(45)





End Cover LT-S1137

Weight:0.035kg
For LT-S1125
Plastic

LT-S1137(45)





End Cover LT-S1370

Weight:0.003kg
For LT-S1303
Plastic

LT-S1370(45)





End Cover LT-EG903

Weight:0.050kg
For LT-S1303
A screw hole for M8 on
the bottom
Zinc

LT-EG903(41)





LT-S1520 End Cover

LT-S1520(45)

Weight:0.002kg
For LT-S1500
Plastic





LT-S1531 End Cover

LT-S1531(45)

Weight:0.003kg
For LT-S1501
Plastic





LT-S1530 End Cover

LT-S1530(45)

Weight:0.003kg
For LT-S1505
Plastic





LT-V2121 End Cover

LT-V2121(45)

Weight:0.002kg
For 25mm beam extrusion
Plastic









End Cover LT-S2131

Weight:0.005kg
For LT-S2101,LT-S2102,
LT-S2103,LT-S2104
Plastic

LT-S2131(45)





End Cover LT-EW504

Weight:0.003kg
For LT-W2107,
Plastic

LT-EW504(45)





End Cover LT-EZ503

Weight:0.001kg
For folding desk
Plastic

LT-EZ503(45)





End Cover LT-V2210

Weight:0.0003kg
For knuckle joints
LT-V2200A
Grey plastic

LT-V2210(45)

LT-EK501 End Cover

LT-EK50(45)

Weight:0.001kg
For LT-K840
Grey plastic





Negotiation Desk (Curved Connector) LT-ZQ11



Weight:9.200kg
Size: 650×650×680mm
Loading capacity:1200N

Negotiation Desk (Wide Border Model) LT-ZQ15A



Weight:8.500kg
Size:650×650×680mm
Loading capacity:1200N

Round Negotiation Table LT-ZQ17



Weight:15.150kg
Size:Φ700×700mm

LT-ZQ17(45)

Round Negotiation Table LT-ZQ18



Weight:11.000kg
Size: Φ800×700mm
Four stainless steel legs,
glass tabletop, glass thickness is 8mm.

LT-ZQ18(61)

LT-ZX14 Consultation Desk (Foldaway Model)

Weight:18.100kg
Size:974×474×760mm
Loading capacity:1200N

LT-ZX16 Folding Desk

Weight:14.330kg
Steel



LT-SG11 Lockable Cabinet

Size: 1040×550×760mm
With lock
LT-SG11: Aluminium is silvered,
panel is black.
LT-SG21: white



LT-ZX17 Folding Lockable Cabinet

Weight:28.000kg
Size:1040×550×760
Aluminium, panel



EXPO FURNITURE
LINGTONG

U type cabinet LT-ZJ127A



Weight:17.500kg
Size:1000x500x750
Colour: black,white, red
wood

Jewelry Showcase LT-ZG600A



Weight:56.000kg
Size:1050x600x1000
Colour: black
wood,glass

Folding Chair LT-ZE3

Weight:3.600kg
Φ19 tube
Primary material: steel,plastic.
Colour: white, light-grey.

LT-ZE3(40)

Folding Chair LT-ZE4

Weight:4.100kg
Primary material: steel, plastic.
Colour: emerald, blue, red, light-grey.

LT-ZE6 Chair

LT-ZE6(45)

Weight:6.500kg
Stackable
Primary material: steel, plastic
Colour: light-grey,azury,white,primrose.

LT-ZE7 Folding Chair

LT-ZE7(61)

Weight:3.750kg
Primary material: steel,acryl.
Colour: transparent

LT-ZE8 Chair

Weight:3.750kg
Stackable
Primary material: steel, plastic.
Colour: green,blue,red,light-grey.

LT-ZE9 Chair

LT-ZE9(43)

Weight:7.750kg
Stackable
Primary material: steel,leatheroid.
Colour:black



Chair LT-ZE10

Weight:5.800kg
Stackable
Primary material: steel, vestee.
Colour:red

Folding Chair LT-ZE14

Weight:3.400kg
Primary material: steel,plastic
Colour:light-grey,black.

LT-ZE14(45)

Chair LT-ZE16

Weight:3.500kg
Stackable
Primary material: steel, panel.
Colour:buff

LT-ZE16(70)

Chair LT-ZE19

Weight:4.600kg
Stackable
Primary material: steel,leatheroid
Colour:white,primrose

LT-ZE19(40)

LT-ZE20 Chair

LT-ZE20(43)

Stackable
Primary material: steel,leatheroid.
Colour:black,red.

LT-ZE21 Chair

LT-ZE21(43)

Weight:9.800kg
Stackable
Primary material: steel,leatheroid.
Colour:black

LT-ZE22 Folding Chair

LT-ZE22(51)

Weight:7.000kg
Primary material: steel, leatheroid
Colour: black
Size: 840×490×610mm

LT-ZE23 Folding Chair

LT-ZE23(40)

Weight:3.500kg
Primary material: steel,plastic.
Colour: white, light-grey

Folding Chair LT-ZE24

Weight:4.800kg
Φ19 tube
Primary material: steel,plastic.
Colour: white, light-grey

Bar Chair LT-BE50

Weight:6.600kg
Medium backrest
Primary material:steel,plastic.
Colour:red,white,black,silver-grey.

Bar Chair LT-BE60

Weight:6.400kg
Low backrest
Primary material: steel,plastic.
Colour:red,white,black,silver-grey.

Bar Chair LT-BE70

LT-BE70(51)

Weight:7.000kg
Primary material: steel, leatheroid
Colour: red, black , white
Size:670×360×400mm

LT-WB601A Standard Aluminum Door

LT-WB601A(01)

Weight:14.500kg
2000×950mm
Be hinged on the left open
out against you.
Including two piece of PVC panel,
the size is 720×902×3mm.

LT-WB601B Standard Aluminum Door

LT-WB601B(01)

Weight:14.500kg
2000×950mm
Be hinged on the right open
out against you.
Including two piece of PVC panel,
the size is 720×902×3mm.

LT-WB601C Standard Aluminum Door

LT-WB601C(01)

Weight:14.500kg
2000×950mm
Be hinged on the left open
out towards you.
Including two piece of PVC panel,
the size is 720×902×3mm.

LT-WB601D Standard Aluminum Door

LT-WB601D(01)

Weight:14.500kg
2000×950mm
Be hinged on the right open
out towards you.
Including two piece of PVC panel,
the size is 720×902×3mm.

Standard Aluminum Door LT-WB605L

Weight:27.500kg
2100×950mm
Be hinged on the left open
out towards you.
Including two piece of PVC panel,
the size is 1795×622×3mm.

LT-WB605L(01)
LT-WB605L(11)

Standard Aluminum Door LT-WB605R

Weight:27.500kg
2100×950mm
Be hinged on the right
open out towards you.
Including two piece of PVC panel,
the size is 1795×622×3mm

LT-WB605R(01)
LT-WB605R(11)

Lock with handle LT-EG102

Weight:1.500kg
For aluminum door
Steel

LT-EG102(51)



Glass Door LT-WB609

Weight:59.000kg
Mainly fixed on the square
extrusion, including
no doorframe.
12mm tempered glass

LT-WB609(00)

LT-WB608L Wooden Door with Aluminum Frame

Weight:24.800kg
For the 4.3 groove system
Be hinged on the left
Aluminum,wood

LT-WB608R Wooden Door with Aluminum Frame

Weight:24.800kg
For the 4.3 groove system
Be hinged on the right
Aluminum,wood

LT-WB608L-01 Door frame

Weight:5.800kg
Be hinged on the left
Aluminum

LT-WB608R-01 Door frame

LT-WB608R-01(01)

Weight:5.800kg
Be hinged on the right
Aluminum

Wooden Door LT-WB608L-02

Weight:19.000kg
Be hinged on the left
Wood

LT-WB608L-02(40)



Wooden Door LT-WB608R-02

Weight:19.000kg
Be hinged on the right
Wood

LT-WB608R-02(40)



Folding Door LT-WB606

1000×2000mm
Weight:6.400kg
Plastic

LT-WB606(40)

Folding Door Lock LT-E292

Weight:0.156kg
For folding door
Steel

LT-E292(51)

LT-WB610 Folding Fabric Door

1050×125×1880
Weight:8.000kg
Steel, plastic, fabric

LT-WB607 Sliding Door

LT-WB607(01)

Weight: 15.000kg
For standard booth
Aluminium





LT-E301 Sliding Door Lock

LT-E301(51)

Weight:0.080kg
Used with LT-E472, and installed on sliding door, and no need hole to install the lock.
Zinc alloy





LT-WL524 Threshold Plate

LT-WL524(47)

Weight: 1.770kg
For axis measurement 990mm
Steel









Sliding Door LT-WB607A

Weight: 12.000kg
For standard booth
Aluminium

LT-WB607A(01)

ADD-on Threshold Plate LT-WL524A





Weight: 1.690kg
Mounting to LT-W524
For axis measurement 990mm
Steel

LT-WL524A(47)

Horizontal Rod LT-W2211





Weight:0.504kg/m
Length:6m
Aluminium

LT-W2211(01)

Long-arm Lamp fixture without socket LT-DG731



Weight:0.350kg
Arm length:300mm
The bulb and wire are not included
Steel

LT-DG731(20)

Short-arm lamp fixture without socket LT-DG733



Weight:0.300kg
Arm length:150mm
The bulb and wire are not included
Steel

LT-DG733(20)

Long-arm lamp fixture with sockets LT-DG831



Weight:0.600kg
Supplied with hook
Arm length:300mm
The bulb and wire are not included
Steel

LT-DG831(20)

Medium-arm lamp fixture with sockets LT-DG832



Weight:0.570kg
Supplied with hook
Arm length:210mm
The bulb and wire are not included
Steel

LT-DG832(20)

LT-DG833 Short-arm lamp fixture with sockets

LT-DG833(20)

Weight:0.550kg
Supplied with hook
Arm length:150mm
The bulb and wire are not included.
Steel



Bulb

Weight:0.046kg
60W or 100W
For T-DG731,LT-DG733,
LT-DG831,LT-DG832,
LT-DG833

LT-EG509 LED Spot Light Bulb

Weight:0.165kg/m
7W,9W
For T-DG731,LT-DG733,
LT-DG831,LT-DG832,
LT-DG833
Plastic

LT-DG632 Halogen Lamp

LT-DG632(24)

Weight:0.500kg
Arm length:280mm
220V/150W or 110V/150W
With light source,but not included wire.
Zinc

Led lamp with sockets (transformer built in) LT-DG519

Weight:0.440kg
Power:21W
Voltage:100-240V
With one 3 meters parallel wire and one 1 meter power cord
Color: silver or black

Led lamp with sockets (transformer built in) LT-DG513

Weight:0.500kg
Power:13W
Voltage:100-240V
With one 1 meter parallel wire and one 3 meter power cord
Color: silver or black
Spot light

Led lamp with sockets (transformer built in) LT-DG514

Weight:0.500kg
Power:13W
Voltage:100-240V
With one 1 meter parallel wire and one 3 meter power cord
Color: silver or black
Flood light

Led lamp with sockets (transformer built in) LT-DG517

Weight:0.500kg
Power:20W
Voltage:100-240V
With one 1 meter parallel wire and one 3 meter power cord
Color: silver or black
Spot light

LT-DG518 Led lamp with sockets (transformer built in)

Weight:0.500kg
Power:20W
Voltage:100-240V
With one 1 meter parallel
wire and one 3 meter power cord
Color: silver or black
Flood light

LT-DG521 Led lamp with sockets (transformer built in)

Weight:0.550kg
Power:25W
Voltage:100-240V
With one 1 meter parallel
wire and one 3 meter
power cord
Color: silver or black

LT-DG520 Led lamp with sockets (transformer built in)

Weight:0.550kg
Power:30W
Voltage:100-240V
With one 1 meter parallel
wire and one 3 meter
power cord
Color: silver or black

LT-DG217 Track Lamp

Weight:0.900kg
Power:30-40W
Voltage:220-240V
Base type option: 2 wires/4 wires

Track Lamp LT-DG218

Weight:1.200kg
Power:20-35W
Voltage: 220-240V
Base type option: 2 wires/4 wires

Track Lamp LT-DG219

Weight:1.500kg
Power:30-50W
Voltage:220-240V
Base type option: 2 wires/4 wires

Slide Track LT-DG20201

LT-DG20201-1:
1000mm long, Weight:0.437kg

LT-DG20201-2:
2000mm long, Weight:0.800kg

Aluminium

Wire grommet LT-DG20202

Weight:0.041kg
To connect LT-DG20201

LT-DG21401 4 Wires Track

LT-DG21401-1:1000mm long
LT-DG21401-2:2000mm
Aluminium

LT-DG21402 4 Wires Track Connector

To connect LT-DG21401



LT-DG303 Metal Halogen Lamp

Weight:3.280kg
With light source,but not included wire
220V/150W



LT-DG304 COB Flood Lamp

LED
Weight:2.000kg
Power:50W
Voltage:220V/110V

COB Flood Lamp LT-DG305

LED
Weight:3.000kg
Power:100W
Voltage:220V/110V

Showcase Spot Lamp LT-DG409

LED
Weight:0.100kg
Power:1×3W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

Showcase Spot Lamp LT-DG410

LED
Weight:0.100kg
Power:1×3W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

Showcase Spot Lamp LT-DG411

LT-DG861(22)

LED
Weight:0.120kg
Power:3×1W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

LT-DG412 **Showcase Spot Lamp**

LED
Weight:0.080kg
Power:2×1W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

LT-DG413 **Showcase Spot Lamp**

LED
Weight:0.080kg
Power:1×3W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

LT-DG414 **Showcase Spot Lamp**

LED
Weight:0.090kg
Power:1×3W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

LT-DG415 **Showcase Spot Lamp**

LED
Weight:0.075kg
Power:1×1W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

Showcase Spot Lamp LT-DG416

LED
Weight:0.070kg
Power:1×3W
Voltage:100-240V
Hole size on panel: Φ13mm
Color: silver or black

Cold-start Lamp **LT-DG401**



Weight:0.040kg
Power:50W
Voltage:220V/110V

Showcase Lamp **LT-DG402**

Weight:0.030kg
Power:50W
Voltage:220V/110V

Down Lamp **LT-DG403**

Weight:0.260kg
Power:<50W
Voltage:220V/110V

LT-DG417 **Led Bulb**

LED
Weight:0.050kg
Power:3×1W
Voltage:12V

LT-DG101 **Fluorescent Lamp**

Weight:0.190kg
220V/40W
Philips

LT-DG102 **Fluorescent Lamp**

Weight:0.154kg
220V/30W
Philips

LT-DG861 **Fluorescent Lamp**

LT-DG861(22)

For system lighting
With light source,but
not included wire.
Steel





Light Hanger **LT-DG861-01**

Weight: 0.046kg
Hanger for LT-DG861
Steel

LT-DG861-01(47)



Accessory **LT-DG633-02A**

Weight:0.044kg
Used with LT-DG633
Aluminium

LT-DG633-02A(01)



Track Hook **LT-LJ2974**

Weight: 0.023kg
Aluminum



Seat **LT-EG508**

Weight:0.024kg
For the installation and
fixing of showcase lamp
Zinc

LT-EG508(47)

LT-ZJ106A Light Box

LT-ZJ106A(01)

Weight:15.000kg
5mm light guide plate and
LED strip inside
Size:2000×400×34mm
Aluminium, plastic

LT-ZJ106B Light Box

Weight:9.500kg
Light source LED strip,
illumination of the middle
is over 1500 LUX
Size:2000×400×29mm
Aluminium, plastic

LT-ZJ110 LED Screen

Weight:7.000kg
Made of 100mm open square
extrusion, used as lighting
extrusion in standard booth

LT-Q200 Socket Adapter

LT-Q200(45)

Weight:0.043kg



Socket Adapter LT-EG002

Weight:0.063kg

LT-EG002(45)

Socket Adapter LT-Q300

Weight:0.068kg

LT-Q300(45)

Socket Adapter (With Wire) LT-Q-03

Weight:0.206kg
With 3m wire
1mm^2 thick

LT-Q-03(40)

Socket Adapter LT-SD-029

Weight:0.034kg
To connect 2 pcs of
LT-SD-10

LT-SD-029(40)

LT-SD-10 Connecting Wire

LT-SD-10(40)

Weight:0.124kg
1mm^2 thick
With safety plug
For LT-DG831, LT-DG832,
LT-DG833,
0.96m long

LT-SD-10A Connecting Wire

LT-SD-10A(40)

Weight:0.200kg
2.5mm^2 thick
With safety plug
For LT-DG831,
LT-DG832,LT-DG833,
0.96m long

LT-SD-20 Connecting Wire

LT-SD-20(40)

Weight:0.186kg
1mm^2 thick
With safety plug
For LT-DG831 ,
LT-DG832,LT-DG833
1.9m long

LT-SD-20A Connecting Wire

LT-SD-20A(40)

Weight:0.315kg
2.5mm^2 thick
With safety plug
For LT-DG831 ,
LT-DG832,LT-DG833
1.9m long

Connecting Wire LT-SD-30

Weight:0.076kg
1mm^2 thick
With safety plug
For LT-DG831 ,
LT-DG832,LT-DG833
0.35m long

LT-SD-30(40)

Connecting Wire LT-SD-300

Weight:0.282kg
1mm^2 thick
With safety plug
For LT-DG831 ,
LT-DG832,LT-DG833
3m long

LT-SD-300(40)

Connecting Wire LT-SD-300A

Weight:0.470kg
2.5mm^2 thick
With safety plug
For LT-DG831 ,
LT-DG832,LT-DG833
3m long

LT-SD-300A(40)

Connecting Wire LT-SD-22

Weight:0.326kg
3m long
1mm^2 thick

LT-SD-22(40)

LT-SD-22A Connecting Wire

LT-SD-22A(40)

Weight:0.430kg
3m long
2.5mm² thick

LT-SD-62 Connecting Wire

LT-SD-62(40)

Weight:0.440kg
6m long
1mm² thick



LT-SD-62A Connecting Wire

LT-SD-62A(40)

Weight:0.860kg
6m long
2.5mm² thick



LT-SD-25 External Socket

LT-SD-25(40)

Weight:0.274kg
2.3m long
1mm² thick

Current Limited Socket LT-DS-50

Weight: 0.363kg
Usual specifications: 0.5A,
0.8A,1A,1.25A,1.6A,2A,2.5A,
3.15A,4A,5A,6.3A,8A,10A
Size:86x86x50mm
With 2m wire

Connecting Wire LT-SD-50

Weight:0.235kg
For halogen lamp LT-DG632
0.75mm² thick
2.8m long
National standard of China

LT-SD-50(40)

Connecting Wire LT-SD-51

Weight:0.235kg
For halogen lamp LT-DG632
0.75mm² thick
2.8m long
EU standard

LT-SD-51(40)

Connecting Wire LT-SD-40

Weight:0.090kg
0.4m long
With safety plug
For halogen lamp LT-DG632
1mm² thick

LT-SD-40(40)

LT-SD-40B Connecting Wire

LT-SD-40B(40)

Weight: 0.047kg
For halogen lamp LT-DG632
0.4m long
1mm^2 thick

LT-EG001 Wire Retainer

LT-EG001(45)

Weight:0.0005kg
For Φ7-Φ10 wire



LT-EG003 Clamp for Wire

LT-EG003(40)

Weight:0.002kg
Use 4.3mm groove to fix
1 pc of 3X1mm^2 wire
Plastic



LT-EG003A Clamp for Wire

LT-EG003A(40)

Weight:0.001kg
Use 4.3mm groove to fix
Φ7-8mm wire
Plastic



Connector for Lamp LT-EM701

LT-EM701(47)

Weight:0.100kg
To connect (80mm,100mm, 120mm) square extrusion and LT-DG831,LT-DG731



Binding Post

Weight:0.056kg
Plastic



Extrusion Clip LT-ML1488

LT-ML1488(45)

Weight: 0.004kg
For fixing electric wire
Plastic



PACKING

LINGTONG

Dummy Plate **LT-K970**

Weight:0.040kg
For fixing beam extrusion when transporting Aluminium

LT-K970(01)



Package Partition **LT-BZ(XS)-M611**

Weight:0.120kg
For fixing 80mm square extrusion when transporting Plastic

LT-BZ(XS)-M611(43)



Package Partition **LT-BZ(XS)-M101**

Weight:0.140kg
For fixing 100mm square extrusion when transporting Plastic

LT-BZ(XS)-M101(43)



Package Partition **LT-BZ(XS)-M301**

Weight:0.160kg
For fixing 120mm square extrusion when transporting Plastic

LT-BZ(XS)-M301(43)

LT-BZX07 Iron Box

2650×1025×900mm
Weight:155.000kg
For 200 pcs of LT-S100,
LT-S106,LT-S108,2480mm
Stackable



LT-BZX05 Iron Box

1010×1115×900mm
Weight:120.000kg
For 400 pcs of 50mm beam
(LT-Z400A,LT-Z400B,
LT-Z402,LT-Z460),950mm
Stackable



LT-BZX08 Iron Box

3095×845×730mm
Weight:135.000kg
For 200 pcs of 50mm beam
(LT-Z400A,LT-Z400B,
LT-Z402,LT-Z460),2930mm
Stackable



LT-BZX06 Iron Box

2550×1170×970mm
Weight:170.000kg
For 150 pcs of panel
2400×970×3mm
Stackable



Box for Glass LT-BZX-BLF



1170×820×170mm
Wooden

Iron Box/950mm LT-BZX05A



1140×1012×1150mm
Weight:130.000kg
For 800 pcs of beam 70mm
Stackable

Iron Box/2480mm LT-BZX07A



2655×1057×900mm
Weight:160.000kg
For 400 pcs of upright
extrusion LT-S100,
LT-S106,LT-S108
Stackable

LT-S303(01)

Iron Box/2930mm LT-BZX01A



3150×992×720mm
Weight:140.000kg
For 420 pcs of 70mm beam
Stackable

LT-BZX03A Iron Box

2560×992×910mm
Weight:170.000kg
For 200 pcs of PVC panel,2400×970×3mm
Stackable



LT-BZX-011 Wood Case

PLY Wood
Stackable

Wooden Case

2525x245x150mm
For 15 pcs of upright extrusion LT-S100, LT-S106,LT-S108



Wooden Case

2960×175×165mm
For 20 pcs of 50mm beam (LT-Z400A,LT-Z400B, LT-Z402,LT-Z460),2930mm



Wooden Case

980×335×170mm
For 60 pcs of 50mm beam (LT-Z400A,LT-Z400B, LT-Z402,LT-Z460),950mm



Case LT-BZX506-1

For 50 pcs of 50mm beam, 950mm
Steel

LT-BZX506-1(45)



Case LT-BZX506-2

For 24 pcs of 50mm beam, 2930mm
Steel

LT-BZX506-2(45)



Case LT-BZX506-3

For For 400 pcs of upright extrusion LT-S100, LT-S108,2480mm
Steel

LT-BZX506-3(45)



PACKING

LT-BZX400 Case

LT-BZX400(43)

Weight:13.000kg
1340×660×360mm
For the whole modular booth materials into one package
Plastic

LT-BZX401 Case

LT-BZX401(45)

Weight:15.000kg
Inner size:1190×600×245mm
Loading capacity:850kg
PVC panel

LT-BZX503 Case

LT-BZX503(46)

Weight:103.000kg
Inner size: 2540×800×500mm
Loading capacity:850kg.
Disassembly and assembly
Steel,panel



LT-BZX306 Case

LT-BZX306(00)

Weight:33.000kg
Inner size: 980×825×450mm
Loading capacity:550kg
high-strength corrugated composite cardboard

Case LT-BZX326

Weight:5.500kg
Inner size:1000x1000x800mm
Loading capacity:100kg
15mm corrugated cardboard

Foldable Case LT-BZX208

1200x800x570mm
Weight:40.000kg
Foldable, it should be fumigated
Wood

Case LT-BZX508



2410×980×560mm
Weight:92.000kg
Steel,wood

Case LT-BZX509



1160×525×120mm
Weight:2.500kg
For 20pcs of LT-DG831
Plastic

ASSISTANT MATERIAL

LINGTONG



Hook **LT-W210**

Weight:0.013kg
For LT-ZW321-30
Steel

LT-W210(51)



Hook **LT-EW702**

For LT-ZW321-30
Steel

LT-EW702(51)



Hook **LT-W500**

Weight:0.064kg
For Slat Panel
LT-WB10,LT-WB12
105mm long
Steel

LT-W500(51)



Hook **LT-W510**

Weight:0.074kg
Steel,for slat panel
LT-WB10,LT-WB12
155mm long.

LT-W510(51)

LT-W520 Hook

LT-W520(51)

Weight:0.085kg
Steel,for slat panel
LT-WB10,LT-WB12
205mm long





LT-E278 Shelf Bracket

LT-E278(45)

Weight:0.253kg
Insert into slat panel
Steel





LT-E275 Bag holder

LT-E275(47)

Weight:0.080kg
Steel , with black plastic
ball





LT-E280 Clothes Rod

LT-E280(01)

Weight:0.560kg
Aluminium anodized,
with two built-in locks
LT-Z981,975mm long,can
be mounted between two
uprights









Clothes Rod Hook LT-E281

Weight:0.079kg
Steel

LT-E281(51)





Clothes Rod Hook LT-EL281

Weight:0.070kg
Aluminium

LT-EL281(40)





Clothes Rod Hook LT-E284

Weight:0.020kg
Aluminium anodized,
slided on clothes rod
LT-E280

LT-E284(01)





Clothes Rod Hook LT-E284A

Weight:0.022kg
Aluminium

LT-E284A(22)

LT-E282 Connector 135°

LT-E282(47)

Weight:0.044kg
Thicknesss: 8mm
For all beam extrusion
with 10mm deep grooves,
supplied with 2 screws
Zinc



LT-E283 Connector 135°

LT-E283(47)

Weight:0.030kg
Thicknesss: 5mm
For all beam extrusion
with 7mm deep grooves,
supplied with 2 screws
Zinc



LT-EV601 Simple Shelf Bracket

LT-EV601(01)

Weight:0.080kg
Incl. 1 built-in tension
lock LT-Z981 and 1 pc end
cover
Aluminium





LT-E713 Simple Shelf Bracket

LT-E713(01)

Weight:0.160kg
Aluminium,with built-in
tension lock LT-Z981,
300mm long





Simple Shelf Bracket LT-E714

LT-E714(01)

Weight:0.200kg
Aluminium,with built-in
tension lock LT-Z981 and
4 cupulas,
300mm long





Cupula LT-EZ601

LT-EZ601(02)

Weight: 0.019kg
For LT-E714
Aluminium





Shelf Bracket LT-E774

LT-E774(01)

Weight:0.300kg
Adjustable angle each 20°,
with built-in tension lock
LT-Z981,300mm long
Aluminium





Corner Shelf Bracket LT-E776

LT-E776(01)

Weight:0.289kg
Aluminium,be used in the corner
With built-in tension lock LT-Z981,
300mm long





LT-E510A Shelf

LT-E510A(70)

990mm×300mm×10mm
Weight:2.540kg
Wood





LT-E511 Aluminium Shelf

LT-E511(01)
LT-E511(20)

990mm×300mm×10mm
Weight:0.900kg
Aluminium





LT-E513 Skid Proof Shelf

LT-E513(70)

990mm×300mm×10mm
Weight:2.150kg





LT-E517 Skid Proof Shelf

LT-E517(00)

990mm×300mm×10mm
Weight:2.000kg
10mm plywood





Shelf LT-E515

1980mm×300mm×10mm
Weight:5.000kg

LT-E515(70)





Glass Shelf LT-E518

Weight:11.000kg
Aluminium,glass

LT-E518(01)



Peg Panel with HolesLT-E520

Inner size:1390×948mm
Weight:15.500kg
Steel,powder-coated

LT-E520(20)





Hook LT-E215-S

Weight:0.003kg
Light plastic,for LT-E520

LT-E215-S(40)





LT-E215-M Hook

LT-E215-M(40)

Weight:0.004kg
Plastic,for LT-E520,
42mm long





LT-E215-B Hook

LT-E215-B(40)

Weight:0.022kg
Plastic,for LT-E520,
162mm long





LT-WB10 Slat Panel

LT-WB10(70)

964mm×2354mm×16mm
Weight:27.050kg
One side with slat





LT-WB11 Non-slat Panel

LT-WB11(70)

964mm×2354mm×16mm
Weight:20.000kg







Slat Panel LT-WB12

964mm×2354mm×16mm
Weight:28.450kg
Double sides with slats

LT-WB12(70)



Slat Panel LT-WB111

2400×1000×16mm
Weight:20.800 kg
9 parts,disassembly and
assembly

LT-WB111(00)

Slat Panel LT-WB10S

2354×964×17
Weight:14.000 kg
One side with slats
Plastic, aluminium

LT-WB10S(40)

Slat Panel LT-WB12S

2354×964×17
Weight:14.000 kg
Double sides with slats
Plastic, aluminium

LT-WB12S(40)

LT-WB211 Steel Net

LT-WB211(20)

950×2350mm
Weight:10.600kg





LT-EW710 Hook

LT-EW710(51)

Weight:0.030kg
For LT-WB211
Steel





LT-EW711 Hook

LT-EW711(51)

For LT-WB211
Steel





LT-EW712 Hook

LT-EW712(51)

For LT-WB211
Steel





Pegboard Panel LT-ZW321-25

2400×970×3mm
With some small holesΦ5,
holes center distance: 25 mm.

LT-ZW321-25(70)





Pegboard Panel LT-ZW321-30

2400×970×3mm
With some small holesΦ5,
holes center distance: 30 mm.

LT-ZW321-30(70)





Bracket for Plasma LT-ZJ101

Weight:5.000kg
With 4.3mm groove extrusion
Loading capacity:55kg
Steel

LT-ZJ101(46)

Fixing for LCD LT-ZJ103

Weight:0.500kg
Loading capacity:18kg
Steel

LT-ZJ103(41)





LT-EG407A-1 Inner hex Socket Screw nut

LT-EG407A-1(51)

Weight:0.009kg
M5×17mm
Steel



LT-E111 Torx Head Screw

LT-E111(47)

Φ6.3×13mm
Weight:0.003kg
13mm long
Steel





LT-E111/A Cover Cap

LT-E111/A(45)

Weight:0.001kg
For torx head screw
Plastic





LT-E111/20 Torx Head Screw

LT-E111/20(47)

Φ6.3×20mm
Weight:0.004kg
With coarse thread,
20mm long
Steel





Head Screw LT-EG409

LT-EG409(47)

M6×16mm
M6×13mm
Weight:0.004kg
Countersink screw
Steel





Head Screw LT-EG412

LT-EG412(47)

M5×8mm
M5×10mm
M5×12mm
Weight:0.002kg
Steel





Short Screw LT-E210

LT-E210(51)

Weight:0.011kg
Steel,sheath with
combination cross-slot,
19mm long





Hammerhead Screw LT-EG414

LT-EG414(51)

Weight:0.011kg
M5×19mm
Steel,sheath with combination
cross-slot





LT-EG402 Hammerhead Screw

LT-EG402(51)

Weight:0.025kg
M10×23mm
With 2 washers and 1 decorated nut
Steel





LT-EG404 Ring Hook

LT-EG404(47)

Weight:0.022kg
Steel





LT-E211 Supporting Plate

LT-E211(47)

Weight:0.006kg
Steel



LT-E211A Supporting Plate

LT-E211A(47)

Weight:0.003kg
Aluminium





Retainer LT-E212

LT-E212(47)

10x40x3mm
Weight:0.008kg
Steel,supplied with 2 screws





Panel Retainer LT-E213

LT-E213(47)

25×40mm
Weight:0.019kg
Steel,for 40mm panel





Panel Retainer LT-E214

LT-E214(47)

25×60mm
Weight:0.025kg
Steel,for 60mm panel





Hang Hook LT-E217

LT-E217(47)

Weight:0.016kg
Steel





LT-E218 Ring Hook

LT-E218(00)

Weight:0.034kg
With hammerhead screw
Zinc alloy





LT-EG417 Ring Hook

Weight: 0.010kg
For system groove 4.3mm
Stainless steel





LT-EG417A Ring Hook

LT-EG417A(47)

Weight: 0.015kg
For system groove 4.3mm
Stainless steel



LT-EZ702 Hook

LT-EZ702(47)

Weight: 0.059kg
For system groove 4.3mm
For fixing clothes rod Φ25
Steel





Hook LT-EZ703

Weight: 0.050kg
For system groove 4.3mm
For clothes rod Φ25 in corner

LT-EZ703(47)





Head Hanger LT-E220

20mmx16.5mmx50mm
Weight:0.022kg
Steel

LT-E220(47)





Head Hanger LT-E220/S

eight:0.030kg
mmx16.5mmx50mm
eel

LT-E220/S(47)





Head Hanger LT-E220A

19mmx25mmx59mm
Weight:0.024kg
Steel

LT-E220A(47)





LT-E227 Panel Retainer

LT-E227(47)

Weight:0.010kg
Steel,for 6mm panels





LT-E221B Panel Retainer

LT-E221B(47)

Weight:0.013kg
Steel,for 10mm panel





LT-E221 Panel Retainer

LT-E221(47)

Weight:0.013kg
Steel,for 14mm panel





LT-E221A Panel Retainer

LT-E221A(47)

Weight:0.013kg
Steel,for 16mm panel





Panel Retainer LT-E224

Weight:0.014kg
Steel,for 18mm panels

LT-E224(47)





Panel Retainer LT-E222

Weight:0.017kg
Steel,for 28mm panel

LT-E222(47)





Panel Retainer LT-E223-25

Weight:0.003kg
Aluminium,for 10mm panel.
25mm long

LT-E223-25(01)



Hook LT-EM708

Weight:0.040kg
Inserted into the groove of
40mm square extrusion to
hang lamp
Steel

LT-EM708(47)





LT-EM709 Hook

LT-EM709(47)

Weight:0.048kg
Inserted into the groove of 60mm square extrusion to hang lamp
Steel





LT-EM710 Hook

LT-EM710(47)

Weight:0.055kg
Inserted into the groove of 80mm square extrusion to hang lamp
Steel





LT-EM711 Hook

LT-EM711(47)

Weight:0.063kg
inserted into the groove of 100mm square extrusion to hang lamp
Steel





LT-EM712 Hook

LT-EM712(47)

Weight:0.071kg
Inserted into the groove of 120mm square extrusion to hang lamp
Steel





Corner Support LT-EG802





Weight:0.520kg
With 4 hammerhead screws
Steel

LT-EG802(47)

Corner Support LT-EG818





Weight:0.089kg
For 40mm, 80mm, 100mm square extrusion
Aluminium, with two LT-EG403

LT-EG818(00)

Corner Supporting LT-EG806





Weight:0.010kg
Steel

LT-EG806(47)

Corner Support LT-SL6035





Weight:0.018kg
Steel

LT-SL6035(47)

LT-EM446 Tie Rod Tensioning Set

LT-EM446(47)

Weight:5kg
Applicable to 4.3 system groove, double deck structure and cross section upright extrusion system.
The minimum angle of the diagonal is 45 °
Steel



LT-EL718 Bracket for Wooden Shelf

LT-EL718(47)

Weight: 0.050kg
Incl. hammerhead screw LT-EL205, for mounting in system groove 4.3mm
Steel



LT-EM705 Retainer

LT-EM705(01)

Weight: 0.006kg
For beam or square extrusion
Aluminium



LT-EM603 Clamp for Panel

LT-EM603(51)

Weight:0.030kg
Panel must be thinner than 10mm, lighter than 1kg and can be only installed vertically
Zinc alloy



ASSISTANT MATERIAL
LINGTONG



Ceiling Hanger LT-E231

10×175mm
Weight:0.026kg
For 175mm beam
Steel

LT-E231(47)



Hook LT-E235

Weight:0.002kg
Steel Φ2mm
For 70mm beam

LT-E235(51)



Hook LT-E236

Weight:0.005kg
Steel Φ2mm,
For 170mm beams

LT-E236(51)



Connector LT-E240

M4×200mm
Weight:0.075kg
Insert in system groove to connect two upright extrusion
Steel

LT-E240(49)
LT-E240(51)

LT-E13 Rhombus Nut

LT-E13(47)

Weight:0.002kg
Steel





LT-EG410 Curtain Hook

LT-EG410(00)

Weight: 0.001kg
For system groove 4.3mm
Plastic





LT-EG411 Curtain Hook

LT-EG411(40)

Weight:0.001kg
Plastic





LT-EG413 Spring Retainer

LT-EG413(47)

Weight:0.001kg
Steel





Knuckle Joint LT-M1672

Weight:0.067kg
Connect 2 pcs of LT-M1601
Zinc

LT-M1672(49)
LT-M1672(51)





Knuckle Joint LT-S1581

Weight:0.098kg
Connect 2 pcs of LT-S1508
Zinc

LT-S1581(49)
LT-S1581(51)





Knuckle Joint LT-S1338

Connect 2 pcs of LT-S1303
Zinc

LT-S1338(49)
LT-S1338(51)





Knuckle Joint LT-S1332

Connect 2 pcs of LT-S1303
Zinc

LT-S1332(49)
LT-S1332(51)





LT-S1178 Knuckle Joint

LT-S1178(49)
LT-S1178(51)

Connect 2 pcs of LT-S1105A,
LT-S1105B
Zinc





LT-S1178/I Knuckle Joint

LT-S1178/I(49)
LT-S1178/1(51)

Connect 2 pcs of LT-S1105A,
LT-S1105B
Zinc





LT-S1173-1 Knuckle Joint

LT-S1173-1(49)
LT-S1173-1(51)

Weight:0.192kg
Connect 2 pcs of LT-S1105A,
LT-S1105B
Zinc





LT-E14 Torx Head Wrench

LT-E14(51)

Weight:0.044kg
Steel,plastic

Torx Head Wrench LT-E15

Weight:0.043kg
Steel,plastic

LT-E15(51)

Torx Head Wrench LT-E114

Weight:0.025kg
Steel

LT-E114(51)

Torx Head Wrench LT-E131A

Weight:0.101kg
Steel, plastic

LT-E131A(00)



Screwdriver LT-E124

Weight:0.018kg
Hex-star T25
Steel

LT-E124(48)

LT-E128 T-handled Screwdriver

Weight: 0.035kg
Hex-star T25
Steel,plastic



LT-SG204 Hammerhead Wrench

LT-SG204(47)

Weight:0.093kg
For Φ22mm ball shaft or
single glass retainer
Steel

LT-SG203 Hammerhead Wrench

LT-SG203(47)

Weight: 0.127kg
For Φ31mm ball shaft or
single glass retainer
Steel

LT-E115A Ratchet without torx head spanner

LT-E115A(51)

Weight:0.130kg
Steel

Spanner LT-E125

Weight:0.108kg
For hexagon nut
17×14
Steel

LT-E125(48)

Hexagon Ring Spanner

M8mm
Weight:0.015kg
Steel

Ladder LT-LHT-01

Height:1000mm
Aluminium alloy

LT-LHT-01(01)

Ladder LT-LHT-02

Height:1200mm
Aluminium alloy

LT-LHT-02(01)

LT-LHT-03 Ladder

LT-LHT-03(01)

Height:1500mm
Aluminium alloy

LT-LHT-04 Ladder

LT-LHT-04(01)

Height:2000mm
Aluminium alloy

LT-ZX19 Foldable Cart

Weight:16.500kg
Size:880x590x890mm
Folded:880x590x310mm
Loading capacity: 40kg
Steel

LT-NZS301 Fire Resistant Board

2440×1220×3mm
Weight:7.000kg



Panel with White PVC Film LT-ZD321



2400×970×3mm
Weight:3.500kg
Single face with PVC film

LT-S500(01)

Panel with White PVC Film LT-ZS321



2400×970×3mm
Weight:5.560kg
Double face with PVC film

Panel with White PVC Film LT-ZSH321



2400×1200×3mm
Weight: 7.000kg
Plywood-veneered

Panel with White PVC Film LT-ZS321-B



2400×970×3mm
Weight:5.560kg
Double face with PVC film
Corner protected

LT-ZS301

Panel with White PVC Film

LT-ZS301(40)

Weight: 7.800kg
3000×1200×3mm
Plywood-veneered



LT-ZS322-M

MDF with White PVC Film

Weight:8.900kg
2400×970×3mm



LT-ZS301-J

Melamine MDF

Weight:8.000kg
2400×1200×3mm
Used for standard booth
3mm MDF



LT-ZS321（MS）

Wood Plastic Board

Weight:6.800kg
2400x970x3.5mm
Used for standard booth
Wood plastic



Fire Resistant Board

LT-ZS421(N)



2400x1200x4mm
Weight:9.300kg
Fire resistant class: B1

LT-ZS421(N)(40)

Compact HPL

LT-ZS321-KBT



Weight:10.700kg
2400×970×3mm

LT-ZS321-KBT(40)

Ceiling Panel with PVC Film

LT-ZS341

2400×220×3mm
Weight:1.240kg



Shelf

LT-E516

300×2967×14mm
Weight:8.800kg
Used for standard booth

INDEX CODE

Code	Name	Page
	Bulb	10-02
	Binding Post	10-19
	Wooden Case	11-04
	Wooden Case	11-04
	Wooden Case	11-05
	Hexagon Ring Spanner	12-29
LT-AC407	Fabric Extrusion	6-10
LT-AW-09	Bolt	5-07
LT-B1000	Beam Extrusion/46mm	1-51
LT-B1001	Beam Extrusion/70mm	1-51
LT-B1002	Fabric Frame Extrusion	1-52
LT-BE50	Bar Chair	9-07
LT-BE60	Bar Chair	9-07
LT-BE70	Bar Chair	9-07
LT-BW-01	Glass/Panel Retainer	5-02
LT-BW-02	Tempered Glass	5-02
LT-BZ(XS)-M101	Package Partition	11-01
LT-BZ(XS)-M301	Package Partition	11-01
LT-BZ(XS)-M611	Package Partition	11-01
LT-BZX-011	Wood Case	11-04
LT-BZX01A	Iron Box/2930mm	11-03
LT-BZX03A	Iron Box	11-04
LT-BZX05	Iron Box	11-02
LT-BZX05A	Iron Box/950mm	11-03
LT-BZX06	Iron Box	11-02
LT-BZX07	Iron Box	11-02
LT-BZX07A	Iron Box/2480mm	11-03
LT-BZX08	Iron Box	11-02
LT-BZX208	Foldable Case	11-07
LT-BZX306	Case	11-06
LT-BZX326	Case	11-07
LT-BZX400	Case	11-06
LT-BZX401	Case	11-06
LT-BZX503	Case	11-06
LT-BZX506-1	Case	11-05
LT-BZX506-2	Case	11-05
LT-BZX506-3	Case	11-05
LT-BZX508	Case	11-07
LT-BZX509	Case	11-07
LT-BZX-BLF	Box for Glass	11-03
LT-DFS	Upright Extrusion	3-01
LT-DFS/IV-01	Connector for Upright Extrusion	3-03
LT-DFS10	Base Plate	3-09
LT-DFS13	Hammerhead Screw	3-11
LT-DFT1000	Beam Connector /90°	3-04
LT-DFT1045	Beam Connector /45°	3-04
LT-DFT250	Coupling Beam	3-01
LT-DFT350	Supporting Beam	3-01
LT-DFZ/BE	Corner Floor Panel	3-06
LT-DFZ/BM	Middle Floor Panel	3-06

INDEX CODE

Code	Name	Page
LT-DFZ/BP	Floor Extrusion	3-01
LT-DFZ/BR	Edge Floor Panel	3-06
LT-DFZ/H	Horizontal Clamping Device	3-05
LT-DFZ/HF1	Adjustable Foot	3-08
LT-DFZ/HF1	Adjustable Foot	7-03
LT-DFZ/K1	Flush Bolt	3-05
LT-DFZ/K1	Flush Bolt	7-04
LT-DFZ/V9	Stable Profile	3-04
LT-DFZ/V9-1	Angle Reinforcement	3-02
LT-DFZ115	Handrail Upright Extrusion	3-03
LT-DFZ20	Cantilever Clamping Device	3-04
LT-DFZ22	Ceiling Gird Profile	3-02
LT-DFZ25	Cantilever Clamping Devices	3-05
LT-DFZ35	Foot Plate for Staircase	3-10
LT-DFZ36	Step Fixing Set	3-05
LT-DFZ45	Banister Extrusion	3-02
LT-DFZ56/N	Connecting Base	3-09
LT-DFZ57	Connector	3-09
LT-DFZ58	Clamp for Glass Panel	3-10
LT-DFZ58/HZ	Extrusion for Glass Clamp	3-10
LT-DFZ61	Connector	3-09
LT-DFZ70	Handrail Connector	3-06
LT-DFZ71	Handrail Connector	3-07
LT-DFZ72	Handrail Connector	3-07
LT-DFZ73	Handrail Connector	3-07
LT-DFZ74	Handrail Connector	3-07
LT-DFZ90	Clamp for Glass	3-10
LT-DFZ90-1	Handrail Upright Extrusion	3-03
LT-DFZ91	Connecting Bracket	3-08
LT-DFZ91A-3J	Connecting Bracket Base	3-03
LT-DG101	Fluorescent Lamp	10-10
LT-DG102	Fluorescent Lamp	10-10
LT-DG103-1	Lamp for Lighting Wall	5-20
LT-DG103-2	Wire for Lighting Wall	5-20
LT-DG20201	2 Wires Track	10-05
LT-DG20202	2 Wires Track Connector	10-05
LT-DG21401	4 Wires Track	10-06
LT-DG21402	4 Wires Track Connector	10-06
LT-DG217	Track Lamp	10-04
LT-DG218	Track Lamp	10-05
LT-DG219	Track Lamp	10-05
LT-DG303	Halogen Lamp	10-06
LT-DG304	COB Flood Lamp	10-06
LT-DG305	COB Flood Lamp	10-07
LT-DG401	Cold-start Lamp	10-09
LT-DG402	Showcase Lamp	10-09
LT-DG403	Down Lamp	10-09
LT-DG409	Showcase Spot Lamp	10-07
LT-DG410	Showcase Spot Lamp	10-07
LT-DG411	Showcase Spot Lamp	10-07

INDEX CODE

Code	Name	Page
LT-DG412	Showcase Spot Lamp	10-08
LT-DG413	Showcase Spot Lamp	10-08
LT-DG414	Showcase Spot Lamp	10-08
LT-DG415	Showcase Spot Lamp	10-08
LT-DG416	Showcase Spot Lamp	10-09
LT-DG417	Led Bulb	10-10
LT-DG513	Led lamp with sockets (transformer built in)	10-03
LT-DG514	Led lamp with sockets (transformer built in)	10-03
LT-DG517	Led lamp with sockets (transformer built in)	10-03
LT-DG518	Led lamp with sockets (transformer built in)	10-04
LT-DG519	Led lamp with sockets (transformer built in)	10-03
LT-DG520	Led lamp with sockets (transformer built in)	10-04
LT-DG521	Led lamp with sockets (transformer built in)	10-04
LT-DG632	Halogen Lamp	10-02
LT-DG633-02A	Accessory	10-11
LT-DG731	Long-arm Lamp fixture without socket	10-01
LT-DG733	Short-arm lamp fixture without socket	10-01
LT-DG831	Long-arm lamp fixture with sockets	10-01
LT-DG832	Medium-arm lamp fixture with sockets	10-01
LT-DG833	Short-arm lamp fixture with sockets	10-02
LT-DG861	Fluorescent Lamp	10-10
LT-DG861-01	Light Hanger	10-11
LT-DH101-100	Floor Covering Extrusion	7-01
LT-DH101-60	Floor Covering Extrusion	7-01
LT-DS-50	Current Limited Socket	10-17
LT-DT200	Beam for the Floor	7-04
LT-DT210	Adjustable Foot	7-04
LT-DT212	Fixing for the Edge Sealing Materials	7-05
LT-DT213	Connector	7-05
LT-DT214	Slope Platform	7-07
LT-DT231	Floor Covering	7-05
LT-DT232	Floor Covering	7-05
LT-DT233	Floor Covering	7-06
LT-DT240	Floor Covering	7-06
LT-DT261	Cover for the Floor	7-06
LT-DT262	Cover for Floor/Side Corner	7-04
LT-DT300	Movable Stage	7-07
LT-DT301	Stair	7-07
LT-E1031	End Cover	1-53
LT-E1032	End Cover	1-53
LT-E1035	Straight Connector	1-53
LT-E1036	End Cover	1-53
LT-E111	Torx Head Screw	12-12
LT-E111/20	Torx Head Screw	12-12
LT-E111/A	Cover Cap	12-12
LT-E114	Torx Head Wrench	12-27
LT-E115A	Ratchet without Torx Head Spanner	12-28
LT-E124	Screwdriver	12-27
LT-E125	Spanner	12-29
LT-E128	T-handled Screwdriver	12-28

INDEX CODE

Code	Name	Page
LT-E13	Rhombus Nut	12-24
LT-E131A	Torx Head Wrench	12-27
LT-E133	Cupula	7-06
LT-E135	Wrench	4-03
LT-E14	Torx Head Wrench	12-26
LT-E15	Torx Head Wrench	12-27
LT-E160400-05	Tempered Glass	5-01
LT-E160401	Glass/Panel Retainer	5-01
LT-E160402	Glass/Panel Retainer	5-01
LT-E160403	Glass/Panel Retainer	5-01
LT-E160404	Glass/Panel Retainer	5-02
LT-E210	Short Screw	12-13
LT-E211	Supporting Plate	12-14
LT-E211A	Supporting Plate	12-14
LT-E212	Retainer	12-15
LT-E213	Panel Retainer	12-15
LT-E214	Panel Retainer	12-15
LT-E215-B	Hook	12-08
LT-E215-M	Hook	12-08
LT-E215-S	Hook	12-07
LT-E217	Hang Hook	12-15
LT-E218	Ring Hook	12-16
LT-E220	Head Hanger	12-17
LT-E220/S	Head Hanger	12-17
LT-E220A	Head Hanger	12-17
LT-E221	Panel Retainer	12-18
LT-E221A	Panel Retainer	12-18
LT-E221B	Panel Retainer	12-18
LT-E222	Panel Retainer	12-19
LT-E223	Supporting Extrusion	8-11
LT-E223-25	Panel Retainer	12-19
LT-E224	Panel Retainer	12-19
LT-E227	Panel Retainer	12-18
LT-E228	Supporting Extrusion	8-11
LT-E231	Ceiling Hanger	12-23
LT-E235	Hook	12-23
LT-E236	Hook	12-23
LT-E240	Connector	12-23
LT-E275	Bag holder	12-02
LT-E278	Shelf Bracket	12-02
LT-E280	Clothes Rod	12-02
LT-E281	Clothes Rod Hook	12-03
LT-E282	Connector 135°	12-04
LT-E283	Connector 135°	12-04
LT-E284	Clothes Rod Hook	12-03
LT-E284A	Clothes Rod Hook	12-03
LT-E290	Hinge Plate	8-23
LT-E291	Rotating Axis Hinge	8-24
LT-E292	Folding Door Lock	9-11
LT-E293A	Lever Bolt Lock	8-24

INDEX CODE

Code	Name	Page
LT-E294	Glass Door Lock	8-25
LT-E295	Sliding Door Lock	8-25
LT-E296	Glass Door Lock	8-25
LT-E298	Disassemble Hinge	8-24
LT-E299A	Hinge for Glass Door	8-24
LT-E301	Sliding Door Lock	9-12
LT-E400	Upper Track for Sliding Door	8-12
LT-E401	Bottom Track for Sliding Door	8-12
LT-E405	Upper Track Extrusion	8-09
LT-E406	Bottom Track Extrusion	8-09
LT-E420	Glass Panel Retainer	8-12
LT-E420A	Glass Panel Retainer	8-12
LT-E421	Upper Track for Sliding Door	8-13
LT-E422	Bottom Track for Sliding Door	8-13
LT-E423	Glass Panel Retainer	8-13
LT-E430	Door Stopping Profile	8-13
LT-E442	Door Stopping Profile	8-14
LT-E450A	Connection Extrusion	8-10
LT-E455	Groove Filler	8-14
LT-E460	Wire Way Extrusion	8-14
LT-E469	Plastic Clip	8-14
LT-E469A	Fabric Retainer Extrusion	6-12
LT-E470	Sliding Door Extrusion	8-15
LT-E471	Sliding Door Extrusion	8-15
LT-E472	Runner Extrusion	8-10
LT-E473	Roller Wheel for Sliding Door	8-23
LT-E475	Anti-rattle Extrusion	8-15
LT-E476	Clamping Extrusion	8-15
LT-E481	Fabric Tube	6-04
LT-E500	Side Seal	8-11
LT-E510A	Shelf	12-06
LT-E511	Aluminium Shelf	12-06
LT-E513	Skid Proof Shelf	12-06
LT-E515	Shelf	12-07
LT-E516	Shelf	12-33
LT-E517	Skid Proof Shelf	12-06
LT-E518	Glass Shelf	12-07
LT-E520	Peg Panel with Holes	12-07
LT-E713	Simple Shelf Bracket	12-04
LT-E714	Simple Shelf Bracket	12-05
LT-E774	Shelf Bracket	12-05
LT-E776	Corner Shelf Bracket	12-05
LT-EG001	Wire Retainer	10-18
LT-EG002	Socket Adapter	10-13
LT-EG003	Clamp for Wire	10-18
LT-EG003A	Clamp for Wire	10-18
LT-EG102	Lock with handle	9-09
LT-EG402	Hammerhead Screw	12-14
LT-EG404	Ring Hook	12-14
LT-EG407A-1	Inner Hex Socket Screw Nut	12-12

INDEX CODE

Code	Name	Page
LT-EG409	Head Screw	12-13
LT-EG410	Curtain Hook	12-24
LT-EG411	Curtain Hook	12-24
LT-EG412	Head Screw	12-13
LT-EG413	Spring Retainer	12-24
LT-EG414	Hammerhead Screw	12-13
LT-EG417	Ring Hook	12-16
LT-EG417A	Ring Hook	12-16
LT-EG420	Screw for Showcase	8-29
LT-EG425	Hammerhead Screw	8-10
LT-EG502	End Cap	1-40
LT-EG508	Seat	10-11
LT-EG509	LED Spot Light Bulb	10-02
LT-EG801A	Latch Plate for Shelf	8-29
LT-EG802	Corner Support	12-21
LT-EG806	Corner Support	12-21
LT-EG807	Glass/Panel Retainer	5-02
LT-EG818	Corner Support	12-21
LT-EG820	Retainer	6-13
LT-EG901	Castor Lockable	8-27
LT-EG901A10	Castor	8-28
LT-EG901A10S	Castor	8-27
LT-EG901A8	Castor	8-28
LT-EG901A8S	Castor	8-27
LT-EG901B10	Castor	8-29
LT-EG901B10S	Castor	8-28
LT-EG901B8	Castor	8-29
LT-EG901B8S	Castor	8-28
LT-EG902	End Cover	8-30
LT-EG903	End Cover	8-31
LT-EK402	Accessory	1-48
LT-EK501	End Cover	8-34
LT-EL281	Clothes Rod Hook	12-03
LT-EL444	Fixture	8-16
LT-EL501	End Cap	4-09
LT-EL702	Connector	4-06
LT-EL718	Bracket for Wooden Shelf	12-22
LT-EM301	Adjustable Foot	2-10
LT-EM302	Adjustable Foot	2-16
LT-EM303	Adjustable Foot	2-09
LT-EM307	Adjustable Foot	2-11
LT-EM309	Adjustable Foot 45°/120mm	2-11
LT-EM310	Adjustable Foot	2-10
LT-EM311	Adjustable Foot	2-16
LT-EM312	Adjustable Foot	2-16
LT-EM313	Adjustable Foot	2-10
LT-EM315	Adjustable Foot 45°/80mm	2-12
LT-EM316	Adjustable Foot 45°/100mm	2-12
LT-EM319	Adjustable Foot	2-11
LT-EM367	Base Plate	6-11

INDEX CODE

Code	Name	Page
LT-EM435	Extension Adaptor/80mm	2-07
LT-EM436	Extension Adaptor/100mm	2-07
LT-EM437	Extension Adaptor/120mm	2-07
LT-EM438	Extension Adaptor/60mm	2-08
LT-EM446	Tie Rod Tensioning Set	12-22
LT-EM501	End Cover	2-17
LT-EM507	End Cover	2-12
LT-EM510	End Cover	2-17
LT-EM511	End Cover	2-16
LT-EM513	End Cover	2-14
LT-EM514	End Cover	2-12
LT-EM531	End Cover	2-13
LT-EM532	End Cover	2-13
LT-EM533	End cover	2-14
LT-EM534	End Cover	2-14
LT-EM535	End Cover	2-15
LT-EM536A	Gasket	7-02
LT-EM603	Clamp for Panel	12-22
LT-EM701	Connector for Lamp	10-19
LT-EM705	Retainer	12-22
LT-EM708	Hook	12-19
LT-EM709	Hook	12-20
LT-EM710	Hook	12-20
LT-EM711	Hook	12-20
LT-EM712	Hook	12-20
LT-EM927	Extension Adaptor/80mm	2-08
LT-ES501	End Cover	1-41
LT-ES502	End Cover	1-41
LT-ES503	Plastic Protection Cover	1-49
LT-EV601	Simple Shelf Bracket	12-04
LT-EW504	End Cover	8-33
LT-EW702	Hook	12-01
LT-EW710	Hook	12-10
LT-EW711	Hook	12-10
LT-EW712	Hook	12-10
LT-EW714	Connector	6-10
LT-EW716	Knuckle Joint	6-10
LT-EW717	Knuckle Joint	6-11
LT-EZ301	Adjustable Foot	1-49
LT-EZ501	End Cover	1-43
LT-EZ502	End Cover	1-43
LT-EZ503	End Cover	8-33
LT-EZ504	End Cover	1-42
LT-EZ505	End Cover	1-44
LT-EZ506	End Cover	1-44
LT-EZ507	End Cover	1-44
LT-EZ508	End Cap	6-04
LT-EZ601	Cupula	12-05
LT-EZ702	Hook	12-16
LT-EZ703	Hook	12-17

INDEX CODE

Code	Name	Page
LT-EZ901	Simple Lock	1-40
LT-FA503	Circle Sign	6-16
LT-FA504	Tapered circle Sign	6-16
LT-FA505	Tapered Square Sign	6-16
LT-FA506	Square Sign	6-17
LT-FA507	Football Sign	6-17
LT-FA509	Triangular Sign	6-17
LT-FA510	Wave Sign	6-17
LT-FA511	Curved Rectangular Sign	6-18
LT-GZ441	Square Truss	4-06
LT-HF1	Adjustable Foot	3-08
LT-HF1	Adjustable Foot	7-03
LT-HF1B	Adjustable Foot	3-08
LT-HF1B	Adjustable Foot	7-03
LT-K0601	Extrusion for Bracket	8-11
LT-K0603	Connecting Profile	4-08
LT-K511	Cothes Rod Extrusion	1-11
LT-K512	Plastic Clip	1-11
LT-K796	Beam Extrusion	8-08
LT-K797	Beam Extrusion	8-08
LT-K798	Beam Extrusion	8-09
LT-K800	Beam Extrusion	8-08
LT-K803	Upright Extrusion	8-07
LT-K804	Upright Extrusion	8-09
LT-K805	Side Seal Extrusion	8-08
LT-K970	Dummy Plate	11-01
LT-KL1	Flush Bolt	7-03
LT-LHT-01	Ladder	12-29
LT-LHT-02	Ladder	12-29
LT-LHT-03	Ladder	12-30
LT-LHT-04	Ladder	12-30
LT-LJ06	Connector	4-03
LT-LJ290	Quarto Truss	4-01
LT-LJ2910	Base Plate	4-02
LT-LJ2911	Connector Set	4-02
LT-LJ2915	Coupler Set	4-01
LT-LJ2920	2 Way Corner 90°	4-01
LT-LJ293	Quarto Truss	4-03
LT-LJ2930	3 Way Corner 90°	4-01
LT-LJ2931	3 Way Connector	4-02
LT-LJ2936	Connector	4-03
LT-LJ2960	Box Connector	4-02
LT-LJ2971	Batter Brace	4-04
LT-LJ2972	Truss Hook	4-04
LT-LJ2973	Truss Hook	4-04
LT-LJ2974	Track Hook	10-11
LT-LJ401B	Square Welded Truss	4-04
LT-LJ402	Square Welded Truss	4-05
LT-LJ503	Square Welded Truss	4-05
LT-LJQ401B	Connector	4-05

INDEX CODE

Code	Name	Page
LT-LJQ403	Connector	4-05
LT-LJQ503	Connector	4-06
LT-M100	Round Extrusion/100mm	2-15
LT-M110	End Cover	2-17
LT-M1335	Bottom Corner for Showcase/90°	8-25
LT-M1345	Bottom Corner for Showcase/135°	8-26
LT-M1447	Glass/Panel Retainer	5-03
LT-M1448	Fabric Clip	6-12
LT-M1452	Fabric Clip	6-12
LT-M1601	Quarter Round Extrusion	8-03
LT-M1605	Quarter Round Extrusion	8-04
LT-M1633	Knuckle Joint	8-21
LT-M1672	Knuckle Joint	12-25
LT-M1673	Knuckle Joint	8-21
LT-M301B	Square Extrusion/120mm	2-01
LT-M302A	Square Extrusion/80mm	2-03
LT-M302A-4Y1980E	Curved Square Extrusion/80mm, Curved Quarter Circle	2-07
LT-M311	Square Extrusion/40mm	2-04
LT-M312	Connecting Extrusion 45°/120mm	2-05
LT-M313	Square Extrusion/80mm	2-03
LT-M315	Beam Extrusion	2-05
LT-M317	Connecting Extrusion 45°/80mm	2-06
LT-M325	Beam Extrusion	2-05
LT-M341	Open Square Extrusion/80mm	2-04
LT-M342	Flange Extrusion for LT-M341	2-04
LT-M530	Square Extrusion/84mm	2-03
LT-M602	Square Extrusion/60mm	2-04
LT-M603	Square Extrusion/120mm	2-01
LT-M603-4Y1980	Curved Square Extrusion/120mm, Curved Quarter Circle	2-06
LT-M604	Flange Extrusion for LT-M605	2-01
LT-M605	Open Square Extrusion/120mm	2-01
LT-M607	Square Extrusion/100mm	2-02
LT-M608	Open Square Extrusion/100mm	2-02
LT-M609	Flange Extrusion for LT-M608	2-03
LT-M616	Square Extrusion/100mm	2-02
LT-M618	Connecting Extrusion 45°/60mm	2-06
LT-M619	Connecting Extrusion 45° /100mm	2-06
LT-M621	Square Extrusion/100mm	2-02
LT-ML1015	End Cover	2-14
LT-ML1016	Adjustable Foot	2-11
LT-ML1035	End Cover	2-13
LT-ML1035A	End Cover	2-13
LT-ML1038	Adjustable Foot	2-10
LT-ML1222	Round Extrusion/80mm	2-15
LT-ML1316	45° Single Side Fabric Extrusion	6-07
LT-ML1319	Plastic Track for Fabric	6-03
LT-ML1354	Beam Extrusion	6-04
LT-ML1392	Glass/Panel Retainer	5-03
LT-ML1445	Glass/Panel Retainer	5-03
LT-ML1446	Glass/Panel Retainer	5-03

INDEX CODE

Code	Name	Page
LT-ML1449	Fabric Clip	6-12
LT-ML1453	Fabric Clip	6-13
LT-ML1488	Extrusion Clip	10-19
LT-ML205	Round Extrusion/120mm	2-15
LT-MPL3	Floor	7-02
LT-MPL7	Floor	7-02
LT-NZS301	Fire Resistant Board	12-30
LT-Q-03	Socket Adapter (With Wire)	10-13
LT-Q200	Socket Adapter	10-12
LT-Q300	Socket Adapter	10-13
LT-QG5	Horizontal/Diagonal Tube /Φ22mm	4-07
LT-QG5-00-1	Connector /Φ22mm	4-07
LT-QG5-1	Aluminium Node/Φ50mm	4-06
LT-QG5-6	Ball Shaft Extrusion/Φ22mm	4-07
LT-QG6	Horizontal/Diagonal Tube/Φ31mm	4-08
LT-QG6-00-1	Connector/Φ31mm	4-08
LT-QG6-6	Aluminium Tube/Φ31mm	4-07
LT-QG6-6A	Aluminium Tube/Φ31mm	4-08
LT-S100	Upright Extrusion	1-01
LT-S108	Upright Extrusion	1-01
LT-S108-2Y1400	Upright Extrusion, Curved Half Circle	1-13
LT-S108-2Y1980	Upright Extrusion, Curved Half Circle	1-13
LT-S108-2Y2800	Upright Extrusion, Curved Half Circle	1-13
LT-S108-2Y990	Upright Extrusion, Curved Half Circle	1-12
LT-S108-4Y1400	Upright Extrusion, Curved Quarter Circle	1-12
LT-S108-4Y1980	Upright Extrusion, Curved Quarter Circle	1-12
LT-S108-4Y2800	Upright Extrusion, Curved Quarter Circle	1-12
LT-S108-4Y990	Upright Extrusion, Curved Quarter Circle	1-11
LT-S1105B	Quarter Round Extrusion	8-01
LT-S1108	Round Extrusion 135°	8-01
LT-S1109	Round Extrusion 120°	8-01
LT-S1125	Square Extrusion	8-02
LT-S1128	Interior Corner Extrusion 135°	8-02
LT-S1129	Interior Corner Extrusion 135°	8-02
LT-S1130	End Cover	8-30
LT-S1135	Bottom Cover	8-30
LT-S1137	End Cover	8-31
LT-S1138	End Cover	8-30
LT-S1139	End Cover	8-31
LT-S1140	Internal Corner Connector	1-50
LT-S1141	End Cover	1-45
LT-S1150	Internal Corner Connector	1-50
LT-S1151	Internal Corner Connector	1-50
LT-S1151A	Internal Corner Connector	1-50
LT-S1170	Knuckle Joint	8-17
LT-S1171	Knuckle Joint	8-17
LT-S1173	Knuckle Joint	8-18
LT-S1173-1	Knuckle Joint	12-26
LT-S1175	Knuckle Joint	8-18
LT-S1177	Knuckle Joint	8-18

INDEX CODE

Code	Name	Page
LT-S1178	Knuckle Joint	12-26
LT-S1178/I	Knuckle Joint	12-26
LT-S1179	Knuckle Joint	8-18
LT-S1179/I	Knuckle Joint	8-19
LT-S1180	Knuckle Joint	8-19
LT-S1303	Triangular Extrusion	8-02
LT-S1332	Knuckle Joint	12-25
LT-S1333	Knuckle Joint	8-19
LT-S1338	Knuckle Joint	12-25
LT-S1339	Knuckle Joint	8-19
LT-S1339(I)	Knuckle Joint	8-20
LT-S1340	Knuckle Joint	8-20
LT-S1341	Knuckle Joint	8-20
LT-S137	Connector	1-45
LT-S1370	End Cover	8-31
LT-S138	Connector	1-45
LT-S140	Adjustable Foot	1-48
LT-S150	Base Plate	1-49
LT-S1500	Hexagon Extrusion	8-03
LT-S1501	Hexagon Extrusion	8-03
LT-S1505	Quarter Round Extrusion	8-03
LT-S1520	End Cover	8-32
LT-S1530	End Cover	8-32
LT-S1531	End Cover	8-32
LT-S1570	Knuckle Joint	8-20
LT-S1571	Knuckle Joint	8-21
LT-S1580	Knuckle Joint	8-21
LT-S1581	Knuckle Joint	12-25
LT-S1586	Knuckle Joint	6-11
LT-S1587	Knuckle Joint	6-11
LT-S1588	Knuckle Joint	8-22
LT-S201	Upright Extrusion	1-01
LT-S201-2Y1400	Upright Extrusion, Curved Half Circle	1-15
LT-S201-2Y1980	Upright Extrusion, Curved Half Circle	1-15
LT-S201-2Y2800	Upright Extrusion, Curved Half Circle	1-15
LT-S201-2Y990	Upright Extrusion, Curved Half Circle	1-14
LT-S201-4Y1400	Upright Extrusion, Curved Quarter Circle	1-14
LT-S201-4Y1980	Upright Extrusion, Curved Quarter Circle	1-14
LT-S201-4Y2800	Upright Extrusion, Curved Quarter Circle	1-14
LT-S201-4Y990	Upright Extrusion, Curved Quarter Circle	1-13
LT-S202	Upright Extrusion	1-01
LT-S203	Upright Extrusion 135°	1-02
LT-S204	Upright Extrusion	1-02
LT-S208	Square Extrusion/40mm	2-05
LT-S2101	Upright Extrusion 90°	8-05
LT-S2101A	Upright Extrusion 90°	8-05
LT-S2102	Upright Extrusion 135°	8-05
LT-S2103	Upright Extrusion 90°	8-06
LT-S2104	Upright Extrusion 135°	8-06
LT-S2105	Upright Extrusion	8-06

INDEX CODE

Code	Name	Page
LT-S2131	End Cover	8-33
LT-S230	End Cover	1-41
LT-S2300	Universal Extrusion	2-17
LT-S2305	Universal Extrusion	2-18
LT-S2306	Elliptical Extrusion	2-18
LT-S2310	Elliptical Extrusion	2-18
LT-S2312	End Cover	2-19
LT-S2313	Seal Profile for LT-S2310	2-18
LT-S241	Ajustable Foot	1-48
LT-S260	Folding Arc Extrusion	5-21
LT-S300	Upright Extrusion	1-02
LT-S302	Upright Extrusion 45°	1-02
LT-S303	Upright Extrusion 60°	1-03
LT-S330	End Cover	1-42
LT-S341	Ajustable Foot	1-49
LT-S408	Upright Extrusion	3-02
LT-S500	Upright Extrusion	1-03
LT-S530	End Cover	1-42
LT-S745	Castor	8-26
LT-S745A	Castor	8-26
LT-S746	Castor Lockable	8-26
LT-S746A	Castor Lockable	8-27
LT-S905	Extrusion Bolt	1-45
LT-S906	Pin Connector	1-46
LT-S925	Axes	8-23
LT-SD-029	Socket Adapter	10-13
LT-SD-10	Connecting Wire	10-14
LT-SD-10A	Connecting Wire	10-14
LT-SD-20	Connecting Wire	10-14
LT-SD-20A	Connecting Wire	10-14
LT-SD-22	Connecting Wire	10-15
LT-SD-22A	Connecting Wire	10-16
LT-SD-25	External Socket	10-16
LT-SD-30	Connecting Wire	10-15
LT-SD-300	Connecting Wire	10-15
LT-SD-300A	Connecting Wire	10-15
LT-SD-40	Connecting Wire	10-17
LT-SD-40B	Connecting Wire	10-18
LT-SD-50	Connecting Wire	10-17
LT-SD-51	Connecting Wire	10-17
LT-SD-62	Connecting Wire	10-16
LT-SD-62A	Connecting Wire	10-16
LT-SG11	Lockable Cabinet	9-02
LT-SG203	Hammerhead Wrench	12-28
LT-SG204	Hammerhead Wrench	12-28
LT-SL1155	Connector	8-01
LT-SL132	End Cover	1-40
LT-SL330	End Cover	1-41
LT-SL6035	Corner Support	12-21
LT-SPL3	Floor	7-02

INDEX CODE

Code	Name	Page
LT-U1000	Upright Extrusion	1-51
LT-U2046	Square Extrusion/40mm	1-52
LT-V2000	Corner Extrusion 90°/25mm	8-04
LT-V2020	Exterior Corner Extrusion 135°	8-04
LT-V2100	Beam Extrusion/26mm	8-04
LT-V2120	Beam Extrusion/25mm	8-05
LT-V2121	End Cover	8-32
LT-V2200A	Knuckle Joint	8-16
LT-V2201	Knuckle Joint	8-16
LT-V2210	End Cover	8-33
LT-V2213	Adjustable Foot	8-16
LT-V2214	Adjustable Foot	8-17
LT-V2220	Shelf Support	8-17
LT-W101	Beam Extrusion/50mm	5-04
LT-W102	Beam Extrusion/50mm	5-04
LT-W108	Top Panel Retainer	5-04
LT-W109	Panel Retainer for Horizontal Grooves	5-04
LT-W109A	Panel Retainer for Horizontal Grooves	5-05
LT-W109B	Panel Retainer for Horizontal Grooves	5-05
LT-W109C	Panel Retainer for Horizontal Grooves	5-05
LT-W110	Separate	5-05
LT-W1581	Bottom Panel-clamping Extrusion	5-07
LT-W1582	Mid Panel-clamping Extrusion	5-07
LT-W1583	Top Panel-clamping Extrusion	5-07
LT-W2001	Fix Extrusion	1-10
LT-W2002	Press Extrusion	1-11
LT-W210	Hook	12-01
LT-W2107	Upright Extrusion/22mm	8-07
LT-W2110	Upright Extrusion/80mm	5-17
LT-W2111	Horizontal Beam Extrusion/80mm	5-17
LT-W2112	Supporting Extrusion	5-18
LT-W2113	Cover Extrusion	5-18
LT-W2114	Cover Connecting Extrusion	5-18
LT-W2115	Rotating Axis Extrusion (A)	5-18
LT-W2116	Rotating Axis Extrusion(B)	5-19
LT-W2210	Horizontal Rod	9-13
LT-W2211	Horizontal Rod	9-13
LT-W2301	Edge Extrusion for Floor	7-01
LT-W2412	Connecting Post	5-13
LT-W2556	Fabric Frame Extrusion/40mm	6-02
LT-W2557	Fabric Frame Extrusion/60mm	6-02
LT-W2558	Fabric Frame Extrusion/80mm	6-02
LT-W2559	Fabric Frame Extrusion/100mm	6-02
LT-W2560	Fabric Frame Extrusion/120mm	6-03
LT-W2564	Connection Extrusion	6-03
LT-W2564P	Connection Extrusion	6-03
LT-W2565	Side Cap	5-08
LT-W2566	Corner Cap	5-08
LT-W2586	Ceiling Extrusion	6-04
LT-W2587	Fabric Extrusion	6-06

INDEX CODE

Code	Name	Page
LT-W2588	Fabric Extrusion	6-06
LT-W2589	Fabric Extrusion	6-06
LT-W2591	Fabric Extrusion	6-07
LT-W2592	Fabric Extrusion	6-07
LT-W2593	Fabric Extrusion	6-06
LT-W2594	Fabric Extrusion	6-07
LT-W2596	Fabric Extrusion	6-08
LT-W2597	Fabric Extrusion	6-09
LT-W2598	Fabric Extrusion	6-05
LT-W2599	Fabric Extrusion	6-05
LT-W2600	Fabric Extrusion	6-05
LT-W2601	Fabric Extrusion	6-05
LT-W2624	Fabric Extrusion	6-09
LT-W2634	Slope Platform Extrusion	7-07
LT-W2635	Double-side fabric/panel Extrusion	6-09
LT-W3009	Fabric Extrusion	6-08
LT-W301	Aluminum Shaft for Fabric	6-01
LT-W3010	Fabric Extrusion	6-08
LT-W3011	Fabric Extrusion	6-08
LT-W3013	Fabric Extrusion	6-09
LT-W500	Hook	12-01
LT-W510	Hook	12-01
LT-W520	Hook	12-02
LT-WB10	Slat Panel	12-08
LT-WB101	All-Sealed Panel	5-06
LT-WB103-01	Top Connector	5-21
LT-WB103-02	Foot Connector	5-21
LT-WB10S	Slat Panel	12-09
LT-WB11	Non-slat Panel	12-08
LT-WB111	Slat Panel	12-09
LT-WB12	Slat Panel	12-09
LT-WB12S	Slat Panel	12-09
LT-WB211	Steel Net	12-10
LT-WB260-1	Shaft for Fabric	6-01
LT-WB260-3	Straight Tube	6-01
LT-WB261-01	Connecting Post	5-08
LT-WB261-02	Connecting Post	5-08
LT-WB261-03	Edge Cover	5-09
LT-WB261-04	Complete-set Wall	5-10
LT-WB261-04/GC	Slat Complete-set Wall	5-10
LT-WB261-04/WK	Pegboard Complete-set Wall	5-10
LT-WB261-05	Adjustable Foot	5-11
LT-WB261-06	Standard Profile Connecting Post	5-12
LT-WB261-07	Corner Cover	5-12
LT-WB261-08	Hanger Bracket	5-12
LT-WB261-09	Side Cover	5-13
LT-WB261-10	Hook	5-14
LT-WB261-10A	Hook	5-15
LT-WB261-11	Hanger Bracket	5-14
LT-WB261-12	Screw for Standard Panel	5-13

INDEX CODE

Code	Name	Page
LT-WB261-13	Cover for Spanner	5-11
LT-WB261-14	Connecting Post	5-13
LT-WB261-15	Connector	5-14
LT-WB261-15A	Connector	5-14
LT-WB261-16	Connecting Post /45°	5-09
LT-WB261-17	Connecting Post /60°	5-09
LT-WB261-18	Plate	5-12
LT-WB261-19	Connecting Post With Hinge	5-09
LT-WB261-21	Plate	5-17
LT-WB261-23-1	Hook	5-15
LT-WB261-23-2	Hook	5-15
LT-WB261-24-1	Hook	5-15
LT-WB261-24-2	Hook	5-16
LT-WB261-25	Shelf Bracket	5-16
LT-WB261-26	Shelf Bracket	5-16
LT-WB261-35B	Cupboard	5-17
LT-WB261-40	AA Post Complete-set Wall	5-11
LT-WB261-41	Shelf Bracket	5-16
LT-WB261-48	Welded Complete-set Wall	5-11
LT-WB263-01	Hanging Accessory	5-19
LT-WB263-02	Base Plate	5-19
LT-WB263-02A	Base Plate	5-19
LT-WB263-02B	Base Plate	5-20
LT-WB263-03	Base Plate	5-20
LT-WB265-2	Spring Connecting Assembly	6-01
LT-WB270	Light-passing Panel	5-06
LT-WB272	Magnetism Wall	5-21
LT-WB281	Light Complete-set Wall	5-10
LT-WB315	Photo Frame/Single Side	6-18
LT-WB323	Light Box	6-14
LT-WB330	Single Side Fabric Frame	6-14
LT-WB331	Single Side Fabric Frame	6-14
LT-WB332	Double side fabric frame	6-14
LT-WB333	Single Side Fabric Frame	6-15
LT-WB334	Single Side Fabric Frame	6-15
LT-WB337	Single Side Fabric Frame	6-15
LT-WB338	Double side fabric frame	6-15
LT-WB339	Double Side Fabric Frame	6-16
LT-WB341	Light Box	6-13
LT-WB401-2	Floor	7-01
LT-WB601A	Standard Aluminum Door	9-08
LT-WB601B	Standard Aluminum Door	9-08
LT-WB601C	Standard Aluminum Door	9-08
LT-WB601D	Standard Aluminum Door	9-08
LT-WB605L	Standard Aluminum Door	9-09
LT-WB605R	Standard Aluminum Door	9-09
LT-WB606	Folding Door	9-11
LT-WB607	Sliding Door	9-12
LT-WB607A	Sliding Door	9-13
LT-WB608L	Wooden Door with Aluminum Frame	9-10

INDEX CODE

Code	Name	Page
LT-WB608L-01	Doorframe	9-10
LT-WB608L-02	Wooden Door	9-11
LT-WB608R	Wooden Door with Aluminum Frame	9-10
LT-WB608R-01	Doorframe	9-10
LT-WB608R-02	Wooden Door	9-11
LT-WB609	Glass Door	9-09
LT-WB610	Folding Fabric Door	9-12
LT-WB757	A couplet hanging	6-10
LT-WL524	Threshold Plate	9-12
LT-WQ105	Out Seal Round Corner Extrusion	5-06
LT-WQ108	Out Seal Round Corner Extrusion	5-06
LT-Z108	Beam Extrusion/70mm	1-07
LT-Z109	Beam Extrusion/70mm	1-07
LT-Z109-2Y1400	Curved Beams/70mm, Curved Half Circle	1-36
LT-Z109-2Y1980	Curved Beams/70mm, Curved Half Circle	1-36
LT-Z109-2Y2800	Curved Beams/70mm, Curved Half Circle	1-36
LT-Z109-2Y495	Curved Beams/70mm, Curved Half Circle	1-35
LT-Z109-2Y700	Curved Beams/70mm, Curved Half Circle	1-35
LT-Z109-2Y990	Curved Beams/70mm, Curved Half Circle	1-35
LT-Z109-4Y1400	Curved Beams/70mm, Curved Quarter Circle	1-34
LT-Z109-4Y1980	Curved Beams/70mm, Curved Quarter Circle	1-34
LT-Z109-4Y2800	Curved Beams/70mm, Curved Quarter Circle	1-35
LT-Z109-4Y495	Curved Beams/70mm, Curved Quarter Circle	1-33
LT-Z109-4Y700	Curved Beams/70mm, Curved Quarter Circle	1-34
LT-Z109-4Y990	Curved Beams/70mm, Curved Quarter Circle	1-34
LT-Z110	Beam Extrusion/70mm	1-08
LT-Z160	Beam Extrusion/70mm	1-08
LT-Z164	Beam Extrusion/70mm	1-08
LT-Z166	Beam Extrusion/70mm	1-08
LT-Z166-2Y1400	Curved Beams/70mm, Curved Half Circle	1-33
LT-Z166-2Y1980	Curved Beams/70mm, Curved Half Circle	1-33
LT-Z166-2Y2800	Curved Beams/70mm, Curved Half Circle	1-33
LT-Z166-2Y495	Curved Beams/70mm, Curved Half Circle	1-32
LT-Z166-2Y700	Curved Beams/70mm, Curved Half Circle	1-32
LT-Z166-2Y990	Curved Beams/70mm, Curved Half Circle	1-32
LT-Z166-4Y1400	Curved Beams/70mm, Curved Quarter Circle	1-31
LT-Z166-4Y1980	Curved Beams/70mm, Curved Quarter Circle	1-31
LT-Z166-4Y2800	Curved Beams/70mm, Curved Quarter Circle	1-32
LT-Z166-4Y495	Curved Beams/70mm, Curved Quarter Circle	1-30
LT-Z166-4Y700	Curved Beams/70mm, Curved Quarter Circle	1-31
LT-Z166-4Y990	Curved Beams/70mm, Curved Quarter Circle	1-31
LT-Z167	Straight Connector	1-46
LT-Z167A	Straight Connector	1-46
LT-Z169	Universal Suspension Connector	1-47
LT-Z170	Universal Suspension Connector	1-47
LT-Z171	Universal Suspension Connector	1-47
LT-Z174	End Cover	1-43
LT-Z175	End Cover	1-44
LT-Z176	End Cover	1-43
LT-Z177	End Cover	1-42

INDEX CODE

Code	Name	Page
LT-Z185	Washer	1-48
LT-Z186	Connector	1-46
LT-Z187	Suspension Connector	1-47
LT-Z188	Extension Adaptor/40mm	2-08
LT-Z189	Connector	1-51
LT-Z310	Beam Extrusion/37mm	1-04
LT-Z310-2Y1400	Curved Beams/37mm, Curved Half Circle	1-18
LT-Z310-2Y1980	Curved Beams/37mm, Curved Half Circle	1-18
LT-Z310-2Y2800	Curved Beams/37mm, Curved Half Circle	1-18
LT-Z310-2Y495	Curved Beams/37mm, Curved Half Circle	1-17
LT-Z310-2Y700	Curved Beams/37mm, Curved Half Circle	1-17
LT-Z310-2Y990	Curved Beams/37mm, Curved Half Circle	1-17
LT-Z310-4Y1400	Curved Beams/37mm, Curved Quarter Circle	1-16
LT-Z310-4Y1980	Curved Beams/37mm, Curved Quarter Circle	1-16
LT-Z310-4Y2800	Curved Beams/37mm, Curved Quarter Circle	1-17
LT-Z310-4Y495	Curved Beams/37mm, Curved Quarter Circle	1-15
LT-Z310-4Y700	Curved Beams/37mm, Curved Quarter Circle	1-16
LT-Z310-4Y990	Curved Beams/37mm, Curved Quarter Circle	1-16
LT-Z311	Beam Extrusion/37mm	1-04
LT-Z312	Beam Extrusion/32mm	1-03
LT-Z313	Beam Extrusion/32mm	1-03
LT-Z314	Beam Extrusion/25mm	8-06
LT-Z400A	Beam Extrusion/50mm	1-05
LT-Z400B	Beam Extrusion/50mm	1-05
LT-Z400B-2Y1400	Curved Beams/50mm, Curved Half Circle	1-24
LT-Z400B-2Y1980	Curved Beams/50mm, Curved Half Circle	1-24
LT-Z400B-2Y2800	Curved Beams/50mm, Curved Half Circle	1-24
LT-Z400B-2Y495	Curved Beams/50mm, Curved Half Circle	1-23
LT-Z400B-2Y700	Curved Beams/50mm, Curved Half Circle	1-23
LT-Z400B-2Y990	Curved Beams/50mm, Curved Half Circle	1-23
LT-Z400B-4Y1400	Curved Beams/50mm, Curved Quarter Circle	1-22
LT-Z400B-4Y1980	Curved Beams/50mm, Curved Quarter Circle	1-22
LT-Z400B-4Y2800	Curved Beams/50mm, Curved Quarter Circle	1-23
LT-Z400B-4Y495	Curved Beams/50mm, Curved Quarter Circle	1-21
LT-Z400B-4Y700	Curved Beams/50mm, Curved Quarter Circle	1-22
LT-Z400B-4Y990	Curved Beams/50mm, Curved Quarter Circle	1-22
LT-Z4011	Beam Extrusion/40mm	8-07
LT-Z4012	Beam Extrusion/40mm	8-07
LT-Z402	Beam Extrusion/50mm	1-06
LT-Z402-2Y1400	Curved Beams/50mm, Curved Half Circle	1-27
LT-Z402-2Y1980	Curved Beams/50mm, Curved Half Circle	1-27
LT-Z402-2Y2800	Curved Beams/50mm, Curved Half Circle	1-27
LT-Z402-2Y495	Curved Beams/50mm, Curved Half Circle	1-26
LT-Z402-2Y700	Curved Beams/50mm, Curved Half Circle	1-26
LT-Z402-2Y990	Curved Beams/50mm, Curved Half Circle	1-26
LT-Z402-4Y1400	Curved Beams/50mm, Curved Quarter Circle	1-25
LT-Z402-4Y1980	Curved Beams/50mm, Curved Quarter Circle	1-25
LT-Z402-4Y2800	Curved Beams/50mm, Curved Quarter Circle	1-26
LT-Z402-4Y495	Curved Beams/50mm, Curved Quarter Circle	1-24
LT-Z402-4Y700	Curved Beams/50mm, Curved Quarter Circle	1-25

INDEX CODE

Code	Name	Page
LT-Z402-4Y990	Curved Beams/50mm, Curved Quarter Circle	1-25
LT-Z403	Beam Extrusion/50mm	1-06
LT-Z4200	Beam Extrusion/40mm	1-05
LT-Z4300	Beam Extrusion/40mm	1-04
LT-Z4300-2Y1400	Curved Beams/40mm, Curved Half Circle	1-21
LT-Z4300-2Y1980	Curved Beams/40mm, Curved Half Circle	1-21
LT-Z4300-2Y2800	Curved Beams/40mm, Curved Half Circle	1-21
LT-Z4300-2Y495	Curved Beams/40mm, Curved Half Circle	1-20
LT-Z4300-2Y700	Curved Beams/40mm, Curved Half Circle	1-20
LT-Z4300-2Y990	Curved Beams/40mm, Curved Half Circle	1-20
LT-Z4300-4Y1400	Curved Beams/40mm, Curved Quarter Circle	1-19
LT-Z4300-4Y1980	Curved Beams/40mm, Curved Quarter Circle	1-19
LT-Z4300-4Y2800	Curved Beams/40mm, Curved Quarter Circle	1-20
LT-Z4300-4Y495	Curved Beams/40mm, Curved Quarter Circle	1-18
LT-Z4300-4Y700	Curved Beams/40mm, Curved Quarter Circle	1-19
LT-Z4300-4Y990	Curved Beams/40mm, Curved Quarter Circle	1-19
LT-Z4400	Beam Extrusion/40mm	1-04
LT-Z4401	Beam Extrusion/40mm	1-05
LT-Z4500	Beam Extrusion/50mm	1-07
LT-Z4501	Beam Extrusion/50mm	1-07
LT-Z4573	Knuckle Joint	8-22
LT-Z4574	Knuckle Joint	8-22
LT-Z460	Beam Extrusion/50mm	1-06
LT-Z460-2Y1400	Curved Beams/50mm, Curved Half Circle	1-30
LT-Z460-2Y1980	Curved Beams/50mm, Curved Half Circle	1-30
LT-Z460-2Y2800	Curved Beams/50mm, Curved Half Circle	1-30
LT-Z460-2Y495	Curved Beams/50mm, Curved Half Circle	1-29
LT-Z460-2Y700	Curved Beams/50mm, Curved Half Circle	1-29
LT-Z460-2Y990	Curved Beams/50mm, Curved Half Circle	1-29
LT-Z460-4Y1400	Curved Beams/50mm, Curved Quarter Circle	1-28
LT-Z460-4Y1980	Curved Beams/50mm, Curved Quarter Circle	1-28
LT-Z460-4Y2800	Curved Beams/50mm, Curved Quarter Circle	1-29
LT-Z460-4Y495	Curved Beams/50mm, Curved Quarter Circle	1-27
LT-Z460-4Y700	Curved Beams/50mm, Curved Quarter Circle	1-28
LT-Z460-4Y990	Curved Beams/50mm, Curved Quarter Circle	1-28
LT-Z508	Beam Extrusion/175mm	1-10
LT-Z509	Beam Extrusion/175mm	1-10
LT-Z509A	Beam Extrusion/150mm	1-09
LT-Z510	Beam Extrusion/120mm	1-09
LT-Z511	Beam Extrusion/120mm	1-09
LT-Z522	Beam Extrusion/100mm	1-09
LT-Z601	Beam Extrusion/175mm	1-10
LT-Z911	Tension Lock	1-39
LT-Z912	Tension Lock	1-39
LT-Z917	Simple Lock	1-40
LT-Z952	Tension Lock/60mm	2-09
LT-Z954	Tension Lock	1-38
LT-Z955	Tension Lock/80mm	2-09
LT-Z956	Tension Lock/100mm	2-09
LT-Z957	Tension Lock/120mm	2-08

INDEX CODE

Code	Name	Page
LT-Z959	Tension Lock	1-52
LT-Z961F	Tension Lock	1-39
LT-Z981	Tension Lock	1-36
LT-Z981/8	Tension Lock	1-37
LT-Z981H	Tension Lock	1-39
LT-Z982	Tension Lock	1-37
LT-Z982/8	Tension Lock	1-38
LT-Z983A	Tension Lock	1-52
LT-Z984	Tension Lock	6-13
LT-Z991F	Tension Lock	1-37
LT-Z991F/8	Tension Lock	1-37
LT-Z993L	Tension Lock	1-38
LT-Z993R	Tension Lock	1-38
LT-ZD321	Panel with White PVC Film	12-31
LT-ZE10	Chair	9-05
LT-ZE14	Folding Chair	9-05
LT-ZE16	Chair	9-05
LT-ZE19	Chair	9-05
LT-ZE20	Chair	9-06
LT-ZE21	Chair	9-06
LT-ZE22	Folding Chair	9-06
LT-ZE23	Folding Chair	9-06
LT-ZE24	Folding Chair	9-07
LT-ZE3	Folding Chair	9-03
LT-ZE4	Folding Chair	9-03
LT-ZE6	Chair	9-04
LT-ZE7	Folding Chair	9-04
LT-ZE8	Chair	9-04
LT-ZE9	Chair	9-04
LT-ZG13-1-1	Knuckle Joint	8-22
LT-ZG600A	Jewelry Showcase	9-03
LT-ZJ101	Bracket for Plasma	12-11
LT-ZJ103	Bracket for LCD	12-11
LT-ZJ106A	Light Box	10-12
LT-ZJ106B	Light Box	10-12
LT-ZJ110	LED Screen	10-12
LT-ZJ127A	U type cabinet	9-03
LT-ZL402	Beam Extrusion/50mm	1-06
LT-ZQ11	Negotiation Desk (Curved Connector)	9-01
LT-ZQ15A	Negotiation Desk (Wide Border Model)	9-01
LT-ZQ17	Round Negotiation Table	9-01
LT-ZQ18	Round Negotiation Table	9-01
LT-ZS301	Panel with White PVC Film	12-32
LT-ZS301-J	Melamine MDF	12-32
LT-ZS321	Panel with White PVC Film	12-31
LT-ZS321（MS）	Wood Plastic Board	12-32
LT-ZS321-B	Panel with White PVC Film	12-31
LT-ZS321-KBT	Compact HPL	12-33
LT-ZS322-M	MDF with White PVC Film	12-32
LT-ZS341	Ceiling Panel with PVC Film	12-33

INDEX CODE

Code	Name	Page
LT-ZS421(N)	Fire Resistant Board	12-33
LT-ZSH321	Panel with White PVC Film	12-31
LT-ZW321-25	Pegboard Panel	12-11
LT-ZW321-30	Pegboard Panel	12-11
LT-ZX14	Consultation Desk (Foldaway Model)	9-02
LT-ZX14-1-2-3	Folding Extrusion	8-10
LT-ZX14A-01	Light Showcase Panel	8-23
LT-ZX16	Folding Desk	9-02
LT-ZX17	Folding Lockable Cabinet	9-02
LT-ZX19	Foldable Cart	12-30

INDEX NAME

Name	Code	Page
2 Way Corner 90º	LT-LJ2920	4-01
2 Wires Track	LT-DG20201	10-05
2 Wires Track Connector	LT-DG20202	10-05
3 Way Connector	LT-LJ2931	4-02
3 Way Corner 90º	LT-LJ2930	4-01
4 Wires Track	LT-DG21401	10-06
4 Wires Track Connector	LT-DG21402	10-06
45° Single Side Fabric Extrusion	LT-ML1316	6-07
A couplet hanging	LT-WB757	6-10
AA Post Complete-set Wall	LT-WB261-40	5-11
Accessory	LT-DG633-02A	10-11
Accessory	LT-EK402	1-48
Adjustable Foot	LT-DFZ/HF1	3-08
Adjustable Foot	LT-DFZ/HF1	7-03
Adjustable Foot	LT-DT210	7-04
Adjustable Foot	LT-EM301	2-10
Adjustable Foot	LT-EM302	2-16
Adjustable Foot	LT-EM303	2-09
Adjustable Foot	LT-EM307	2-11
Adjustable Foot	LT-EM310	2-10
Adjustable Foot	LT-EM311	2-16
Adjustable Foot	LT-EM312	2-16
Adjustable Foot	LT-EM313	2-10
Adjustable Foot	LT-EM319	2-11
Adjustable Foot	LT-EZ301	1-49
Adjustable Foot	LT-HF1	3-08
Adjustable Foot	LT-HF1	7-03
Adjustable Foot	LT-HF1B	3-08
Adjustable Foot	LT-HF1B	7-03
Adjustable Foot	LT-ML1016	2-11
Adjustable Foot	LT-ML1038	2-10
Adjustable Foot	LT-S140	1-48
Adjustable Foot	LT-V2213	8-16
Adjustable Foot	LT-V2214	8-17
Adjustable Foot	LT-WB261-05	5-11
Adjustable Foot 45°/100mm	LT-EM316	2-12
Adjustable Foot 45°/120mm	LT-EM309	2-11
Adjustable Foot 45°/80mm	LT-EM315	2-12
Ajustable Foot	LT-S241	1-48
Ajustable Foot	LT-S341	1-49
All-Sealed Panel	LT-WB101	5-06
Aluminium Node/Φ50mm	LT-QG5-1	4-06
Aluminium Shelf	LT-E511	12-06
Aluminium Tube/Φ31mm	LT-QG6-6	4-07
Aluminium Tube/Φ31mm	LT-QG6-6A	4-08
Aluminum Shaft for Fabric	LT-W301	6-01
Angle Reinforcement	LT-DFZ/V9-1	3-02
Anti-rattle Extrusion	LT-E475	8-15
Axes	LT-S925	8-23
Bag holder	LT-E275	12-02

INDEX NAME

Name	Code	Page
Ball Shaft Extrusion/Φ22mm	LT-QG5-6	4-07
Banister Extrusion	LT-DFZ45	3-02
Bar Chair	LT-BE50	9-07
Bar Chair	LT-BE60	9-07
Bar Chair	LT-BE70	9-07
Base Plate	LT-DFS10	3-09
Base Plate	LT-EM367	6-11
Base Plate	LT-LJ2910	4-02
Base Plate	LT-S150	1-49
Base Plate	LT-WB263-02	5-19
Base Plate	LT-WB263-02A	5-19
Base Plate	LT-WB263-02B	5-20
Base Plate	LT-WB263-03	5-20
Batter Brace	LT-LJ2971	4-04
Beam Connector /45°	LT-DFT1045	3-04
Beam Connector /90°	LT-DFT1000	3-04
Beam Extrusion	LT-K796	8-08
Beam Extrusion	LT-K797	8-08
Beam Extrusion	LT-K798	8-09
Beam Extrusion	LT-K800	8-08
Beam Extrusion	LT-M315	2-05
Beam Extrusion	LT-M325	2-05
Beam Extrusion	LT-ML1354	6-04
Beam Extrusion/100mm	LT-Z522	1-09
Beam Extrusion/120mm	LT-Z510	1-09
Beam Extrusion/120mm	LT-Z511	1-09
Beam Extrusion/150mm	LT-Z509A	1-09
Beam Extrusion/175mm	LT-Z508	1-10
Beam Extrusion/175mm	LT-Z509	1-10
Beam Extrusion/175mm	LT-Z601	1-10
Beam Extrusion/25mm	LT-V2120	8-05
Beam Extrusion/25mm	LT-Z314	8-06
Beam Extrusion/26mm	LT-V2100	8-04
Beam Extrusion/32mm	LT-Z312	1-03
Beam Extrusion/32mm	LT-Z313	1-03
Beam Extrusion/37mm	LT-Z310	1-04
Beam Extrusion/37mm	LT-Z311	1-04
Beam Extrusion/40mm	LT-Z4011	8-07
Beam Extrusion/40mm	LT-Z4012	8-07
Beam Extrusion/40mm	LT-Z4200	1-05
Beam Extrusion/40mm	LT-Z4300	1-04
Beam Extrusion/40mm	LT-Z4400	1-04
Beam Extrusion/40mm	LT-Z4401	1-05
Beam Extrusion/46mm	LT-B1000	1-51
Beam Extrusion/50mm	LT-W101	5-04
Beam Extrusion/50mm	LT-W102	5-04
Beam Extrusion/50mm	LT-Z400A	1-05
Beam Extrusion/50mm	LT-Z400B	1-05
Beam Extrusion/50mm	LT-Z402	1-06
Beam Extrusion/50mm	LT-Z403	1-06

INDEX NAME

Name	Code	Page
Beam Extrusion/50mm	LT-Z4500	1-07
Beam Extrusion/50mm	LT-Z4501	1-07
Beam Extrusion/50mm	LT-Z460	1-06
Beam Extrusion/50mm	LT-ZL402	1-06
Beam Extrusion/70mm	LT-B1001	1-51
Beam Extrusion/70mm	LT-Z108	1-07
Beam Extrusion/70mm	LT-Z109	1-07
Beam Extrusion/70mm	LT-Z110	1-08
Beam Extrusion/70mm	LT-Z160	1-08
Beam Extrusion/70mm	LT-Z164	1-08
Beam Extrusion/70mm	LT-Z166	1-08
Beam for the Floor	LT-DT200	7-04
Binding Post		10-19
Bolt	LT-AW-09	5-07
Bottom Corner for Showcase/135°	LT-M1345	8-26
Bottom Corner for Showcase/90°	LT-M1335	8-25
Bottom Cover	LT-S1135	8-30
Bottom Panel-clamping Extrusion	LT-W1581	5-07
Bottom Track Extrusion	LT-E406	8-09
Bottom Track for Sliding Door	LT-E401	8-12
Bottom Track for Sliding Door	LT-E422	8-13
Box Connector	LT-LJ2960	4-02
Box for Glass	LT-BZX-BLF	11-03
Bracket for LCD	LT-ZJ103	12-11
Bracket for Plasma	LT-ZJ101	12-11
Bracket for Wooden Shelf	LT-EL718	12-22
Bulb		10-02
Cantilever Clamping Device	LT-DFZ20	3-04
Cantilever Clamping Devices	LT-DFZ25	3-05
Case	LT-BZX306	11-06
Case	LT-BZX326	11-07
Case	LT-BZX400	11-06
Case	LT-BZX401	11-06
Case	LT-BZX503	11-06
Case	LT-BZX506-1	11-05
Case	LT-BZX506-2	11-05
Case	LT-BZX506-3	11-05
Case	LT-BZX508	11-07
Case	LT-BZX509	11-07
Castor	LT-EG901A10	8-28
Castor	LT-EG901A10S	8-27
Castor	LT-EG901A8	8-28
Castor	LT-EG901A8S	8-27
Castor	LT-EG901B10	8-29
Castor	LT-EG901B10S	8-28
Castor	LT-EG901B8	8-29
Castor	LT-EG901B8S	8-28
Castor	LT-S745	8-26
Castor	LT-S745A	8-26
Castor Lockable	LT-EG901	8-27

INDEX NAME

Name	Code	Page
Castor Lockable	LT-S746	8-26
Castor Lockable	LT-S746A	8-27
Ceiling Extrusion	LT-W2586	6-04
Ceiling Gird Profile	LT-DFZ22	3-02
Ceiling Hanger	LT-E231	12-23
Ceiling Panel with PVC Film	LT-ZS341	12-33
Chair	LT-ZE10	9-05
Chair	LT-ZE16	9-05
Chair	LT-ZE19	9-05
Chair	LT-ZE20	9-06
Chair	LT-ZE21	9-06
Chair	LT-ZE6	9-04
Chair	LT-ZE8	9-04
Chair	LT-ZE9	9-04
Circle Sign	LT-FA503	6-16
Clamp for Glass	LT-DFZ90	3-10
Clamp for Glass Panel	LT-DFZ58	3-10
Clamp for Panel	LT-EM603	12-22
Clamp for Wire	LT-EG003	10-18
Clamp for Wire	LT-EG003A	10-18
Clamping Extrusion	LT-E476	8-15
Clothes Rod	LT-E280	12-02
Clothes Rod Hook	LT-E281	12-03
Clothes Rod Hook	LT-E284	12-03
Clothes Rod Hook	LT-E284A	12-03
Clothes Rod Hook	LT-EL281	12-03
COB Flood Lamp	LT-DG304	10-06
COB Flood Lamp	LT-DG305	10-07
Cold-start Lamp	LT-DG401	10-09
Compact HPL	LT-ZS321-KBT	12-33
Complete-set Wall	LT-WB261-04	5-10
Connecting Base	LT-DFZ56/N	3-09
Connecting Bracket	LT-DFZ91	3-08
Connecting Bracket Base	LT-DFZ91A-3J	3-03
Connecting Extrusion 45° /100mm	LT-M619	2-06
Connecting Extrusion 45°/120mm	LT-M312	2-05
Connecting Extrusion 45°/60mm	LT-M618	2-06
Connecting Extrusion 45°/80mm	LT-M317	2-06
Connecting Post	LT-W2412	5-13
Connecting Post	LT-WB261-01	5-08
Connecting Post	LT-WB261-02	5-08
Connecting Post	LT-WB261-14	5-13
Connecting Post /45°	LT-WB261-16	5-09
Connecting Post /60°	LT-WB261-17	5-09
Connecting Post With Hinge	LT-WB261-19	5-09
Connecting Profile	LT-K0603	4-08
Connecting Wire	LT-SD-10	10-14
Connecting Wire	LT-SD-10A	10-14
Connecting Wire	LT-SD-20	10-14
Connecting Wire	LT-SD-20A	10-14

INDEX NAME

Name	Code	Page
Connecting Wire	LT-SD-22	10-15
Connecting Wire	LT-SD-22A	10-16
Connecting Wire	LT-SD-30	10-15
Connecting Wire	LT-SD-300	10-15
Connecting Wire	LT-SD-300A	10-15
Connecting Wire	LT-SD-40	10-17
Connecting Wire	LT-SD-40B	10-18
Connecting Wire	LT-SD-50	10-17
Connecting Wire	LT-SD-51	10-17
Connecting Wire	LT-SD-62	10-16
Connecting Wire	LT-SD-62A	10-16
Connection Extrusion	LT-E450A	8-10
Connection Extrusion	LT-W2564	6-03
Connection Extrusion	LT-W2564P	6-03
Connector	LT-DFZ57	3-09
Connector	LT-DFZ61	3-09
Connector	LT-DT213	7-05
Connector	LT-E240	12-23
Connector	LT-EL702	4-06
Connector	LT-EW714	6-10
Connector	LT-LJ06	4-03
Connector	LT-LJ2936	4-03
Connector	LT-LJQ401B	4-05
Connector	LT-LJQ403	4-05
Connector	LT-LJQ503	4-06
Connector	LT-S137	1-45
Connector	LT-S138	1-45
Connector	LT-SL1155	8-01
Connector	LT-WB261-15	5-14
Connector	LT-WB261-15A	5-14
Connector	LT-Z186	1-46
Connector	LT-Z189	1-51
Connector /Φ22mm	LT-QG5-00-1	4-07
Connector 135°	LT-E282	12-04
Connector 135°	LT-E283	12-04
Connector for Lamp	LT-EM701	10-19
Connector for Upright Extrusion	LT-DFS/IV-01	3-03
Connector Set	LT-LJ2911	4-02
Connector/Φ31mm	LT-QG6-00-1	4-08
Consultation Desk (Foldaway Model)	LT-ZX14	9-02
Corner Cap	LT-W2566	5-08
Corner Cover	LT-WB261-07	5-12
Corner Extrusion 90°/25mm	LT-V2000	8-04
Corner Floor Panel	LT-DFZ/BE	3-06
Corner Shelf Bracket	LT-E776	12-05
Corner Support	LT-EG802	12-21
Corner Support	LT-EG806	12-21
Corner Support	LT-EG818	12-21
Corner Support	LT-SL6035	12-21
Cothes Rod Extrusion	LT-K511	1-11

INDEX NAME

Name	Code	Page
Coupler Set	LT-LJ2915	4-01
Coupling Beam	LT-DFT250	3-01
Cover Cap	LT-E111/A	12-12
Cover Connecting Extrusion	LT-W2114	5-18
Cover Extrusion	LT-W2113	5-18
Cover for Floor/Side Corner	LT-DT262	7-04
Cover for Spanner	LT-WB261-13	5-11
Cover for the Floor	LT-DT261	7-06
Cupboard	LT-WB261-35B	5-17
Cupula	LT-E133	7-06
Cupula	LT-EZ601	12-05
Current Limited Socket	LT-DS-50	10-17
Curtain Hook	LT-EG410	12-24
Curtain Hook	LT-EG411	12-24
Curved Beams/37mm, Curved Half Circle	LT-Z310-2Y1400	1-18
Curved Beams/37mm, Curved Half Circle	LT-Z310-2Y1980	1-18
Curved Beams/37mm, Curved Half Circle	LT-Z310-2Y2800	1-18
Curved Beams/37mm, Curved Half Circle	LT-Z310-2Y495	1-17
Curved Beams/37mm, Curved Half Circle	LT-Z310-2Y700	1-17
Curved Beams/37mm, Curved Half Circle	LT-Z310-2Y990	1-17
Curved Beams/37mm, Curved Quarter Circle	LT-Z310-4Y1400	1-16
Curved Beams/37mm, Curved Quarter Circle	LT-Z310-4Y1980	1-16
Curved Beams/37mm, Curved Quarter Circle	LT-Z310-4Y2800	1-17
Curved Beams/37mm, Curved Quarter Circle	LT-Z310-4Y495	1-15
Curved Beams/37mm, Curved Quarter Circle	LT-Z310-4Y700	1-16
Curved Beams/37mm, Curved Quarter Circle	LT-Z310-4Y990	1-16
Curved Beams/40mm, Curved Half Circle	LT-Z4300-2Y1400	1-21
Curved Beams/40mm, Curved Half Circle	LT-Z4300-2Y1980	1-21
Curved Beams/40mm, Curved Half Circle	LT-Z4300-2Y2800	1-21
Curved Beams/40mm, Curved Half Circle	LT-Z4300-2Y495	1-20
Curved Beams/40mm, Curved Half Circle	LT-Z4300-2Y700	1-20
Curved Beams/40mm, Curved Half Circle	LT-Z4300-2Y990	1-20
Curved Beams/40mm, Curved Quarter Circle	LT-Z4300-4Y1400	1-19
Curved Beams/40mm, Curved Quarter Circle	LT-Z4300-4Y1980	1-19
Curved Beams/40mm, Curved Quarter Circle	LT-Z4300-4Y2800	1-20
Curved Beams/40mm, Curved Quarter Circle	LT-Z4300-4Y495	1-18
Curved Beams/40mm, Curved Quarter Circle	LT-Z4300-4Y700	1-19
Curved Beams/40mm, Curved Quarter Circle	LT-Z4300-4Y990	1-19
Curved Beams/50mm, Curved Half Circle	LT-Z400B-2Y1400	1-24
Curved Beams/50mm, Curved Half Circle	LT-Z400B-2Y1980	1-24
Curved Beams/50mm, Curved Half Circle	LT-Z400B-2Y2800	1-24
Curved Beams/50mm, Curved Half Circle	LT-Z400B-2Y495	1-23
Curved Beams/50mm, Curved Half Circle	LT-Z400B-2Y700	1-23
Curved Beams/50mm, Curved Half Circle	LT-Z400B-2Y990	1-23
Curved Beams/50mm, Curved Half Circle	LT-Z402-2Y1400	1-27
Curved Beams/50mm, Curved Half Circle	LT-Z402-2Y1980	1-27
Curved Beams/50mm, Curved Half Circle	LT-Z402-2Y2800	1-27
Curved Beams/50mm, Curved Half Circle	LT-Z402-2Y495	1-26
Curved Beams/50mm, Curved Half Circle	LT-Z402-2Y700	1-26
Curved Beams/50mm, Curved Half Circle	LT-Z402-2Y990	1-26

INDEX NAME

Name	Code	Page
Curved Beams/50mm, Curved Half Circle	LT-Z460-2Y1400	1-30
Curved Beams/50mm, Curved Half Circle	LT-Z460-2Y1980	1-30
Curved Beams/50mm, Curved Half Circle	LT-Z460-2Y2800	1-30
Curved Beams/50mm, Curved Half Circle	LT-Z460-2Y495	1-29
Curved Beams/50mm, Curved Half Circle	LT-Z460-2Y700	1-29
Curved Beams/50mm, Curved Half Circle	LT-Z460-2Y990	1-29
Curved Beams/50mm, Curved Quarter Circle	LT-Z400B-4Y1400	1-22
Curved Beams/50mm, Curved Quarter Circle	LT-Z400B-4Y1980	1-22
Curved Beams/50mm, Curved Quarter Circle	LT-Z400B-4Y2800	1-23
Curved Beams/50mm, Curved Quarter Circle	LT-Z400B-4Y495	1-21
Curved Beams/50mm, Curved Quarter Circle	LT-Z400B-4Y700	1-22
Curved Beams/50mm, Curved Quarter Circle	LT-Z400B-4Y990	1-22
Curved Beams/50mm, Curved Quarter Circle	LT-Z402-4Y1400	1-25
Curved Beams/50mm, Curved Quarter Circle	LT-Z402-4Y1980	1-25
Curved Beams/50mm, Curved Quarter Circle	LT-Z402-4Y2800	1-26
Curved Beams/50mm, Curved Quarter Circle	LT-Z402-4Y495	1-24
Curved Beams/50mm, Curved Quarter Circle	LT-Z402-4Y700	1-25
Curved Beams/50mm, Curved Quarter Circle	LT-Z402-4Y990	1-25
Curved Beams/50mm, Curved Quarter Circle	LT-Z460-4Y1400	1-28
Curved Beams/50mm, Curved Quarter Circle	LT-Z460-4Y1980	1-28
Curved Beams/50mm, Curved Quarter Circle	LT-Z460-4Y2800	1-29
Curved Beams/50mm, Curved Quarter Circle	LT-Z460-4Y495	1-27
Curved Beams/50mm, Curved Quarter Circle	LT-Z460-4Y700	1-28
Curved Beams/50mm, Curved Quarter Circle	LT-Z460-4Y990	1-28
Curved Beams/70mm, Curved Half Circle	LT-Z109-2Y1400	1-36
Curved Beams/70mm, Curved Half Circle	LT-Z109-2Y1980	1-36
Curved Beams/70mm, Curved Half Circle	LT-Z109-2Y2800	1-36
Curved Beams/70mm, Curved Half Circle	LT-Z109-2Y495	1-35
Curved Beams/70mm, Curved Half Circle	LT-Z109-2Y700	1-35
Curved Beams/70mm, Curved Half Circle	LT-Z109-2Y990	1-35
Curved Beams/70mm, Curved Half Circle	LT-Z166-2Y1400	1-33
Curved Beams/70mm, Curved Half Circle	LT-Z166-2Y1980	1-33
Curved Beams/70mm, Curved Half Circle	LT-Z166-2Y2800	1-33
Curved Beams/70mm, Curved Half Circle	LT-Z166-2Y495	1-32
Curved Beams/70mm, Curved Half Circle	LT-Z166-2Y700	1-32
Curved Beams/70mm, Curved Half Circle	LT-Z166-2Y990	1-32
Curved Beams/70mm, Curved Quarter Circle	LT-Z109-4Y1400	1-34
Curved Beams/70mm, Curved Quarter Circle	LT-Z109-4Y1980	1-34
Curved Beams/70mm, Curved Quarter Circle	LT-Z109-4Y2800	1-35
Curved Beams/70mm, Curved Quarter Circle	LT-Z109-4Y495	1-33
Curved Beams/70mm, Curved Quarter Circle	LT-Z109-4Y700	1-34
Curved Beams/70mm, Curved Quarter Circle	LT-Z109-4Y990	1-34
Curved Beams/70mm, Curved Quarter Circle	LT-Z166-4Y1400	1-31
Curved Beams/70mm, Curved Quarter Circle	LT-Z166-4Y1980	1-31
Curved Beams/70mm, Curved Quarter Circle	LT-Z166-4Y2800	1-32
Curved Beams/70mm, Curved Quarter Circle	LT-Z166-4Y495	1-30
Curved Beams/70mm, Curved Quarter Circle	LT-Z166-4Y700	1-31
Curved Beams/70mm, Curved Quarter Circle	LT-Z166-4Y990	1-31
Curved Rectangular Sign	LT-FA511	6-18
Curved Square Extrusion/120mm, Curved Quarter Circle	LT-M603-4Y1980	2-06

INDEX NAME

Name	Code	Page
Curved Square Extrusion/80mm, Curved Quarter Circle	LT-M302A-4Y1980E	2-07
Disassemble Hinge	LT-E298	8-24
Door Stopping Profile	LT-E430	8-13
Door Stopping Profile	LT-E442	8-14
Doorframe	LT-WB608L-01	9-10
Doorframe	LT-WB608R-01	9-10
Double side fabric frame	LT-WB332	6-14
Double side fabric frame	LT-WB338	6-15
Double Side Fabric Frame	LT-WB339	6-16
Double-side fabric/panel Extrusion	LT-W2635	6-09
Down Lamp	LT-DG403	10-09
Dummy Plate	LT-K970	11-01
Edge Cover	LT-WB261-03	5-09
Edge Extrusion for Floor	LT-W2301	7-01
Edge Floor Panel	LT-DFZ/BR	3-06
Elliptical Extrusion	LT-S2306	2-18
Elliptical Extrusion	LT-S2310	2-18
End Cap	LT-EG502	1-40
End Cap	LT-EL501	4-09
End Cap	LT-EZ508	6-04
End Cover	LT-E1031	1-53
End Cover	LT-E1032	1-53
End Cover	LT-E1036	1-53
End Cover	LT-EG902	8-30
End Cover	LT-EG903	8-31
End Cover	LT-EK501	8-34
End Cover	LT-EM501	2-17
End Cover	LT-EM507	2-12
End Cover	LT-EM510	2-17
End Cover	LT-EM511	2-16
End Cover	LT-EM513	2-14
End Cover	LT-EM514	2-12
End Cover	LT-EM531	2-13
End Cover	LT-EM532	2-13
End cover	LT-EM533	2-14
End Cover	LT-EM534	2-14
End Cover	LT-EM535	2-15
End Cover	LT-ES501	1-41
End Cover	LT-ES502	1-41
End Cover	LT-EW504	8-33
End Cover	LT-EZ501	1-43
End Cover	LT-EZ502	1-43
End Cover	LT-EZ503	8-33
End Cover	LT-EZ504	1-42
End Cover	LT-EZ505	1-44
End Cover	LT-EZ506	1-44
End Cover	LT-EZ507	1-44
End Cover	LT-M110	2-17
End Cover	LT-ML1015	2-14
End Cover	LT-ML1035	2-13

INDEX NAME

Name	Code	Page
End Cover	LT-ML1035A	2-13
End Cover	LT-S1130	8-30
End Cover	LT-S1137	8-31
End Cover	LT-S1138	8-30
End Cover	LT-S1139	8-31
End Cover	LT-S1141	1-45
End Cover	LT-S1370	8-31
End Cover	LT-S1520	8-32
End Cover	LT-S1530	8-32
End Cover	LT-S1531	8-32
End Cover	LT-S2131	8-33
End Cover	LT-S230	1-41
End Cover	LT-S2312	2-19
End Cover	LT-S330	1-42
End Cover	LT-S530	1-42
End Cover	LT-SL132	1-40
End Cover	LT-SL330	1-41
End Cover	LT-V2121	8-32
End Cover	LT-V2210	8-33
End Cover	LT-Z174	1-43
End Cover	LT-Z175	1-44
End Cover	LT-Z176	1-43
End Cover	LT-Z177	1-42
Extension Adaptor/100mm	LT-EM436	2-07
Extension Adaptor/120mm	LT-EM437	2-07
Extension Adaptor/40mm	LT-Z188	2-08
Extension Adaptor/60mm	LT-EM438	2-08
Extension Adaptor/80mm	LT-EM435	2-07
Extension Adaptor/80mm	LT-EM927	2-08
Exterior Corner Extrusion 135°	LT-V2020	8-04
External Socket	LT-SD-25	10-16
Extrusion Bolt	LT-S905	1-45
Extrusion Clip	LT-ML1488	10-19
Extrusion for Bracket	LT-K0601	8-11
Extrusion for Glass Clamp	LT-DFZ58/HZ	3-10
Fabric Clip	LT-M1448	6-12
Fabric Clip	LT-M1452	6-12
Fabric Clip	LT-ML1449	6-12
Fabric Clip	LT-ML1453	6-13
Fabric Extrusion	LT-AC407	6-10
Fabric Extrusion	LT-W2587	6-06
Fabric Extrusion	LT-W2588	6-06
Fabric Extrusion	LT-W2589	6-06
Fabric Extrusion	LT-W2591	6-07
Fabric Extrusion	LT-W2592	6-07
Fabric Extrusion	LT-W2593	6-06
Fabric Extrusion	LT-W2594	6-07
Fabric Extrusion	LT-W2596	6-08
Fabric Extrusion	LT-W2597	6-09
Fabric Extrusion	LT-W2598	6-05

INDEX NAME

Name	Code	Page
Fabric Extrusion	LT-W2599	6-05
Fabric Extrusion	LT-W2600	6-05
Fabric Extrusion	LT-W2601	6-05
Fabric Extrusion	LT-W2624	6-09
Fabric Extrusion	LT-W3009	6-08
Fabric Extrusion	LT-W3010	6-08
Fabric Extrusion	LT-W3011	6-08
Fabric Extrusion	LT-W3013	6-09
Fabric Frame Extrusion	LT-B1002	1-52
Fabric Frame Extrusion/100mm	LT-W2559	6-02
Fabric Frame Extrusion/120mm	LT-W2560	6-03
Fabric Frame Extrusion/40mm	LT-W2556	6-02
Fabric Frame Extrusion/60mm	LT-W2557	6-02
Fabric Frame Extrusion/80mm	LT-W2558	6-02
Fabric Retainer Extrusion	LT-E469A	6-12
Fabric Tube	LT-E481	6-04
Fire Resistant Board	LT-NZS301	12-30
Fire Resistant Board	LT-ZS421(N)	12-33
Fix Extrusion	LT-W2001	1-10
Fixing for the Edge Sealing Materials	LT-DT212	7-05
Fixture	LT-EL444	8-16
Flange Extrusion for LT-M341	LT-M342	2-04
Flange Extrusion for LT-M605	LT-M604	2-01
Flange Extrusion for LT-M608	LT-M609	2-03
Floor	LT-MPL3	7-02
Floor	LT-MPL7	7-02
Floor	LT-SPL3	7-02
Floor	LT-WB401-2	7-01
Floor Covering	LT-DT231	7-05
Floor Covering	LT-DT232	7-05
Floor Covering	LT-DT233	7-06
Floor Covering	LT-DT240	7-06
Floor Covering Extrusion	LT-DH101-100	7-01
Floor Covering Extrusion	LT-DH101-60	7-01
Floor Extrusion	LT-DFZ/BP	3-01
Fluorescent Lamp	LT-DG101	10-10
Fluorescent Lamp	LT-DG102	10-10
Fluorescent Lamp	LT-DG861	10-10
Flush Bolt	LT-DFZ/K1	3-05
Flush Bolt	LT-DFZ/K1	7-04
Flush Bolt	LT-KL1	7-03
Foldable Cart	LT-ZX19	12-30
Foldable Case	LT-BZX208	11-07
Folding Arc Extrusion	LT-S260	5-21
Folding Chair	LT-ZE14	9-05
Folding Chair	LT-ZE22	9-06
Folding Chair	LT-ZE23	9-06
Folding Chair	LT-ZE24	9-07
Folding Chair	LT-ZE3	9-03
Folding Chair	LT-ZE4	9-03

INDEX NAME

Name	Code	Page
Folding Chair	LT-ZE7	9-04
Folding Desk	LT-ZX16	9-02
Folding Door	LT-WB606	9-11
Folding Door Lock	LT-E292	9-11
Folding Extrusion	LT-ZX14-1-2-3	8-10
Folding Fabric Door	LT-WB610	9-12
Folding Lockable Cabinet	LT-ZX17	9-02
Foot Connector	LT-WB103-02	5-21
Foot Plate for Staircase	LT-DFZ35	3-10
Football Sign	LT-FA507	6-17
Gasket	LT-EM536A	7-02
Glass Door	LT-WB609	9-09
Glass Door Lock	LT-E294	8-25
Glass Door Lock	LT-E296	8-25
Glass Panel Retainer	LT-E420	8-12
Glass Panel Retainer	LT-E420A	8-12
Glass Panel Retainer	LT-E423	8-13
Glass Shelf	LT-E518	12-07
Glass/Panel Retainer	LT-BW-01	5-02
Glass/Panel Retainer	LT-E160401	5-01
Glass/Panel Retainer	LT-E160402	5-01
Glass/Panel Retainer	LT-E160403	5-01
Glass/Panel Retainer	LT-E160404	5-02
Glass/Panel Retainer	LT-EG807	5-02
Glass/Panel Retainer	LT-M1447	5-03
Glass/Panel Retainer	LT-ML1392	5-03
Glass/Panel Retainer	LT-ML1445	5-03
Glass/Panel Retainer	LT-ML1446	5-03
Groove Filler	LT-E455	8-14
Halogen Lamp	LT-DG303	10-06
Halogen Lamp	LT-DG632	10-02
Hammerhead Screw	LT-DFS13	3-11
Hammerhead Screw	LT-EG402	12-14
Hammerhead Screw	LT-EG414	12-13
Hammerhead Screw	LT-EG425	8-10
Hammerhead Wrench	LT-SG203	12-28
Hammerhead Wrench	LT-SG204	12-28
Handrail Connector	LT-DFZ70	3-06
Handrail Connector	LT-DFZ71	3-07
Handrail Connector	LT-DFZ72	3-07
Handrail Connector	LT-DFZ73	3-07
Handrail Connector	LT-DFZ74	3-07
Handrail Upright Extrusion	LT-DFZ115	3-03
Handrail Upright Extrusion	LT-DFZ90-1	3-03
Hang Hook	LT-E217	12-15
Hanger Bracket	LT-WB261-08	5-12
Hanger Bracket	LT-WB261-11	5-14
Hanging Accessory	LT-WB263-01	5-19
Head Hanger	LT-E220	12-17
Head Hanger	LT-E220/S	12-17

INDEX NAME

Name	Code	Page
Head Hanger	LT-E220A	12-17
Head Screw	LT-EG409	12-13
Head Screw	LT-EG412	12-13
Hexagon Extrusion	LT-S1500	8-03
Hexagon Extrusion	LT-S1501	8-03
Hexagon Ring Spanner		12-29
Hinge for Glass Door	LT-E299A	8-24
Hinge Plate	LT-E290	8-23
Hook	LT-E215-B	12-08
Hook	LT-E215-M	12-08
Hook	LT-E215-S	12-07
Hook	LT-E235	12-23
Hook	LT-E236	12-23
Hook	LT-EM708	12-19
Hook	LT-EM709	12-20
Hook	LT-EM710	12-20
Hook	LT-EM711	12-20
Hook	LT-EM712	12-20
Hook	LT-EW702	12-01
Hook	LT-EW710	12-10
Hook	LT-EW711	12-10
Hook	LT-EW712	12-10
Hook	LT-EZ702	12-16
Hook	LT-EZ703	12-17
Hook	LT-W210	12-01
Hook	LT-W500	12-01
Hook	LT-W510	12-01
Hook	LT-W520	12-02
Hook	LT-WB261-10	5-14
Hook	LT-WB261-10A	5-15
Hook	LT-WB261-23-1	5-15
Hook	LT-WB261-23-2	5-15
Hook	LT-WB261-24-1	5-15
Hook	LT-WB261-24-2	5-16
Horizontal Beam Extrusion/80mm	LT-W2111	5-17
Horizontal Clamping Device	LT-DFZ/H	3-05
Horizontal Rod	LT-W2210	9-13
Horizontal Rod	LT-W2211	9-13
Horizontal/Diagonal Tube /Φ22mm	LT-QG5	4-07
Horizontal/Diagonal Tube/Φ31mm	LT-QG6	4-08
Inner Hex Socket Screw Nut	LT-EG407A-1	12-12
Interior Corner Extrusion 135°	LT-S1128	8-02
Interior Corner Extrusion 135°	LT-S1129	8-02
Internal Corner Connector	LT-S1140	1-50
Internal Corner Connector	LT-S1150	1-50
Internal Corner Connector	LT-S1151	1-50
Internal Corner Connector	LT-S1151A	1-50
Iron Box	LT-BZX03A	11-04
Iron Box	LT-BZX05	11-02
Iron Box	LT-BZX06	11-02

INDEX NAME

Name	Code	Page
Iron Box	LT-BZX07	11-02
Iron Box	LT-BZX08	11-02
Iron Box/2480mm	LT-BZX07A	11-03
Iron Box/2930mm	LT-BZX01A	11-03
Iron Box/950mm	LT-BZX05A	11-03
Jewelry Showcase	LT-ZG600A	9-03
Knuckle Joint	LT-EW716	6-10
Knuckle Joint	LT-EW717	6-11
Knuckle Joint	LT-M1633	8-21
Knuckle Joint	LT-M1672	12-25
Knuckle Joint	LT-M1673	8-21
Knuckle Joint	LT-S1170	8-17
Knuckle Joint	LT-S1171	8-17
Knuckle Joint	LT-S1173	8-18
Knuckle Joint	LT-S1173-1	12-26
Knuckle Joint	LT-S1175	8-18
Knuckle Joint	LT-S1177	8-18
Knuckle Joint	LT-S1178	12-26
Knuckle Joint	LT-S1178/I	12-26
Knuckle Joint	LT-S1179	8-18
Knuckle Joint	LT-S1179/I	8-19
Knuckle Joint	LT-S1180	8-19
Knuckle Joint	LT-S1332	12-25
Knuckle Joint	LT-S1333	8-19
Knuckle Joint	LT-S1338	12-25
Knuckle Joint	LT-S1339	8-19
Knuckle Joint	LT-S1339(I)	8-20
Knuckle Joint	LT-S1340	8-20
Knuckle Joint	LT-S1341	8-20
Knuckle Joint	LT-S1570	8-20
Knuckle Joint	LT-S1571	8-21
Knuckle Joint	LT-S1580	8-21
Knuckle Joint	LT-S1581	12-25
Knuckle Joint	LT-S1586	6-11
Knuckle Joint	LT-S1587	6-11
Knuckle Joint	LT-S1588	8-22
Knuckle Joint	LT-V2200A	8-16
Knuckle Joint	LT-V2201	8-16
Knuckle Joint	LT-Z4573	8-22
Knuckle Joint	LT-Z4574	8-22
Knuckle Joint	LT-ZG13-1-1	8-22
Ladder	LT-LHT-01	12-29
Ladder	LT-LHT-02	12-29
Ladder	LT-LHT-03	12-30
Ladder	LT-LHT-04	12-30
Lamp for Lighting Wall	LT-DG103-1	5-20
Latch Plate for Shelf	LT-EG801A	8-29
Led Bulb	LT-DG417	10-10
Led lamp with sockets (transformer built in)	LT-DG513	10-03
Led lamp with sockets (transformer built in)	LT-DG514	10-03

INDEX NAME

Name	Code	Page
Led lamp with sockets (transformer built in)	LT-DG517	10-03
Led lamp with sockets (transformer built in)	LT-DG518	10-04
Led lamp with sockets (transformer built in)	LT-DG519	10-03
Led lamp with sockets (transformer built in)	LT-DG520	10-04
Led lamp with sockets (transformer built in)	LT-DG521	10-04
LED Screen	LT-ZJ110	10-12
LED Spot Light Bulb	LT-EG509	10-02
Lever Bolt Lock	LT-E293A	8-24
Light Box	LT-WB323	6-14
Light Box	LT-WB341	6-13
Light Box	LT-ZJ106A	10-12
Light Box	LT-ZJ106B	10-12
Light Complete-set Wall	LT-WB281	5-10
Light Hanger	LT-DG861-01	10-11
Light Showcase Panel	LT-ZX14A-01	8-23
Light-passing Panel	LT-WB270	5-06
Lock with handle	LT-EG102	9-09
Lockable Cabinet	LT-SG11	9-02
Long-arm lamp fixture with sockets	LT-DG831	10-01
Long-arm Lamp fixture without socket	LT-DG731	10-01
Magnetism Wall	LT-WB272	5-21
MDF with White PVC Film	LT-ZS322-M	12-32
Medium-arm lamp fixture with sockets	LT-DG832	10-01
Melamine MDF	LT-ZS301-J	12-32
Mid Panel-clamping Extrusion	LT-W1582	5-07
Middle Floor Panel	LT-DFZ/BM	3-06
Movable Stage	LT-DT300	7-07
Negotiation Desk (Curved Connector)	LT-ZQ11	9-01
Negotiation Desk (Wide Border Model)	LT-ZQ15A	9-01
Non-slat Panel	LT-WB11	12-08
Open Square Extrusion/100mm	LT-M608	2-02
Open Square Extrusion/120mm	LT-M605	2-01
Open Square Extrusion/80mm	LT-M341	2-04
Out Seal Round Corner Extrusion	LT-WQ105	5-06
Out Seal Round Corner Extrusion	LT-WQ108	5-06
Package Partition	LT-BZ(XS)-M101	11-01
Package Partition	LT-BZ(XS)-M301	11-01
Package Partition	LT-BZ(XS)-M611	11-01
Panel Retainer	LT-E213	12-15
Panel Retainer	LT-E214	12-15
Panel Retainer	LT-E221	12-18
Panel Retainer	LT-E221A	12-18
Panel Retainer	LT-E221B	12-18
Panel Retainer	LT-E222	12-19
Panel Retainer	LT-E223-25	12-19
Panel Retainer	LT-E224	12-19
Panel Retainer	LT-E227	12-18
Panel Retainer for Horizontal Grooves	LT-W109	5-04
Panel Retainer for Horizontal Grooves	LT-W109A	5-05
Panel Retainer for Horizontal Grooves	LT-W109B	5-05

INDEX NAME

Name	Code	Page
Panel Retainer for Horizontal Grooves	LT-W109C	5-05
Panel with White PVC Film	LT-ZD321	12-31
Panel with White PVC Film	LT-ZS301	12-32
Panel with White PVC Film	LT-ZS321	12-31
Panel with White PVC Film	LT-ZS321-B	12-31
Panel with White PVC Film	LT-ZSH321	12-31
Peg Panel with Holes	LT-E520	12-07
Pegboard Complete-set Wall	LT-WB261-04/WK	5-10
Pegboard Panel	LT-ZW321-25	12-11
Pegboard Panel	LT-ZW321-30	12-11
Photo Frame/Single Side	LT-WB315	6-18
Pin Connector	LT-S906	1-46
Plastic Clip	LT-E469	8-14
Plastic Clip	LT-K512	1-11
Plastic Protection Cover	LT-ES503	1-49
Plastic Track for Fabric	LT-ML1319	6-03
Plate	LT-WB261-18	5-12
Plate	LT-WB261-21	5-17
Press Extrusion	LT-W2002	1-11
Quarter Round Extrusion	LT-M1601	8-03
Quarter Round Extrusion	LT-M1605	8-04
Quarter Round Extrusion	LT-S1105B	8-01
Quarter Round Extrusion	LT-S1505	8-03
Quarto Truss	LT-LJ290	4-01
Quarto Truss	LT-LJ293	4-03
Ratchet without Torx Head Spanner	LT-E115A	12-28
Retainer	LT-E212	12-15
Retainer	LT-EG820	6-13
Retainer	LT-EM705	12-22
Rhombus Nut	LT-E13	12-24
Ring Hook	LT-E218	12-16
Ring Hook	LT-EG404	12-14
Ring Hook	LT-EG417	12-16
Ring Hook	LT-EG417A	12-16
Roller Wheel for Sliding Door	LT-E473	8-23
Rotating Axis Extrusion (A)	LT-W2115	5-18
Rotating Axis Extrusion(B)	LT-W2116	5-19
Rotating Axis Hinge	LT-E291	8-24
Round Extrusion 120°	LT-S1109	8-01
Round Extrusion 135°	LT-S1108	8-01
Round Extrusion/100mm	LT-M100	2-15
Round Extrusion/120mm	LT-ML205	2-15
Round Extrusion/80mm	LT-ML1222	2-15
Round Negotiation Table	LT-ZQ17	9-01
Round Negotiation Table	LT-ZQ18	9-01
Runner Extrusion	LT-E472	8-10
Screw for Showcase	LT-EG420	8-29
Screw for Standard Panel	LT-WB261-12	5-13
Screwdriver	LT-E124	12-27
Seal Profile for LT-S2310	LT-S2313	2-18

INDEX NAME

Name	Code	Page
Seat	LT-EG508	10-11
Separate	LT-W110	5-05
Shaft for Fabric	LT-WB260-1	6-01
Shelf	LT-E510A	12-06
Shelf	LT-E515	12-07
Shelf	LT-E516	12-33
Shelf Bracket	LT-E278	12-02
Shelf Bracket	LT-E774	12-05
Shelf Bracket	LT-WB261-25	5-16
Shelf Bracket	LT-WB261-26	5-16
Shelf Bracket	LT-WB261-41	5-16
Shelf Support	LT-V2220	8-17
Short Screw	LT-E210	12-13
Short-arm lamp fixture with sockets	LT-DG833	10-02
Short-arm lamp fixture without socket	LT-DG733	10-01
Showcase Lamp	LT-DG402	10-09
Showcase Spot Lamp	LT-DG409	10-07
Showcase Spot Lamp	LT-DG410	10-07
Showcase Spot Lamp	LT-DG411	10-07
Showcase Spot Lamp	LT-DG412	10-08
Showcase Spot Lamp	LT-DG413	10-08
Showcase Spot Lamp	LT-DG414	10-08
Showcase Spot Lamp	LT-DG415	10-08
Showcase Spot Lamp	LT-DG416	10-09
Side Cap	LT-W2565	5-08
Side Cover	LT-WB261-09	5-13
Side Seal	LT-E500	8-11
Side Seal Extrusion	LT-K805	8-08
Simple Lock	LT-EZ901	1-40
Simple Lock	LT-Z917	1-40
Simple Shelf Bracket	LT-E713	12-04
Simple Shelf Bracket	LT-E714	12-05
Simple Shelf Bracket	LT-EV601	12-04
Single Side Fabric Frame	LT-WB330	6-14
Single Side Fabric Frame	LT-WB331	6-14
Single Side Fabric Frame	LT-WB333	6-15
Single Side Fabric Frame	LT-WB334	6-15
Single Side Fabric Frame	LT-WB337	6-15
Skid Proof Shelf	LT-E513	12-06
Skid Proof Shelf	LT-E517	12-06
Slat Complete-set Wall	LT-WB261-04/GC	5-10
Slat Panel	LT-WB10	12-08
Slat Panel	LT-WB10S	12-09
Slat Panel	LT-WB111	12-09
Slat Panel	LT-WB12	12-09
Slat Panel	LT-WB12S	12-09
Sliding Door	LT-WB607	9-12
Sliding Door	LT-WB607A	9-13
Sliding Door Extrusion	LT-E470	8-15
Sliding Door Extrusion	LT-E471	8-15

INDEX NAME

Name	Code	Page
Sliding Door Lock	LT-E295	8-25
Sliding Door Lock	LT-E301	9-12
Slope Platform	LT-DT214	7-07
Slope Platform Extrusion	LT-W2634	7-07
Socket Adapter	LT-EG002	10-13
Socket Adapter	LT-Q200	10-12
Socket Adapter	LT-Q300	10-13
Socket Adapter	LT-SD-029	10-13
Socket Adapter (With Wire)	LT-Q-03	10-13
Spanner	LT-E125	12-29
Spring Connecting Assembly	LT-WB265-2	6-01
Spring Retainer	LT-EG413	12-24
Square Extrusion	LT-S1125	8-02
Square Extrusion/100mm	LT-M607	2-02
Square Extrusion/100mm	LT-M616	2-02
Square Extrusion/100mm	LT-M621	2-02
Square Extrusion/120mm	LT-M301B	2-01
Square Extrusion/120mm	LT-M603	2-01
Square Extrusion/40mm	LT-M311	2-04
Square Extrusion/40mm	LT-S208	2-05
Square Extrusion/40mm	LT-U2046	1-52
Square Extrusion/60mm	LT-M602	2-04
Square Extrusion/80mm	LT-M302A	2-03
Square Extrusion/80mm	LT-M313	2-03
Square Extrusion/84mm	LT-M530	2-03
Square Sign	LT-FA506	6-17
Square Truss	LT-GZ441	4-06
Square Welded Truss	LT-LJ401B	4-04
Square Welded Truss	LT-LJ402	4-05
Square Welded Truss	LT-LJ503	4-05
Stable Profile	LT-DFZ/V9	3-04
Stair	LT-DT301	7-07
Standard Aluminum Door	LT-WB601A	9-08
Standard Aluminum Door	LT-WB601B	9-08
Standard Aluminum Door	LT-WB601C	9-08
Standard Aluminum Door	LT-WB601D	9-08
Standard Aluminum Door	LT-WB605L	9-09
Standard Aluminum Door	LT-WB605R	9-09
Standard Profile Connecting Post	LT-WB261-06	5-12
Steel Net	LT-WB211	12-10
Step Fixing Set	LT-DFZ36	3-05
Straight Connector	LT-E1035	1-53
Straight Connector	LT-Z167	1-46
Straight Connector	LT-Z167A	1-46
Straight Tube	LT-WB260-3	6-01
Supporting Beam	LT-DFT350	3-01
Supporting Extrusion	LT-E223	8-11
Supporting Extrusion	LT-E228	8-11
Supporting Extrusion	LT-W2112	5-18
Supporting Plate	LT-E211	12-14

INDEX NAME

Name	Code	Page
Supporting Plate	LT-E211A	12-14
Suspension Connector	LT-Z187	1-47
Tapered circle Sign	LT-FA504	6-16
Tapered Square Sign	LT-FA505	6-16
Tempered Glass	LT-BW-02	5-02
Tempered Glass	LT-E160400-05	5-01
Tension Lock	LT-Z911	1-39
Tension Lock	LT-Z912	1-39
Tension Lock	LT-Z954	1-38
Tension Lock	LT-Z959	1-52
Tension Lock	LT-Z961F	1-39
Tension Lock	LT-Z981	1-36
Tension Lock	LT-Z981/8	1-37
Tension Lock	LT-Z981H	1-39
Tension Lock	LT-Z982	1-37
Tension Lock	LT-Z982/8	1-38
Tension Lock	LT-Z983A	1-52
Tension Lock	LT-Z984	6-13
Tension Lock	LT-Z991F	1-37
Tension Lock	LT-Z991F/8	1-37
Tension Lock	LT-Z993L	1-38
Tension Lock	LT-Z993R	1-38
Tension Lock/100mm	LT-Z956	2-09
Tension Lock/120mm	LT-Z957	2-08
Tension Lock/60mm	LT-Z952	2-09
Tension Lock/80mm	LT-Z955	2-09
T-handled Screwdriver	LT-E128	12-28
Threshold Plate	LT-WL524	9-12
Tie Rod Tensioning Set	LT-EM446	12-22
Top Connector	LT-WB103-01	5-21
Top Panel Retainer	LT-W108	5-04
Top Panel-clamping Extrusion	LT-W1583	5-07
Torx Head Screw	LT-E111	12-12
Torx Head Screw	LT-E111/20	12-12
Torx Head Wrench	LT-E114	12-27
Torx Head Wrench	LT-E131A	12-27
Torx Head Wrench	LT-E14	12-26
Torx Head Wrench	LT-E15	12-27
Track Hook	LT-LJ2974	10-11
Track Lamp	LT-DG217	10-04
Track Lamp	LT-DG218	10-05
Track Lamp	LT-DG219	10-05
Triangular Extrusion	LT-S1303	8-02
Triangular Sign	LT-FA509	6-17
Truss Hook	LT-LJ2972	4-04
Truss Hook	LT-LJ2973	4-04
U type cabinet	LT-ZJ127A	9-03
Universal Extrusion	LT-S2300	2-17
Universal Extrusion	LT-S2305	2-18
Universal Suspension Connector	LT-Z169	1-47

INDEX NAME

Name	Code	Page
Universal Suspension Connector	LT-Z170	1-47
Universal Suspension Connector	LT-Z171	1-47
Upper Track Extrusion	LT-E405	8-09
Upper Track for Sliding Door	LT-E400	8-12
Upper Track for Sliding Door	LT-E421	8-13
Upright Extrusion	LT-DFS	3-01
Upright Extrusion	LT-K803	8-07
Upright Extrusion	LT-K804	8-09
Upright Extrusion	LT-S100	1-01
Upright Extrusion	LT-S108	1-01
Upright Extrusion	LT-S201	1-01
Upright Extrusion	LT-S202	1-01
Upright Extrusion	LT-S204	1-02
Upright Extrusion	LT-S2105	8-06
Upright Extrusion	LT-S300	1-02
Upright Extrusion	LT-S408	3-02
Upright Extrusion	LT-S500	1-03
Upright Extrusion	LT-U1000	1-51
Upright Extrusion 135°	LT-S203	1-02
Upright Extrusion 135°	LT-S2102	8-05
Upright Extrusion 135°	LT-S2104	8-06
Upright Extrusion 45°	LT-S302	1-02
Upright Extrusion 60°	LT-S303	1-03
Upright Extrusion 90°	LT-S2101	8-05
Upright Extrusion 90°	LT-S2101A	8-05
Upright Extrusion 90°	LT-S2103	8-06
Upright Extrusion, Curved Half Circle	LT-S108-2Y1400	1-13
Upright Extrusion, Curved Half Circle	LT-S108-2Y1980	1-13
Upright Extrusion, Curved Half Circle	LT-S108-2Y2800	1-13
Upright Extrusion, Curved Half Circle	LT-S108-2Y990	1-12
Upright Extrusion, Curved Half Circle	LT-S201-2Y1400	1-15
Upright Extrusion, Curved Half Circle	LT-S201-2Y1980	1-15
Upright Extrusion, Curved Half Circle	LT-S201-2Y2800	1-15
Upright Extrusion, Curved Half Circle	LT-S201-2Y990	1-14
Upright Extrusion, Curved Quarter Circle	LT-S108-4Y1400	1-12
Upright Extrusion, Curved Quarter Circle	LT-S108-4Y1980	1-12
Upright Extrusion, Curved Quarter Circle	LT-S108-4Y2800	1-12
Upright Extrusion, Curved Quarter Circle	LT-S108-4Y990	1-11
Upright Extrusion, Curved Quarter Circle	LT-S201-4Y1400	1-14
Upright Extrusion, Curved Quarter Circle	LT-S201-4Y1980	1-14
Upright Extrusion, Curved Quarter Circle	LT-S201-4Y2800	1-14
Upright Extrusion, Curved Quarter Circle	LT-S201-4Y990	1-13
Upright Extrusion/22mm	LT-W2107	8-07
Upright Extrusion/80mm	LT-W2110	5-17
Washer	LT-Z185	1-48
Wave Sign	LT-FA510	6-17
Welded Complete-set Wall	LT-WB261-48	5-11
Wire for Lighting Wall	LT-DG103-2	5-20
Wire Retainer	LT-EG001	10-18
Wire Way Extrusion	LT-E460	8-14

INDEX NAME

Name	Code	Page
Wood Case	LT-BZX-011	11-04
Wood Plastic Board	LT-ZS321（MS）	12-32
Wooden Case		11-04
Wooden Case		11-04
Wooden Case		11-05
Wooden Door	LT-WB608L-02	9-11
Wooden Door	LT-WB608R-02	9-11
Wooden Door with Aluminum Frame	LT-WB608L	9-10
Wooden Door with Aluminum Frame	LT-WB608R	9-10
Wrench	LT-E135	4-03